AUTHOR INDEX

VOLUME 69, 1992

British Journal of Anaesthesia

ARS = Anaesthetic Research Society papers
C = Correspondence
E = Editorial
R = Book review

ACKERMAN, W. E. *see* ANDREWS, P. J. D. 401–403
ACKERS, J. W. L. *see* PALAZZO, M. G. A., (*ARS*) 530P
ADKISSON, G. H. Spread of spinal anaesthesia, (*C*) 328
ADT, M. Atracurium and histamine, (*C*) 110
AGGARWAL, S. *see* COOK, D. R. 580–585
AGOSTON, S. *see* WERBA, A. 382–386
AITKENHEAD, A. R. *see* FELL, D., (*R*) 667–668
AKHTAR, T. M. *see* KEENAN, G. M. A., (*ARS*) 533P
ALCON, A. *see* ESCOLANO, F. 404–406
ALLARDYCE, W. *see* HAYNES, S. R. 599–601
AMAHA, K. *see* OSHIMA, T. 236–239
AMBAKEDEREMO, A. W. *see* HOPKINS, P. M., (*ARS*) 210–211P
ANDERSON, F. M. *see* PHILIPS, B. J. 407–408
ANDERTON, J. *see* EDDLESTON, J. M. 154–158
ANDREWS, P. J. D., ACKERMAN, W. E., JUNEJA, M., CASES-CRISTOBAL, V. and RIGOR, B. M. Transient bradycardia associated with extradural blood patch after inadvertent dural puncture in parturients 401–403
ANDREWS, P. L. R. Physiology of nausea and vomiting: speculations on the mechanisms of postoperative nausea and vomiting 2–19S
ANGSTER, R. *see* NEBAUER, A. E. 58–60
ANSERMINO, J. M. and BLOGG, C. E. Cricoid pressure may prevent insertion of the laryngeal mask airway 465–467
ANTHONY, J. M. *see* KAPADIA, F. 640–642
ARMSTRONG, P. *see* PHILIPS, B. J. 407–408
ARMSTRONG, P. J., CULLEN, M. and SCOTT, D. H. T. The Siterite ultrasound machine: an aid to internal jugular vein cannulation? (*ARS*) 533–534P
ARMSTRONG, P. J. *see* MORTON, C. P. J., (*ARS*) 533P
ARTIGAS, A., LEMAIRE, F., SUTER, P. M. and ZAPOL, W. M., (editors) *Adult Respiratory Distress Syndrome*, (*R*) 427
ASBURY, A. J. *see* O'DONNELL, N. G. 70–74
ATCHESON, R., LAMBERT, D. G. and ROWBOTHAM, D. J. Fentanyl inhibits evoked [^{3}H]noradrenaline release from human neuroblastoma cells, (*ARS*) 531P
ATKINSON, R. *see* MURPHY, P. G., (*ARS*) 532–533P
AUNE, H. *see* PETTERSEN, B. 204–205; (*C*) 665

BALIGA, N. *see* BETHUNE, D. W., (*C*) 665
BALL, G. and BOHAYCHUCK, W. *Standard Operating Procedures for Investigators*, (*R*) 231
BALL, S. P., DORKINS, H. R., ELLIS, F. R., HALL, J. L., HALSALL, P. J., HOPKINS, P. M. and STEWART, A. D. Is muscle biopsy for malignant hyperthermia diagnosis still necessary? (*ARS*) 222–223P
BALLESTEROS, M. *see* BOLDT, J. 45–50
BARAKA, A. Onset of neuromuscular block in myasthenic patients, (*C*) 227–228
BARKER, I. *see* MICHAEL, S. 577–579
BARKER, P., LANGTON, J. A., MURPHY, P. J. and ROWBOTHAM, D. J. Regurgitation of gastric contents during general anaesthesia using the laryngeal mask airway 314–315
BARKER, P., LANGTON, J. A., WILSON, I. G. and SMITH, G. Movements of the vocal cords on induction of anaesthesia with thiopentone or propofol 23–25
BARKER, P. *see* LANGTON, J., (*C*) 661–662; RABEY, P. G. 346–348; TROTTER, T. N. 352–355
BARKER, S. J. *see* THOMAS, A. N., (*ARS*) 527–528P
BARON, J.-F., (editor) *Plasma Volume Expansion*, (*R*) 668
BARRIE, J. R., BEATTY, P. C. W., CAMPBELL, I. T. and HEALY, T. E. J. Determination of the onset of rebreathing: comparison of six methods during spontaneous ventilation, (*ARS*) 527P
BASKETT, P. J. F. Advances in cardiopulmonary resuscitation 182–193
BATCHELOR, A. M. and CONACHER, I. D. Anaphylactoid or carcinoid? 325–327
BAXTER, M. K. *see* NOLAN, K. M. 194–196
BEATTY, P. C. W., BURGESS, H. M. and HEALY, T. E. J. Breakdown of halogenated inhalation anaesthetic agents with water vapour in breathing systems, (*ARS*) 216P
BEATTY, P. C. W., MEAKIN, G. and HEALY, T. E. J. Fractional delivery of fresh gas: a new index of the efficiency of semi-closed breathing systems 474–477
BEATTY, P. C. W. *see* BARRIE, J. R., (*ARS*) 527P; WILLARD, T. B., (*ARS*) 213P
BECQUEMIN, J.-P. *see* BEYDON, L. 137–142
BEDFORD, R. F. *see* VESELIS, R. A. 246–254
BELL, C., HUGHES, C. W. and OH, T. H., (editors) *The Pediatric Anesthesia Handbook*, (*R*) 230
BEMBRIDGE, J. *see* BENNETT, M. W. R., (*ARS*) 220P
BENGTSON, J. P., HARALDSSON, Å., BENGTSSON, A., HENRIKSSON, B.-Å. and STENQVIST, O. Inspiratory to end-tidal oxygen difference, (*C*) 663
BENGTSSON, A. *see* BENGTSON, J. P., (*C*) 663
BENHAMOU, D. *see* VEROLI, P. 461–464
BENNETT, M. W. R., SHAH, M. V. and BEMBRIDGE, J. Effect of four different maintenance anaesthetic techniques for minor surgery on gastric emptying, (*ARS*) 220P
BERGESIO, R. *see* THOMAS, A. N., (*ARS*) 527–528P
BERRIDGE, J. C. Influence of cardiac output on the correlation between mixed venous and central venous oxygen saturation 409–410
BERRY, A. M. *see* MCDONALD, P. F. 399–400
BERRY, C. B. and MORTON, N. S. Venous sequelae of diclofenac, (*C*) 332
BERTHOUD, M. *see* PEACOCK, J. E. 363–367
BETHUNE, D. W. and BALIGA, N. Skin injury with a pulse oximeter, (*C*) 665
BETHUNE, D. W., GHOSH, S., GRAY, B., KERR, L., WALKER, I. A., DOOLAN, L.A., HARWOOD, R. J. and SHARPLES, L. D. Learning during general anaesthesia: implicit recall after methohexitone or propofol infusion 197–199
BEYDON, L., HASSAPOPOULOS, J., QUERA, M.-A., RAUSS, A., BECQUEMIN, J.-P., BONNET, F., HARF, A. and GOLDENBERG, F. Risk factors for oxygen desaturation during sleep, after abdominal surgery 137–142
BHATT, S. B., HUTCHINSON, R. C., TOMLINSON, B., OH, T. E. and MAK, M. Effect of dobutamine on oxygen supply and uptake in healthy volunteers 298–303
BISBE, E. *see* ESCOLANO, F. 404–406
BLOGG, C. E. *see* ANSERMINO, J. M. 465–467
BLUMGART, C. H., RYALL, D., DENNISON, B. and THOMPSON-HILL, L. M. Mechanism of extension of spinal anaesthesia by extradural injection of local anaesthetic 457–460
BOHAYCHUCK, W. *see* BALL, G., (*R*) 231
BOLDT, J., KNOTHE, C., ZICKMANN, B., BALLESTEROS, M., RUSS, W., DAPPER, F. and HEMPELMANN, G. The role of enoximone in cardiac surgery 45–50
BONNET, F. *see* BEYDON, L. 137–142
DE BOO, T. *see* VANLINTHOUT, L. E. H. 29–35
BOOIJ, L. H. D. J. *see* HULL, J. M., (*ARS*) 534P; VANLINTHOUT, L. E. H. 29–35
BOOTH, J. V. *see* SMITH, D. C., (*ARS*) 223P
BORGEAT, A. *see* WILDER-SMITH, O. H. G., (*C*) 663–664
BOSNJAK, Z. J. *see* FLYNN, N. M., (*ARS*) 210P
BOSSAERT, L. L. *see* HEYTENS, L. 87–91
BOUCHIER-HAYES, D. *see* RYAN, T. 101–104
BOULES, Z. *see* COOPER, R. 269–273
BOULTON, A. J. M. *see* VOHRA, A., (*ARS*) 212–213P
BOYD, A. H. *see* MARTIN, C. S., (*ARS*) 526P
BOYD, S. G. *see* MASON, D. G. 562–566; 567–569
BOYLAN, M. K. G. *see* COLUMB, M. O., (*ARS*) 211P
BOYLE, E. *see* GRIFFITHS, R., (*ARS*) 530P
BRAND, C. *see* LANGE, H. 478–481
BRAS, P. and PONTE, J. Where is the bobbin? (*ARS*) 539P
BRAUER, S. D. *see* JACOBSEN, W. K., (*R*) 333–334
BRICARD, H. *see* LAROCHE, D. 611–614

BRIEGEL, J. *see* WELTE, M. 637–639
BRIGHOUSE, D. and GUARD, B. Anaesthesia for Caesarean section in a patient with Ehlers–Danlos syndrome type IV 517–519
BRITT, R. P. *see* SAMSOON, G. 653–656
BROMAGE, P. R. Bleeding time, (*C*) 330
BROWN, A. C. D. and NORTON, M. L. *Atlas of the Difficult Airway*, (*R*) 231
BROWN, D. L. *Atlas of Regional Anaesthesia*, (*R*) 426
BROWNE, B. L., PRYS-ROBERTS, C. and WOLF, A. R. Propofol and alfentanil in children: infusion technique and dose requirement for total i.v. anaesthesia 570–576
BROWNRIDGE, P. *see* MCMENEMIN, I. M. 417–419
BUNCE, K. T. and TYERS, M. B. The role of 5-HT in postoperative nausea and vomiting 60–62S
BURGESS, H. M. *see* BEATTY, P. C. W., (*ARS*) 216P
BURGESS, N. A. *see* SCRIVEN, M. W., (*C*) 422–423
BURGMANN, H. *see* RECKENDORFER, H. 288–291
BURKE, D. J. *see* HICKS, R. G. 130–136
BUTLER, P. J. Recognition and management of difficult airway problems, (*C*) 225

CALDER, I. Recognition and management of difficult airway problems, (*C*) 224
CAMERON, R. J. *see* MERRY, A. F. 92–94
CAMPBELL, I. T. Dual publication of abstracts, (*C*) 227
CAMPBELL, I. T. *see* BARRIE, J. R., (*ARS*) 527P
CAMPKIN, N., OOI, R. and SONI, N. Oxygen uptake during rebreathing in a Mapleson A system, (*ARS*) 538P
CAMPKIN, N. *see* HOOD, J. R., (*ARS*) 535P
CAMPKIN, N. T. A., HOOD, J. R. and FELDMAN, S. A. Fade during recovery from vecuronium, (*C*) 226–227
CAMU, F. *see* VERBORGH, C. 36–39
CARIA, M. A. *see* DE RIU, P. L. 177–181
CARLI, F. *see* MCHALE, S. 634–636
CARRIE, L. E. S. Metallic fragments and the combined spinal–extradural technique, (*C*) 662–663
CARSON, R. J. and REYNOLDS, F. Elimination of bupivacaine and pethidine from the rabbit feto–placental unit 150–153
CASES-CRISTOBAL, V. *see* ANDREWS, P. J. D. 401–403
CASHMAN, J. *see* PRICE, M. L. 172–176
CASTAÑO, J. *see* ESCOLANO, F. 404–406
CHAMBERS, W. A. Peripheral nerve damage and regional anaesthesia, (*E*) 429–430
CHAMBERS, W. A. *see* RONALD, A. L. 105–107
CHARLETT, A. *see* LANDON, M. J. 81–86
CHARLTON, A. J. *see* VOHRA, A., (*ARS*) 212–213P
CHARLTON, G. A., SEDGWICK, J. and SUTTON, D. N. Anaesthetic management of renin secreting nephroblastoma 206–209
CHAUDHRI, S., COLVIN, J. R., TODD, J. G. and KENNY, G. N. C. Evaluation of closed loop control of arterial pressure during hypotensive anaesthesia for local resection of intraocular melanoma 607–610
CHEN, B.-J. *see* TSAI, S. K. 255–258
CHILDS, D. *see* MARTIN, C. S., (*ARS*) 526P
CHRAEMMER-JØRGENSEN, B. *see* OLSEN, K. S. 263–268
CHUI, P. T. *see* SHORT, T. G. 162–167
CIGARINI, I. *see* JORIS, J. 341–345
CLANACHAN, A. S. *see* FINEGAN, B. A. 492–497
CLARKE, R. S. J. *see* COOPER, R. 269–273; MCCARTHY, G., (*ARS*) 213–214P; MCCLUNE, S. 240–245
COBLEY, M. and VAUGHAN, R. S. Recognition and management of difficult airway problems, (*C*) 225
CODY, M. W. and JOHNSTON, J. A. Antenatal assessment for anaesthesia, (*C*) 332
COE, A. J. and MOORE, J. K. Intrathecal morphine-6-glucuronide and bupivacaine for postoperative pain, (*ARS*) 221P
COHENDY, R., LEFRANT, J. Y., LARACINE, M., REBIERE, T. and ELEDJAM, J. J. Effect of fentanyl on ventilatory resistances during barbiturate general anaesthesia 595–598
COLE, D. J. *see* JACOBSEN, W. K., (*R*) 333–334
COLLETT, B. J. *see* ELLIOTT, R. H., (*C*) 422
COLUMB, M. O., MURPHY, P. G., KOWOLIK, M. J., SHAH, M. V. and BOYLAN, M. K. G. Influence of myocardial preservation technique on perioperative neutrophil activity in patients undergoing coronary artery graft surgery, (*ARS*) 211P
COLUMB, M. O. *see* MURPHY, P. G., (*ARS*) 532–533P
COLVIN, J. R. *see* CHAUDHRI, S. 607–610
CONACHER, I. D. *see* BATCHELOR, A. M. 325–327
COOK, D. R., FREEMAN, J. A., LAI, A. A., KANG, Y., STILLER, R. L., AGGARWAL, S., HARRELSON, J. C., WELCH, R. M. and SAMARA, B. Pharmacokinetics of mivacurium in normal patients and in those with hepatic or renal failure 580–585
COOK, L. B. and VARLEY, S. Fatal tracheal compression after haemorrhage into the axilla 322–324
COOPER, R., MIRAKHUR, R. K., CLARKE, R. S. J. and BOULES, Z. Comparison of intubating conditions after administration of Org 9426 (rocuronium) and suxamethonium 269–273
COOPER, R. *see* MCCARTHY, G. J. 281–283
COWAN, B. *see* HAYNES, S. R. 599–601
COX, D. J. A. *see* MALLETT, S. V. 307–313
COZANITIS, D. A. Probable resistance to vecuronium involving the 17-hydroxy metabolite, (*C*) 110–111
CRAWFORD, M. R. *see* HICKS, R. G. 130–136
CREAGH-BARRY, P. *see* LANDON, M. J. 81–86
CROSBY, D. L., REES, G. A. D. and SEYMOUR, D. G., (editors) *The Ageing Surgical Patient—Anaesthetic, Operative and Medical Management*, (*R*) 426–427
CULLEN, M. *see* ARMSTRONG, P. J., (*ARS*) 533–534P
CUMMING, A. D. *see* POWER, I. 451–456
CUNNINGHAM, A. J. *see* RYAN, T. 101–104
CZECH, T. *see* WERBA, A. 382–386

DAHL, A. *see* DAHL, J. B., (*C*) 424–425
DAHL, J. B., ERICHSEN, C. J., FUGLSANG-FREDERIKSEN, A. and KEHLET, H. Pain sensation and nociceptive reflex excitability in surgical patients and human volunteers 117–121
DAHL, J. B., HANSEN, B. L., HJORTSØ, N.-C., ERICHSEN, C. J., MØINICHE, S. and KEHLET, H. Influence of timing on the effect of continuous extradural analgesia with bupivacaine and morphine after major abdominal surgery 4–8; Pre-emptive extradural analgesia, (*C*) 664–665
DAHL, J. B., KEHLET, H., DIERKING, G., DAHL, A. and KANSTRUP, J. Effect of preoperative opioid administration on postoperative pain, (*C*) 424–425
DANG, P. T. *see* THOMAS, A. N. 397–398
DAPPER, F. *see* BOLDT, J. 45–50
DARKE, P. G. G. *see* YOUNG, L. E., (*ARS*) 222P
DAY, P. *see* MURPHY, P. G., (*ARS*) 532–533P
DE ANDRÉS, J. A. A puncture technique for continuous subarachnoid block, (*C*) 544–545
DE GROOTE, D. *see* JORIS, J. 341–345
DELOOZ, H. H., (editor) *Emergency Medicine and the Anaesthetist* (*Baillière's Clinical Anaesthesiology* series), (*R*) 546
DENNISON, B. *see* BLUMGART, C. H. 457–460
DERBYSHIRE, D. R. *see* FELL, D., (*R*) 667–668
DE RIU, P. L., PETRUZZI, V., TESTA, C., MULAS, M., MELIS, F., CARIA, M. A. and MAMELI, O. Propofol anticonvulsant activity in experimental epileptic status 177–181
DESBOROUGH, J. P., JONES, P. M., PERSAUD, S. J., LANDON, M. J. and HOWELL, S. L. Isoflurane inhibits insulin secretion from isolated rat pancreatic islets of Langerhans, (*ARS*) 532P
DESBOROUGH, J. P. *see* HALL, G. M., (*E*) 337–338
DEVLIN, J. C., HEAD-RAPSON, A. G., PARKER, C. J. R. and HUNTER, J. M. Pharmacodynamics of mivacurium chloride in the cirrhotic patient, (*ARS*) 534–535P
DEVLIN, J. C., PHILLIPS, B. J., HUNTER, J. M. and PARKER, C. J. R. Influence of body weight and gender on the pharmacodynamics of atracurium, (*ARS*) 217–218P
DHAMEE, M. S. and GHANDI, S. K. Cardiovascular responses to tracheal extubation, (*C*) 229
DHARA, S. S. Retrograde intubation—a facilitated approach 631–633
DIEDERICKS, J. *see* PUTTICK, R. M. 375–381
DIERKING, G. *see* DAHL, J. B., (*C*) 424–425
DIERKS, T. *see* ENGELHARDT, W. 75–80
DIGE-PETERSEN, H. *see* OLSEN, K. S. 263–268
DODD, F. M., SIMON, E. and MCKEOWN, D. Effect of a cervical collar on the tidal volume of anaesthetized adult patients, (*ARS*) 526–527P
DOENICKE, A. *see* MAYER, M. 511–512; NEBAUER, A. E. 58–60
DONAGHEY, S. F. O'B. *see* LAYCOCK, G. J. A. 356–362
DONALDSON, M. D. J., SEAMAN, M. J. and PARK, G. R. Massive blood transfusion 621–630
DOOLAN, L.A. *see* BETHUNE, D. W. 197–199
DORÉ, C. J. *see* NEWTON, D. E. F. 122–129
DORKINS, H. R. *see* BALL, S. P., (*ARS*) 222–223P
DOTTRENS, M., RIFAT, K. and MOREL, D. R. Comparison of extradural administration of sufentanil, morphine and sufentanil–morphine combination after Caesarean section 9–12
DOWNS, J. *see* GRENVIK, A., (*R*) 334
DRESNER, M. *see* WOOD, P. R. 202–203
DRUMMOND, G. B. *see* NIMMO, A. F., (*ARS*) 539–540P
DUBOIS, F. *see* LAROCHE, D. 611–614

EDDLESTON, J. M., MARESH, M., HORSMAN, E. L., YOUNG, H., LACEY, P. and ANDERTON, J. Comparison of the maternal and fetal effects associated with intermittent or continuous infusion of extradural analgesia 154–158
EDMONDSON, W. C. *see* PEACOCK, J. E. 363–367
VAN EGMOND, J. *see* VANLINTHOUT, L. E. H. 29–35
ELDOR, J. Metallic fragments and the combined spinal–extradural technique, (*C*) 663
ELEDJAM, J. J. *see* COHENDY, R. 595–598
ELLIOTT, P. *see* MCCARTHY, G., (*ARS*) 213–214P
ELLIOTT, R. H. and COLLETT, B. J. Delayed septicaemia after extradural steroid treatment, (*C*) 422
ELLIS, F. R., HALSALL, P. J. and HOPKINS, P. M. Is the "K-type" caffeine–halothane responder susceptible to malignant hyperthermia? 468–470
ELLIS, F. R. *see* BALL, S. P., (*ARS*) 222–223P; HALSALL, P. J. 471–473; HOPKINS, P. M., (*ARS*) 531–532P
EL MIKATTI, N., LUTHRA, A. D., HEALY, T. E. J. and MORTIMER, A. J. Gastric regurgitation during general anaesthesia in the supine position with the laryngeal and face mask airways, (*ARS*) 529–530P
ENGELHARDT, W., FRIESS, K., HARTUNG, E., SOLD, M. and DIERKS, T. EEG and auditory evoked potential P300 compared with psychometric tests in assessing vigilance after benzodiazepine sedation and antagonism 75–80
ENTWISTLE, M. D., SOMMERVILLE, D. and JONES, J. G. Effect of brief hypoxaemia on the resting ECG in patients with exercise-induced cardiac ischaemia, (*ARS*) 536–537P
ERICHSEN, C. J. *see* DAHL, J. B. 4–8; 117–121; (*C*) 664–665
ERSKINE, R. J., MURPHY, P. J., LANGTON, J. A. and SMITH, G. Effect of age on the sensitivity of upper airway reflexes, (*ARS*) 538–539P
ESCOLANO, F., CASTAÑO, J., LOPEZ, R., BISBE, E. and ALCON, A. Effects of omeprazole, ranitidine, famotidine and placebo on gastric secretion in patients undergoing elective surgery 404–406
ESENER, Z., SARIHASAN, B., GÜVEN, H. and ÜSTÜN, E. Thiopentone and etomidate concentrations in maternal and umbilical plasma, and in colostrum 586–588
EVANS, F. E. *see* METTAM, I. M. 420–421
EVANS, R. D. *see* PALAZZO, M. G. A., (*ARS*) 530P

FAUST, R. J., (editor) *Anesthesiology Review*, (*R*) 230–231
FAUVEL, N. *see* HOOD, J., (*ARS*) 218P
FAWCETT, W. and FELDMAN, S. Comparison of recovery index of Org 9426 with simultaneous administration of pancuronium in the isolated arm compared with vecuronium and pancuronium, (*ARS*) 218P
FEE, J. P. H. *see* GANTA, R. 316–317
FEIGL, W. *see* RECKENDORFER, H. 288–291
FELDMAN, S. *see* FAWCETT, W., (*ARS*) 218P; HOOD, J., (*ARS*) 218P
FELDMAN, S. A. *see* CAMPKIN, N. T. A., (*C*) 226–227; HOOD, J. R., (*ARS*) 535P
FELL, D., DERBYSHIRE, D. R., AITKENHEAD, A. R. and SMITH, G. *MCQ Companion to the Textbook of Anaesthesia*, (*R*) 667–668
FELL, D. and LOWRIE, A. Cardiovascular responses to tracheal extubation, (*C*) 229
FERGUSSON, S. *see* PHILIPS, B. J. 407–408
FINEGAN, B. A., WHITING, R. W., TAM, Y. K. and CLANACHAN, A. S. Enhancement of bupivacaine toxicity by diltiazem in anaesthetized dogs 492–497
FINK, B. R. Vocal cord movement on induction of anaesthesia, (*C*) 661
FINK, B. R. *see* PIROGOFF, N., (*R*) 333
FISCHER, H. B. J. *see* SCOTT, P. V., (*C*) 108
FLETCHER, R. Auto-PEEP, lung volume and sternotomy, (*ARS*) 527P; Bedside respiratory measurements with the Siemens–Elema CO_2 Analyzer, (*C*) 227
FLYNN, N. M., O'TOOLE, D. P., BOSNJAK, Z. J. and KAMPINE, J. P. Halothane produces potent endothelium-independent vasodilatation in canine middle cerebral arteries, (*ARS*) 210P
FOËX, P. *see* MUIR, A. D., (*ARS*) 540P; PUTTICK, R. M. 375–381
FORD, J. L. *see* LEE, M. G. 522–525
FORRLER, M. *see* LLEU, J. C., (*C*) 542
FRAGEN, R. J., (editor) *Drug Infusions in Anesthesiology*, (*R*) 112
FRANCHIMONT, P. *see* JORIS, J. 341–345
FRASER, R. B. *see* MAGIDES, A. D., (*ARS*) 529P
FREEMAN, J. A. *see* COOK, D. R. 580–585
FRENKEL, C. and URBAN, B. W. Molecular actions of racemic ketamine on human CNS sodium channels 292–297
FRID, I. *see* WENNBERG, E. 13–18
FRIESS, K. *see* ENGELHARDT, W. 75–80
FRITH, C. D. *see* NEWTON, D. E. F. 122–129
FUGLSANG-FREDERIKSEN, A. *see* DAHL, J. B. 117–121
FULTON, B. *see* PARK, G., (*R*) 548

GANTA, R. and FEE, J. P. H. Pain on the injection of propofol: comparison of lignocaine with metoclopramide 316–317
GARRARD, C. S. *see* HOWELL, S., (*ARS*) 536P
GATAURE, P. S., LATTO, I. P. and TAYLOR, H. Use of suction catheters as an alternative to tracheal tubes in adults 657–658
GEEURICKX, A. *see* WEE, M. Y. K. 411–413
GEORGE, K. A. *see* WRIGHT, P. M. C., (*ARS*) 219–220P
GÉRARD, J.-L. *see* LAROCHE, D. 611–614
GHANDI, S. K. *see* DHAMEE, M. S., (*C*) 229
GHOSH, S. *see* BETHUNE, D. W. 197–199
GILL, R. S. and SCOTT, R. P. F. Etomidate shortens the onset time of neuromuscular block 444–446
GILLIES, G. W. A. Hypoxaemia and insertion of the laryngeal mask airway, (*C*) 661
GILLY, H. *see* WERBA, A. 382–386
GLEN, J. B. *see* PUTTICK, R. M. 375–381; TAYLOR, I. N. 168–171
GOLDENBERG, F. *see* BEYDON, L. 137–142
GOLDFRANK, L. R. *see* HOFFMAN, R. S., (*R*) 547
GOLDHILL, D. R. *see* NOLAN, K. M. 194–196; (*ARS*) 214–215P; TAYLOR, T. H., (*R*) 334
GOPINATH, R. Venous sequelae of diclofenac, (*C*) 332
GRAHAM, S. G. The National Confidential Enquiry into Perioperative Deaths 1990, (*E*) 431–432
GRAY, B. *see* BETHUNE, D. W. 197–199
GRENVIK, A., DOWNS, J., RÄSÄNEN, J. and SMITH, R., (editors) *Mechanical Ventilation and Assisted Respiration*, (*R*) 334
GRIFFITHS, R., NORMAN, R. I., BOYLE, E. and ROWBOTHAM, D. J. Effect of halothane on [^{3}H]methylcholine uptake into rat brain synaptosomes, (*ARS*) 530P
GRIFFITHS, R. W. *see* MICHAEL, S. 577–579
GRIMES, A. *see* WILLIAMS, N. J., (*C*) 228
GROH, J. *see* WELTE, M. 637–639
GROUNDS, M. *see* PRICE, M. L. 172–176
GUARD, B. *see* BRIGHOUSE, D. 517–519
GUÉANT, J.-L. *see* LAROCHE, D. 611–614
GUPTA, A., VEGFORS, M. and LENNMARKEN, C. Midazolam and cardioversion, (*C*) 422
GÜVEN, H. *see* ESENER, Z. 586–588

HAIMERL, E. *see* WELTE, M. 637–639
HALJAMÄE, H. *see* WENNBERG, E. 13–18
HALL, G. M. and DESBOROUGH, J. P. Interleukin-6 and the metabolic response to surgery, (*E*) 337–338
HALL, J. L. *see* BALL, S. P., (*ARS*) 222–223P
HALSALL, P. J., ELLIS, F. R. and KNOWLES, P. F. Evaluation of spin resonance spectroscopy of red blood cell membranes to detect malignant hyperthermia susceptibility 471–473
HALSALL, P. J. *see* BALL, S. P., (*ARS*) 222–223P; ELLIS, F. R. 468–470; HOPKINS, P. M., (*ARS*) 531–532P
HANNING, C. D. Prolonged postoperative oxygen therapy, (*E*) 115–116
HANSEN, B. L. *see* DAHL, J. B. 4–8; (*C*) 664–665
HARALDSSON, A. *see* BENGTSON, J. P., (*C*) 663
HARF, A. *see* BEYDON, L. 137–142
HARRELSON, J. C. *see* COOK, D. R. 580–585
HARRIS, K. The role of prostaglandins in the control of renal function, (*E*) 233–235
HARRISON, D. A. and LANGHAM, B. T. Postdural puncture headache in urological surgery: an evaluation of the atraumatic spinal needle, (*ARS*) 540–541P
HARRISON, D. A. *see* LANGHAM, B. T., (*ARS*) 537–538P
HARTUNG, E. *see* ENGELHARDT, W. 75–80
HARWOOD, R. J. *see* BETHUNE, D. W. 197–199
HASHIMOTO, Y. *see* KOGA, Y. 65–69
HASSAPOPOULOS, J. *see* BEYDON, L. 137–142
HATCH, D. J., SAUL, C., WILSON, L. E. and REHDER, K. Action of ketamine on isolated porcine trachealis muscle, (*ARS*) 217P
HAYNES, S. R., ALLARDYCE, W., COWAN, B. and TANSEY, P. Accuracy of coagulation studies performed on blood samples obtained from arterial cannulae 599–601
HEAD-RAPSON, A. G. *see* DEVLIN, J. C., (*ARS*) 534–535P; RALSTON, S. J., (*ARS*) 220–221P
HEALY, T. E. J. *see* BARRIE, J. R., (*ARS*) 527P; BEATTY, P. C. W., (*ARS*) 216P; 474–477; EL MIKATTI, N., (*ARS*) 529–530P; WANG, D. Y., (*ARS*) 221–222P
HEATH, M. L. Recognition and management of difficult airway problems, (*C*) 224–225
HEMPELMANN, G. *see* BOLDT, J. 45–50
HENDERSON, P. *see* MICHAEL, S. 577–579
HENRIKSEN, L. *see* OLSEN, K. S. 263–268
HENRIKSSON, B.-A. *see* BENGTSON, J. P., (*C*) 663

HENZE, T. *see* STEPHAN, H. 51–57
HEROLD, M. *see* PUTENSEN, C. 513–516
HERZ, A. *see* WELTE, M. 637–639
HEYTENS, L., MARTIN, J. J. and BOSSAERT, L. L. *In vitro* diagnosis of malignant hyperthermia: influence of electrical stimulation on the contracture response to caffeine 87–91
HICKMAN, J. A. *see* TOLLEY, P. M. 320–321
HICKS, R. G., WOODFORTH, I. J., CRAWFORD, M. R., STEPHEN, J. P. H. and BURKE, D. J. Some effects of isoflurane on I waves of the motor evoked potential 130–136
HIGGINS, D. *see* MASON, D. G. 562–566; 567–569
HJORTSØ, N.-C. *see* DAHL, J. B., 4–8; (*C*) 664–665
HOERNECKE, R. *see* NEBAUER, A. E. 58–60
HOFFMAN, R. S. and GOLDFRANK, L. R., (editors) *Critical Care Toxicology* (*Contemporary Management in Critical Care* series), (*R*) 547
HOFMANN, A. *see* MAYER, M. 511–512
HOOD, J., FAUVEL, N. and FELDMAN, S. Effect of administration of vecuronium on recovery from pancuronium and *vice versa*, (*ARS*) 218P
HOOD, J. R., CAMPKIN, N. and FELDMAN, S. A. Influence of circulating drug on recovery of neuromuscular block in the isolated forearm, (*ARS*) 535P
HOOD, J. R. *see* CAMPKIN, N. T. A., (*C*) 226–227
HOOPER, J. *see* OXORN, D. C. 200–201
HOPKINS, P. M., ELLIS, F. R. and HALSALL, P. J. Inhibition of sodium–calcium exchange increases skeletal muscle contracture response to halothane, (*ARS*) 531–532P
HOPKINS, P. M., YAR, T., SPENCER, G. E., AMBAKEDEREMO, A. W. and WINLOW, W. Halothane-induced changes in intracellular calcium ion concentration in neurones from *Lymnaea stagnalis*, (*ARS*) 210–211P
HOPKINS, P. M. *see* BALL, S. P., (*ARS*) 222–223P; ELLIS, F. R. 468–470
HORROCKS, M. *see* KANEKO, K., (*ARS*) 537P
HORSMAN, E. L. *see* EDDLESTON, J. M. 154–158
HOWELL, S., WANIGASEKERA, V., SEAR, J. W. and GARRARD, C. S. Heart rate spectrum analysis during induction of anaesthesia with thiopentone or propofol, (*ARS*) 536P
HOWELL, S. L. *see* DESBOROUGH, J. P., (*ARS*) 532P
HOWSAM, S. *see* MCHALE, S. 634–636
HUANG, Y. F., UPTON, R. N., RUTTEN, A. J. and RUNCIMAN, W. B. I.v. bolus administration of subconvulsive doses of lignocaine to conscious sheep: effects on circulatory function 368–374
HUGHES, C. W. *see* BELL, C., (*R*) 230
HULL, C. J. *see* SYKES, M. K., (*R*) 666
HULL, J. M., ROBERTSON, E. N., BOOIJ, L. H. D. J. and VERBEEK, A. M. Effect of rocuronium and vecuronium on intraocular pressure, (*ARS*) 534P
HUNT, P. B. *see* LEE, M. G. 522–525
HUNTER, D. *see* MADEJ, T. H. 554–557; WHEATLEY, R. G. 558–561
HUNTER, J. M. *see* DEVLIN, J. C., (*ARS*) 217–218P; (*ARS*) 534–535P; PARKER, C. J. R. 274–280; 439–443
HUTCHINSON, R. C. *see* BHATT, S. B. 298–303
HYATT, J. *see* THOMAS, A. N. 397–398; (*ARS*) 527–528P

IKEDA, K. *see* KATOH, T. 259–262
IMRAY, I. MCG., REID, T. M. S. and NOBLE, D. W. Radioimmunoassay tests and anaphylaxis, (*C*) 543–544
INGLIS, T. Bacterial overgrowth and gastric dysfunction, (*C*) 545
IP YAM, C. and WOOD, P. Repeated resistance to non-depolarizing neuromuscular blocking drugs in a patient with multiple myeloma, (*C*) 111
IRELAND, D. S. *see* LEE, M. G. 522–525
IWATSUKI, N. *see* KOGA, Y. 65–69

JACKSON, I. J. B. *see* MADEJ, T. H. 554–557; WHEATLEY, R. G. 558–561
JACOBSEN, W. K., LOBO, D. P., COLE, D. J. and BRAUER, S. D., (editors) *Manual of Post-Anesthesia Care*, (*R*) 333–334
JACQUET, N. *see* JORIS, J. 341–345
JAMES, M. F. M. *see* LAMB, K. 143–147
JANICKI, P. K. *see* LAMB, K. 143–147
JEDEIKIN, R., OLSFANGER, D., SHACHOR, D. and MANSOOR, K. Anaesthesia for transthoracic endoscopic sympathectomy in the treatment of upper limb hyperhidrosis 349–351
JENSEN, K. A. *see* NISSEN, I. 304–306
JOHNSTON, J. A. *see* CODY, M. W., (*C*) 332
JONES, J. G. *see* ENTWISTLE, M. D., (*ARS*) 536–537P; MYERS, D. S., (*ARS*) 222P; SAPSFORD, D. J., (*ARS*) 538P; (*ARS*) 541P
JONES, M. R. *see* NGAN KEE, W. D. 647–652
JONES, P. M. *see* DESBOROUGH, J. P., (*ARS*) 532P
JONES, R. M. *see* KENNA, J. G., (*C*) 228–229
JONES, R. P. Insulated regional block needles, (*C*) 423–424
JONES, R. S. *see* YOUNG, L. E., (*ARS*) 222P
JORDAN, C. *see* NEWTON, D. E. F. 122–129
JORIS, J., CIGARINI, I., LEGRAND, M., JACQUET, N., DE GROOTE, D., FRANCHIMONT, P. and LAMY, M. Metabolic and respiratory changes after cholecystectomy performed via laparotomy or laparoscopy 341–345
JOSHI, G. *see* MCSWINEY, M., (*C*) 331–332
JUNEJA, M. *see* ANDREWS, P. J. D. 401–403

KALDAS, R. *see* NOTCUTT, W. G. 95–97
KAMPINE, J. P. *see* FLYNN, N. M., (*ARS*) 210P
KANEKO, K., PRYS-ROBERTS, C., NEVIN, M., MAGEE, T. R. and HORROCKS, M. Comparison of the effects of methoxamine and phenylephrine on middle cerebral artery velocity during carotid endarterectomy, (*ARS*) 537P
KANG, Y. *see* COOK, D. R. 580–585
KANSTRUP, J. *see* DAHL, J. B., (*C*) 424–425
KAPADIA, F., SHELLY, M. P., ANTHONY, J. M. and PARK, G. R. An active heat and moisture exchanger 640–642
KAPLAN, J. A., (editor) *Thoracic Anesthesia*, 2nd Edn, (*R*) 112
KASHYAP, L. *see* YADDANAPUDI, L. N., (*C*) 661
KATO, M. *see* KOGA, Y. 65–69
KATOH, T., SUGURO, Y., NAKAJIMA, R., KAZAMA, T. and IKEDA, K. Blood concentrations of sevoflurane and isoflurane on recovery from anaesthesia 259–262
KATZ, J., KAVANAGH, B. P. and SANDLER, A. N. Effect of preoperative opioid administration on postoperative pain, (*C*) 424
KAVANAGH, B. P. *see* KATZ, J., (*C*) 424
KAZAMA, T. *see* KATOH, T. 259–262
KAZMAIER, S. *see* STEPHAN, H. 51–57
KEENAN, G. M. A., RUIZ, K., AKHTAR, T. M. and SHAH, M. V. Patient-controlled analgesia after thoracotomy: thoracic extradural *vs* i.v. fentanyl, (*ARS*) 533P
KEHLET, H. *see* DAHL, J. B. 4–8; 117–121; (*C*) 424–425; (*C*) 664–665
KENNA, J. G. and JONES, R. M. A National Database on hepatitis after exposure to inhaled anaesthetics, (*C*) 228–229
KENNY, G. N. C. *see* CHAUDHRI, S. 607–610; KINSELLA, J. 19–22; RUSSELL, D. 63–68S; TAYLOR, I. N. 168–171
KERR, L. *see* BETHUNE, D. W. 197–199
KESTIN, I. G. Intrathecal diamorphine–bupivacaine during labour, (*C*) 108
KINSELLA, J., MOFFAT, A. C., PATRICK, J. A., PRENTICE, J. W., MCARDLE, C. S. and KENNY, G. N. C. Ketorolac trometamol for postoperative analgesia after orthopaedic surgery 19–22
KIRBY, R. R. *see* MILLER, R. D., (*R*) 113
KNIGHT-GEORGE, A. B. *see* SAMSOON, G. 653–656
KNOTHE, C. *see* BOLDT, J. 45–50
KNOWLES, P. *see* NOTCUTT, W. G. 95–97
KNOWLES, P. F. *see* HALSALL, P. J. 471–473
KNOX, J. W. D. *see* OXORN, D. C. 200–201
KOGA, Y., SATO, S., SODEYAMA, N., TAKAHASHI, M., KATO, M., IWATSUKI, N. and HASHIMOTO, Y. Comparison of the relaxant effects of diazepam, flunitrazepam and midazolam on airway smooth muscle 65–69
KONGSGAARD, U. *see* PETTERSEN, B. 204–205; (*C*) 665
KONIECZKO, K. M. *see* NEWTON, D. E. F. 122–129
KORTTILA, K. The study of postoperative nausea and vomiting 20–23S
KOWOLIK, M. J. *see* COLUMB, M. O., (*ARS*) 211P
KUMAR, A. Y. *see* SHANKAR, K. B., (*C*) 542–543
KUMAR, S. *see* VOHRA, A., (*ARS*) 212–213P
KWAN, W.-F. *see* TSAI, S. K. 255–258

LACEY, P. *see* EDDLESTON, J. M. 154–158
LAI, A. A. *see* COOK, D. R. 580–585
LAMB, K., JAMES, M. F. M. and JANICKI, P. K. The laryngeal mask airway for intraocular surgery: effects on intraocular pressure and stress responses 143–147
LAMBERT, D. G. *see* ATCHESON, R., (*ARS*) 531P
LAMY, M. *see* JORIS, J. 341–345
LANDON, M. *see* MATSON, A. M., (*ARS*) 528–529P
LANDON, M. J., CREAGH-BARRY, P., MCARTHUR, S. and CHARLETT, A. Influence of vitamin B_{12} status on the inactivation of methionine synthase by nitrous oxide 81–86
LANDON, M. J. *see* DESBOROUGH, J. P., (*ARS*) 532P
LANGE, H., STEPHAN, H., BRAND, C., ZIELMANN, S. and SONNTAG, H. Hepatic disposition of methohexitone in patients undergoing coronary bypass surgery 478–481
LANGHAM, B. T. and HARRISON, D. A. Pressor response to venous cannulation and effect of local anaesthetic infiltration, (*ARS*) 537–538P

LANGHAM, B. T. *see* HARRISON, D. A., (*ARS*) 540–541P
LANGTON, J., WILSON, I., BARKER, P. and SMITH, G. Vocal cord movement on induction of anaesthesia, (*C*) 661–662
LANGTON, J. A. *see* BARKER, P. 23–25; 314–315; ERSKINE, R. J., (*ARS*) 538–539P; RABEY, P. G. 346–348; TROTTER, T. N. 352–355
LAORDEN, M. L. *see* MICOL, J. A. 487–491
LARACINE, M. *see* COHENDY, R. 595–598
LAROCHE, D., LEFRANÇOIS, C., GÉRARD, J.-L., DUBOIS, F., VERGNAUD, M.-C., GUÉANT, J.-L. and BRICARD, H. Early diagnosis of anaphylactic reactions to neuromuscular blocking drugs 611–614
LASKA, E. M. *see* MAX, M. B., (*R*) 230
LATTO, I. P. *see* GATAURE, P. S. 657–658
LAURENCE, A. S. *see* MARTLEW, R., (*ARS*) 219P
LAVERTY, J. *see* MAHAJAN, R. P. 318–319
LAWES, E. G. *see* O'KELLY, S. W., (*C*) 330–331
LAWLER, P. G. P. *see* WOOD, P. R. 202–203
LAYCOCK, G. J. A., MITCHELL, I. M., PATON, R. D., DONAGHEY, S. F. O'B., LOGAN, R. W. and MORTON, N. S. EEG burst suppression with propofol during cardiopulmonary bypass in children: a study of the haemodynamic, metabolic and endocrine effects 356–362
LEE, C. *see* TSAI, S. K. 255–258
LEE, M. G., FORD, J. L., HUNT, P. B., IRELAND, D. S. and SWANSON, P. W. Bacterial retention properties of heat and moisture exchange filters 522–525
LEFRANÇOIS, C. *see* LAROCHE, D. 611–614
LEFRANT, J. Y. *see* COHENDY, R. 595–598
LEGRAND, M. *see* JORIS, J. 341–345
LEMAIRE, F. *see* ARTIGAS, A., (*R*) 427
LENNMARKEN, C. *see* GUPTA, A., (*C*) 422
LERMAN, J. Surgical and patient factors involved in postoperative nausea and vomiting 24–32S
LEROU, J. G. C. *see* VANLINTHOUT, L. E. H. 29–35
LEWIS, I. H. and SNEYD, R. Propofol in uraemic patients, (*C*) 329
LEWIS, M. H. *see* SCRIVEN, M. W., (*C*) 422–423
LIDDLE, M. W. D. Damage to coaxial breathing systems, (*C*) 425
LINGNAU, W. *see* PUTENSEN, C. 513–516
LLEU, J. C., FORRLER, M., POTTECHER, T. and OTTENI, J. C. Retrograde intubation using the subcricoid region, (*C*) 542
LLOYD-THOMAS, A. R. *see* MASON, D. G. 562–566; 567–569
LOBO, D. P. *see* JACOBSEN, W. K., (*R*) 333–334
LOGAN, R. W. *see* LAYCOCK, G. J. A. 356–362
LOMHOLT, N. Tracheal models which simulate the compliance of the adult male trachea 98–100
LONG, K. J. *see* YOUNG, L. E., (*ARS*) 222P
LONGNECKER, D. E. and MURPHY, F. L., (editors) *Dripps/Eckenhoff/Vandam Introduction to Anaesthesia*, 8th Edn, (*R*) 231
LOPEZ, R. *see* ESCOLANO, F. 404–406
LOWRIE, A. *see* FELL, D., (*C*) 229; MARTLEW, R., (*ARS*) 219P
LUFF, N. P. *see* NEWTON, D. E. F. 122–129
LUNN, J. N. *Lecture Notes on Anaesthetics*, 4th Edn, (*R*) 113
LUTHRA, A. D. *see* EL MIKATTI, N., (*ARS*) 529–530P

MCARDLE, C. S. *see* KINSELLA, J. 19–22
MCARTHUR, S. *see* LANDON, M. J. 81–86
MCCAROLL, M. *see* MCSWINEY, M., (*C*) 331–332
MCCARTHY, G. and MIRAKHUR, R. K. *MCQ for the Higher Examinations in Clinical Pharmacology*, (*R*) 546
MCCARTHY, G., MIRAKHUR, R. K., CLARKE, R. S. J. and ELLIOTT, P. Postoperative oxygenation in the elderly after ophthalmic surgery: comparison of local and general anaesthesia, (*ARS*) 213–214P
MCCARTHY, G. J., COOPER, R., STANLEY, J. C. and MIRAKHUR, R. K. Dose–response relationships for neostigmine antagonism of vecuronium-induced neuromuscular block in adults and the elderly 281–283
MCCLUNE, S., MCKAY, A. C., WRIGHT, P. M. C., PATTERSON, C. C. and CLARKE, R. S. J. Synergistic interaction between midazolam and propofol 240–245
MCCLURE, J. H. *see* MORTON, C. P. J., (*ARS*) 533P
MCDONALD, P. F. and BERRY, A. M. Topical anaesthesia for extracorporeal shock wave lithotripsy 399–400
MACDONALD, R. Aspirin, extradural anaesthesia and the MRC Collaborative Low-dose Aspirin Study in Pregnancy (CLASP), (*C*) 109–110
MCDONALD, R. Bleeding time, (*C*) 329
MCFIE, A. G., MAGIDES, A. D. and REILLY, C. S. Disposition of alfentanil in burns patients 447–450
MCGOLDRICK, E., (editor) *Anaesthesia for Ophthalmic and Otolaryngologic Surgery*, (*R*) 667
MCHALE, S., MITCHELL, V., HOWSAM, S. and CARLI, F. Continuous subarachnoid infusion of 0.125% bupivacaine for analgesia during labour 634–636
MCHALE, S. P. and WHITE, D. C. Control of carbon dioxide in circle systems, (*ARS*) 529P
MCHALE, S. P. *see* WOLFF, A. H., (*ARS*) 539P
MCKAY, A. C. *see* MCCLUNE, S. 240–245
MCKEOWN, D. *see* DODD, F. M., (*ARS*) 526–527P
MCLAUCHLAN, G. A. *see* PEACOCK, J. E. 363–367
MCLEOD, D. *see* VOHRA, A., (*ARS*) 212–213P
MCMAHON, S. B. *see* RICE, A. S. C. 433–438
MCMENEMIN, I. M., SISSONS, G. R. and BROWNRIDGE, P. Accidental subdural catheterization: radiological evidence of a possible mechanism for spinal cord damage 417–419
MCMURRAY, T. J. *see* PHILLIPS, A. S., (*ARS*) 211–212P
MCQUAY, H. J. Pre-emptive analgesia, (*E*) 1–3
MCSHARRY, C. P. *see* O'DONNELL, N. G. 70–74
MCSWINEY, M., JOSHI, G. and MCCAROLL, M. Blood loss during total hip replacement, (*C*) 331–332
MADEJ, T. H., WHEATLEY, R. G., JACKSON, I. J. B. and HUNTER, D. Hypoxaemia and pain relief after lower abdominal surgery: comparison of extradural and patient-controlled analgesia 554–557
MADEJ, T. H. *see* WHEATLEY, R. G. 558–561
MAGEE, T. R. *see* KANEKO, K., (*ARS*) 537P
MAGIDES, A. D., STANLEY, K. P., FRASER, R. B. and REILLY, C. S. A longitudinal study of gastric emptying of a test meal during pregnancy, (*ARS*) 529P
MAGIDES, A. D. *see* MCFIE, A. G. 447–450
MAHAJAN, R. P. and LAVERTY, J. Lung function after vecuronium pretreatment in young, healthy patients 318–319
MAINZER, B. *see* STÜHMEIER, K. D. 602–606
MAJORS, K. *see* MYERS, D. S., (*ARS*) 222P
MAK, M. *see* BHATT, S. B. 298–303
MALLETT, S. V. and COX, D. J. A. Thrombelastography 307–313.
MALLICK, A. *see* YADDANAPUDI, L. N., (*C*) 661
MAMELI, O. *see* DE RIU, P. L. 177–181
MANSOOR, K. *see* JEDEIKIN, R. 349–351
MARESH, M. *see* EDDLESTON, J. M. 154–158
MARINO, P. *see* VESELIS, R. A. 246–254
MARKS, L. F. *see* SADDLER, J. M. 26–28
MARSH, D. *see* MATTA, B., (*ARS*) 215P
MARSHALL, I. G. *see* TIAN, L. 284–287
MARTIN, C. S., BOYD, A. H. and CHILDS, D. Changes in respiratory function after laparoscopic cholecystectomy, (*ARS*) 526P
MARTIN, J. J. *see* HEYTENS, L. 87–91
MARTLEW, R., LOWRIE, A. and LAURENCE, A. S. Four anaesthetic techniques for day-case oral surgery, (*ARS*) 219P
MASON, D. G., HIGGINS, D., BOYD, S. G. and LLOYD-THOMAS, A. R. Effects of isoflurane anaesthesia on the median nerve somatosensory evoked potential in children 562–566; Sequential measurement of the median nerve somatosensory evoked potential during isoflurane anaesthesia in children 567–569
MATHER, C., RAFTERY, S. and PRYS-ROBERTS, C. Somatic movement and oesophageal motility during isoflurane anaesthesia 40–44
MATSON, A. M., LANDON, M., ROYSTON, B. D., WHITE, D. C. and NUNN, J. F. Components of the inspired to arterial isoflurane partial pressure difference, (*ARS*) 528–529P
MATTA, B., MARSH, D. and NEVIN, M. Laryngeal mask airway: a more successful method of insertion, (*ARS*) 215P
MAX, M. B., PORTENOY, R. K. and LASKA, E. M., (editors) *Advances in Pain Research and Therapy, Volume 18: The Design of Analgesic Clinical Trials*, (*R*) 230
MAYER, M., DOENICKE, A., HOFMANN, A. and PETER, K. Onset and recovery of rocuronium (Org 9426) and vecuronium under enflurane anaesthesia 511–512
MAYER, M. *see* NEBAUER, A. E. 58–60
MEAKIN, G. *see* BEATTY, P. C. W. 474–477
MEHTA, M. P. *see* TIAN, L. 284–287
MELIS, F. *see* DE RIU, P. L. 177–181
MENCK, S. *see* STEPHAN, H. 51–57
MERRY, A. F., WARDALL, G. J., CAMERON, R. J., PESKETT, M. J. and WILD, C. J. Prospective, controlled, double-blind study of i.v. tenoxicam for analgesia after thoracotomy 92–94
MERTZLUFFT, F. *see* ZANDER, R., (*R*) 333
MESSETER, K. *see* REINSTRUP, P. 615–620
METTAM, I. M., REDDY, T. R. and EVANS, F. E. Life-threatening acute respiratory distress in late pregnancy 420–421
MICHAEL, S., BARKER, I., HENDERSON, P., GRIFFITHS, R. W. and REILLY, C. S. Pharmacokinetics of lignocaine in children after infiltration for cleft palate surgery 577–579
MICOL, J. A. and LAORDEN, M. L. Interaction between halothane and mu, delta and kappa opioid agonists on the isolated right atria of the rat 487–491

MIKAWA, K. *see* YAKU, H., (*C*) 225–226
MILLAR, B. *see* PRICE, M. L. 172–176
MILLER, R. D., KIRBY, R. R., OSTHEIMER, G. W., ROIZEN, M. F. and STOETLING, R. K., (editors) *Year Book of Anesthesia, 1991*, (*R*) 113
MIRAKHUR, R. K. *see* COOPER, R. 269–273; MCCARTHY, G., (*ARS*) 213–214P; (*R*) 546; MCCARTHY, G. J. 281–283; PHILLIPS, A. S., (*ARS*) 211–212P
MITCHELL, I. M. *see* LAYCOCK, G. J. A. 356–362
MITCHELL, V. *see* MCHALE, S. 634–636
MIZUSHIMA, A. The United Kingdom as seen by a Japanese Anaesthetist, (*C*) 108–109
MOFFAT, A. C. *see* KINSELLA, J. 19–22
MØINICHE, S. *see* DAHL, J. B. 4–8; (*C*) 664–665
MOODLEY, J. *see* ORLIKOWSKI, C. E. P. 159–161
MOORE, J. K. *see* COE, A. J., (*ARS*) 221P
MOREL, D. R. *see* DOTTRENS, M. 9–12; WILDER-SMITH, O. H. G., (*C*) 663–664
MORI, K. *see* MURAYAMA, T. 61–64
MORTIMER, A. J. *see* EL MIKATTI, N., (*ARS*) 529–530P
MORTON, C. P. J., ARMSTRONG, P. J. and MCCLURE, J. H. Continuous subarachnoid infusion of local anaesthetic, (*ARS*) 533P
MORTON, N. S. *see* BERRY, C. B., (*C*) 332; LAYCOCK, G. J. A. 356–362
MOSELEY, H. *see* SHANKAR, K. B., (*C*) 542–543
MUIR, A. D., REEDER, M. K., SEAR, J. W. and FOËX, P. Preoperative silent ischaemia is related to hypertension, (*ARS*) 540P
MULAS, M. *see* DE RIU, P. L. 177–181
MUNGLANI, R. *see* SAPSFORD, D. J., (*ARS*) 538P
MURAYAMA, T., SHINGU, K., OGAWA, T., TOMODA, K., SHINDO, K., TAMAI, S. and MORI, K. Flumazenil does not antagonize halothane, thiamylal or propofol anaesthesia in rats 61–64
MURPHY, F. L. *see* LONGNECKER, D. E., (*R*) 231
MURPHY, P. G., ATKINSON, R., COLUMB, M. O., MYERS, D. S. and DAY, P. Effect of propofol and thiopentone on free radical-induced haemolysis, (*ARS*) 532–533P
MURPHY, P. G. *see* COLUMB, M. O., (*ARS*) 211P; MYERS, D. S., (*ARS*) 222P
MURPHY, P. J. *see* BARKER, P. 314–315; ERSKINE, R. J., (*ARS*) 538–539P; RABEY, P. G. 346–348
MURRAY, J. M. and TRINICK, T. R. Hepatic function and indocyanine green clearance during and after prolonged anaesthesia with propofol 643–644
MYERS, D. S., MURPHY, P. G., MAJORS, K. and JONES, J. G. Plasma antioxidant activity in stored blood, (*ARS*) 222P
MYERS, D. S. *see* MURPHY, P. G., (*ARS*) 532–533P

NAKAJIMA, R. *see* KATOH, T. 259–262
NEBAUER, A. E., DOENICKE, A., HOERNECKE, R., ANGSTER, R. and MAYER, M. Does etomidate cause haemolysis? 58–60
NEVIN, M. *see* KANEKO, K., (*ARS*) 537P; MATTA, B., (*ARS*) 215P
NEWTON, D. E. F., THORNTON, C., KONIECZKO, K. M., JORDAN, C., WEBSTER, N. R., LUFF, N. P., FRITH, C. D. and DORÉ, C. J. Auditory evoked response and awareness: a study in volunteers at sub-MAC concentrations of isoflurane 122–129
NGAN KEE, W. D. Steroid therapy and extradural analgesia, (*C*) 423
NGAN KEE, W. D., JONES, M. R., THOMAS, P. and WORTH, R. J. Extradural abscess complicating extradural anaesthesia for Caesarean section 647–652
NIELSEN, M. *see* WILLIAMS, N. J., (*C*) 228
NIMMO, A. F., WILDSMITH, J. A. W. and DRUMMOND, G. B. Use of nasal oxygen cannulae to monitor postoperative breathing, (*ARS*) 539–540P
NISHIKAWA, T. Verapamil and cardiovascular responses to tracheal intubation, (*C*) 225
NISSEN, I., JENSEN, K. A. and ÖHRSTRÖM, J. K. Indomethacin in the management of postoperative pain 304–306
NOBLE, D. W. *see* IMRAY, I. MCG., (*C*) 543–544
NOLAN, K. M., BAXTER, M. K., WINYARD, J. A., ROULSON, C. J. and GOLDHILL, D. R. Video surveillance of oxygen administration by mask in postoperative patients 194–196
NOLAN, K. M., WINYARD, J. A. and GOLDHILL, D. R. Comparison of nasal cannula and face mask for oxygen administration in postoperative patients, (*ARS*) 214–215P
NORÉN, H. *see* WENNBERG, E. 13–18
NORMAN, J. One-compartment kinetics 387–396
NORMAN, J. *see* SADDLER, J. M. 26–28
NORMAN, R. I. *see* GRIFFITHS, R., (*ARS*) 530P
NORTON, M. L. *see* BROWN, A. C. D., (*R*) 231
NOTCUTT, W. G., KNOWLES, P. and KALDAS, R. Overdose of opioid from patient-controlled analgesia pumps 95–97
NUNN, J. F. *see* MATSON, A. M., (*ARS*) 528–529P

O'DONNELL, N. G., MCSHARRY, C. P., WILKINSON, P. C. and ASBURY, A. J. Comparison of the inhibitory effect of propofol, thiopentone and midazolam on neutrophil polarization *in vitro* in the presence or absence of human serum albumin 70–74
OGAWA, T. *see* MURAYAMA, T. 61–64
OH, T. E. *see* BHATT, S. B. 298–303
OH, T. H. *see* BELL, C., (*R*) 230
ÖHRSTRÖM, J. K. *see* NISSEN, I. 304–306
O'KELLY, S. W. and LAWES, E. G. Bleeding time, (*C*) 330–331
OLSEN, K. S., HENRIKSEN, L., DIGE-PETERSEN, H., CHRAEMMER-JØRGENSEN, B. and ROSENØRN, J. Effect of ketanserin on global cerebral blood flow and cerebral oxygen metabolism during midazolam–fentanyl or isoflurane anaesthesia 263–268
OLSFANGER, D. *see* JEDEIKIN, R. 349–351
OLUKOGA, A. O. *see* VOHRA, A., (*ARS*) 212–213P
OOI, R., PATTISON, J. and SONI, N. Parallel Lack breathing system: fresh gas flow requirements during spontaneous ventilation, (*ARS*) 216P
OOI, R. *see* CAMPKIN, N., (*ARS*) 538P; SONI, N., (*ARS*) 215–216P
ORLIKOWSKI, C. E. P., PAYNE, A. J., MOODLEY, J. and ROCKE, D. A. Thrombelastography after aspirin ingestion in pregnant and non-pregnant subjects 159–161
OSHIMA, T., TOYOOKA, H. and AMAHA, K. Sternocleidomastoid muscle contractility at different levels of isoflurane anaesthesia in humans 236–239
OSTHEIMER, G. W., (editor) *Manual of Obstetric Anesthesia*, 2nd Edn, (*R*) 547–548
OSTHEIMER, G. W. *see* MILLER, R. D., (*R*) 113
O'TOOLE, D. P. *see* FLYNN, N. M., (*ARS*) 210P
OTTENI, J. C. *see* LLEU, J. C., (*C*) 542
OXORN, D. C., WHATLEY, G. S., KNOX, J. W. D. and HOOPER, J. The importance of activity and pretreatment in the prevention of suxamethonium myalgias 200–201

PAGE, R. *see* RYAN, T. 101–104
PAGE, R. J. *see* SHUTT, L. E. 589–594
PALAZZO, M. G. A., ACKERS, J. W. L. and EVANS, R. D. A logistic regression model for risk stratification of fixed patient factors for postoperative emesis, (*ARS*) 530P
PALMER, S. *see* WILLIAMS, N. J., (*C*) 228
PARK, G. and FULTON, B. *The Management of Acute Pain*, (*R*) 548
PARK, G. R. *see* DONALDSON, M. D. J. 621–630; KAPADIA, F. 640–642
PARKER, C. J. R. and HUNTER, J. M. Relationship of the train-of-four ratio to plasma atracurium concentration 274–280
PARKER, C. J. R., HUNTER, J. M. and SNOWDON, S. L. Effect of age, sex and anaesthetic technique on the pharmacokinetics of atracurium 439–443
PARKER, C. J. R. *see* DEVLIN, J. C., (*ARS*) 217–218P; (*ARS*) 534–535P
PATEL, M. and SWAMI, A. Spinal anaesthesia for Caesarean section, (*C*) 662
PATEL, N., (editor) *Maternal Mortality—The Way Forward. Some Implications of the Report on Confidential Enquiries into Maternal Deaths in the United Kingdom 1985–87*, (*R*) 547
PATON, R. D. *see* LAYCOCK, G. J. A. 356–362
PATRICK, J. A. *see* KINSELLA, J. 19–22
PATTERSON, C. C. *see* MCCLUNE, S. 240–245
PATTISON, J. *see* OOI, R., (*ARS*) 216P; SONI, N., (*ARS*) 215–216P
PAYNE, A. J. *see* ORLIKOWSKI, C. E. P. 159–161
PEACOCK, J. E., SPIERS, S. P. W., MCLAUCHLAN, G. A., EDMONDSON, W. C., BERTHOUD, M. and REILLY, C. S. Infusion of propofol to identify smallest effective doses for induction of anaesthesia in young and elderly patients 363–367
PEREIRA, N. *see* WILSON, A., (*C*) 425
PERSAUD, S. J. *see* DESBOROUGH, J. P., (*ARS*) 532P
PESKETT, M. J. Training in fibreoptic intubation, (*C*) 331
PESKETT, M. J. *see* MERRY, A. F. 92–94
PETER, K. *see* MAYER, M. 511–512; WELTE, M. 637–639
PETRUZZI, V. *see* DE RIU, P. L. 177–181
PETTERSEN, B., KONGSGAARD, U. and AUNE, H. Skin injury in an infant with pulse oximetry 204–205; Skin injury with a pulse oximeter, (*C*) 665
PHILIPS, B. J., FERGUSSON, S., ARMSTRONG, P., ANDERSON, F. M. and WILDSMITH, J. A. W. Surgical face masks are effective in reducing bacterial contamination caused by dispersal from the upper airway 407–408
PHILLIPS, A. S., MCMURRAY, T. J. and MIRAKHUR, R. K. Comparison of propofol–fentanyl and isoflurane–fentanyl for maintenance of anaesthesia during cardiac surgery, (*ARS*) 211–212P

PHILLIPS, B. J. *see* DEVLIN, J. C., (*ARS*) 217–218P
PIROGOFF, N. and FINK, B. R. *Researches Practical and Physiological on Etherization*, (*R*) 333
PITKÄNEN, M. *see* TUOMINEN, M. 148–149; (*C*) 328–329
PLUMMER, J. L. *see* SHORT, T. G. 162–167
POMFRETT, C. J. D. *see* WANG, D. Y., (*ARS*) 221–222P
PONTE, J. *see* BRAS, P., (*ARS*) 539P
PORTENOY, R. K. *see* MAX, M. B., (*R*) 230
POTTECHER, T. *see* LLEU, J. C., (*C*) 542
POWER, I. Bleeding time, (*C*) 329–330
POWER, I., CUMMING, A. D. and PUGH, G. C. Effect of diclofenac on renal function and prostacyclin generation after surgery 451–456
PRENTICE, J. W. *see* KINSELLA, J. 19–22
PRICE, M. L., MILLAR, B., GROUNDS, M. and CASHMAN, J. Changes in cardiac index and estimated systemic vascular resistance during induction of anaesthesia with thiopentone, methohexitone, propofol and etomidate 172–176
PRIOR, C. *see* TIAN, L. 284–287
PRITHVI RAJ, P., (editor) *Clinical Practice of Regional Anesthesia*, (*R*) 546–547
PROSSER, A. *see* SHUTT, L. E. 589–594
PRYS-ROBERTS, C. *see* BROWNE, B. L. 570–576; KANEKO, K., (*ARS*) 537P; MATHER, C. 40–44
PUGH, G. C. *see* POWER, I. 451–456
PURDAY, J. P. and TOWEY, R. M. Apparent pacemaker failure caused by activation of ventricular threshold test by a magnetic instrument mat during general anaesthesia 645–646
PURI, G. D. and SINGH, H. Bedside respiratory measurements with the Siemens–Elema CO_2 Analyzer, (*C*) 227; Ventilatory effects of laparoscopy under general anaesthesia, (*C*) 543
PUTENSEN, C., LINGNAU, W., PUTENSEN-HIMMER, G. and HEROLD, M. Plasma lignocaine concentrations associated with extradural analgesia in patients with and without multiple organ failure 513–516
PUTENSEN-HIMMER, G. *see* PUTENSEN, C. 513–516
PUTTICK, R. M., DIEDERICKS, J., SEAR, J. W., GLEN, J. B., FOËX, P. and RYDER, W. A. Effect of graded infusion rates of propofol on regional and global left ventricular function in the dog 375–381

QUERA, M.-A. *see* BEYDON, L. 137–142

RABEY, P. G., MURPHY, P. J., LANGTON, J. A., BARKER, P. and ROWBOTHAM, D. J. Effect of the laryngeal mask airway on lower oesophageal sphincter pressure in patients during general anaesthesia 346–348
RABEY, P. G. and SMITH, G. Anaesthetic factors contributing to postoperative nausea and vomiting 40–45S
RAFTERY, S. *see* MATHER, C. 40–44
RALSTON, S. J. and HEAD-RAPSON, A. G. Application of EMLA before extradural insertion in labour, (*ARS*) 220–221P
RAMAYYA, G. P. *see* RONALD, A. L. 105–107
RÄSÄNEN, J. *see* GRENVIK, A., (*R*) 334
RAUSS, A. *see* BEYDON, L. 137–142
READ, M. S. Insulated regional block needles, (*C*) 423
REBIERE, T. *see* COHENDY, R. 595–598
RECKENDORFER, H., BURGMANN, H., SPERLICH, M., TÜCHY, G. L., FEIGL, W., SPIECKERMANN, P. G., WEINDLMAYR-GÖTTEL, M. and SCHWARZ, S. Hepatotoxicity testing of atracurium and laudanosine in the isolated, perfused rat liver 288–291
REDDY, T. R. *see* METTAM, I. M. 420–421
REDMAN, C. W. G. *see* DE SWIET, M., (*C*) 109
REEDER, M. K. *see* MUIR, A. D., (*ARS*) 540P
REES, G. A. D. *see* CROSBY, D. L., (*R*) 426–427
REHDER, K. *see* HATCH, D. J., (*ARS*) 217P
REID, T. M. S. *see* IMRAY, I. McG., (*C*) 543–544
REILLY, C. S. *see* MCFIE, A. G. 447–450; MAGIDES, A. D., (*ARS*) 529P; MICHAEL, S. 577–579; PEACOCK, J. E. 363–367
REINSEL, R. A. *see* VESELIS, R. A. 246–254
REINSTRUP, P., USKI, T. and MESSETER, K. Modulation by carbon dioxide and pH of the contractile responses to potassium and prostaglandin $F_{2\alpha}$ in isolated human pial arteries 615–620
REYNOLDS, F. *see* CARSON, R. J. 150–153
RICE, A. S. C. and MCMAHON, S. B. Peripheral nerve injury caused by injection needles used in regional anaesthesia: influence of bevel configuration, studied in a rat model 433–438
RIFAT, K. *see* DOTTRENS, M. 9–12
RIGOR, B. M. *see* ANDREWS, P. J. D. 401–403
ROBERTSON, E. N. *see* HULL, J. M., (*ARS*) 534P
ROBINSON, B. J. and ROBINSON, G. M. Alcohol withdrawal treatment with clonidine, (*C*) 328
ROBINSON, G. M. *see* ROBINSON, B. J., (*C*) 328
ROCKE, D. A. *see* ORLIKOWSKI, C. E. P. 159–161
ROIZEN, M. F. *see* MILLER, R. D., (*R*) 113
RONALD, A. L., RAMAYYA, G. P. and CHAMBERS, W. A. Continuous collection of pulse oximetry data: a new, inexpensive, portable computerized method 105–107
ROSENBERG, P. H. *see* TUOMINEN, M. 148–149; (*C*) 328–329
ROSENØRN, J. *see* OLSEN, K. S. 263–268
ROULSON, C. J. *see* NOLAN, K. M. 194–196
ROWBOTHAM, D. J. Current management of postoperative nausea and vomiting 46–59S
ROWBOTHAM, D. J. and SMITH, G. Introduction 1S
ROWBOTHAM, D. J. *see* ATCHESON, R., (*ARS*) 531P; BARKER, P. 314–315; GRIFFITHS, R., (*ARS*) 530P; RABEY, P. G. 346–348; TROTTER, T. N. 352–355
ROYSTON, B. D. *see* MATSON, A. M., (*ARS*) 528–529P
RUIZ, K. *see* KEENAN, G. M. A., (*ARS*) 533P
RUNCIMAN, W. B. *see* HUANG, Y. F. 368–374
RUSS, W. *see* BOLDT, J. 45–50
RUSSELL, D. and KENNY, G. N. C. 5-HT_3 antagonists and postoperative nausea and vomiting 63–68S
RUSSELL, I. F. and VUCEVIC, M. Spinal anaesthesia for Caesarean section, (*C*) 662
RUTTEN, A. J. *see* HUANG, Y. F. 368–374
RYALL, D. *see* BLUMGART, C. H. 457–460
RYAN, T., PAGE, R., BOUCHIER-HAYES, D. and CUNNINGHAM, A. J. Transoesophageal pulsed wave Doppler measurement of cardiac output during major vascular surgery: comparison with the thermodilution technique 101–104
RYDER, W. A. *see* PUTTICK, R. M. 375–381

SADDLER, J. M., MARKS, L. F. and NORMAN, J. Comparison of atracurium-induced neuromuscular block in rectus abdominis and hand muscles of man 26–28
VAN SAENE, H. K. F. *see* STOUTENBEEK, C. P., (*R*) 112–113
SAMARA, B. *see* COOK, D. R. 580–585
SAMSOON, G., WOOD, M. E., KNIGHT-GEORGE, A. B. and BRITT, R. P. General anaesthesia and the hypereosinophilic syndrome: severe postoperative complications in two patients 653–656
SANDLER, A. N. *see* KATZ, J., (*C*) 424
SANDMANN, W. *see* STÜHMEIER, K. D. 602–606
SAPSFORD, D. J. and JONES, J. G. Derivation of $\dot{V}/\dot{Q}$ from the position of the $P_{I_{O_2}}$ *vs* $S_{p_{O_2}}$ curve, (*ARS*) 541P
SAPSFORD, D. J., MUNGLANI, R. and JONES, J. G. Coherence in the auditory evoked response as a measure of arousal during anaesthesia, (*ARS*) 538P
SARIHASAN, B. *see* ESENER, Z. 586–588
SATO, S. *see* KOGA, Y. 65–69
SAUL, C. *see* HATCH, D. J., (*ARS*) 217P
SCHRADER, M. Inspiratory to end-tidal oxygen difference, (*C*) 663
SCHWARZ, S. *see* RECKENDORFER, H. 288–291
SCOTT, D. H. T. *see* ARMSTRONG, P. J., (*ARS*) 533–534P
SCOTT, P. V. and FISCHER, H. B. J. Intrathecal diamorphine–bupivacaine during labour, (*C*) 108
SCOTT, R. P. F. Atracurium and histamine, (*C*) 110
SCOTT, R. P. F. *see* GILL, R. S. 444–446
SCRIVEN, M. W., BURGESS, N. A., WOODSFORD, P. W. and LEWIS, M. H. Delayed septicaemia after extradural steroid treatment, (*C*) 422–423
SEAMAN, M. J. *see* DONALDSON, M. D. J. 621–630
SEAR, J. W. *see* HOWELL, S., (*ARS*) 536P; MUIR, A. D., (*ARS*) 540P; PUTTICK, R. M. 375–381
SEDGWICK, J. *see* CHARLTON, G. A. 206–209
SEEBERGER, M. D. and URWYLER, A. Lumbovertebral syndrome after extradural blood patch 414–416
SEYMOUR, D. G. *see* CROSBY, D. L., (*R*) 426–427
SHACHOR, D. *see* JEDEIKIN, R. 349–351
SHAH, M. V. *see* BENNETT, M. W. R., (*ARS*) 220P; COLUMB, M. O., (*ARS*) 211P; KEENAN, G. M. A., (*ARS*) 533P
SHALE, D. J. *see* WILLIAMS, W. R. 508–510
SHANKAR, K. B., KUMAR, A. Y. and MOSELEY, H. Ventilatory effects of laparoscopy under general anaesthesia, (*C*) 542–543
SHANTHA, T. R. Retrograde intubation using the subcricoid region, (*C*) 542
SHARPLES, L. D. *see* BETHUNE, D. W. 197–199
SHELLY, M. P. *see* KAPADIA, F. 640–642
SHEPHERD, D. *see* WHEATLEY, R. G. 558–561
SHEPSTONE, B. J. *see* SYKES, M. K., (*R*) 666
SHINDO, K. *see* MURAYAMA, T. 61–64
SHINGU, K. *see* MURAYAMA, T. 61–64

SHORT, T. G., PLUMMER, J. L. and CHUI, P. T. Hypnotic and anaesthetic interactions between midazolam, propofol and alfentanil 162–167
SHUTT, L. E., VALENTINE, S. J., WEE, W. Y. K., PAGE, R. J., PROSSER, A. and THOMAS, T. A. Spinal anaesthesia for Caesarean section: comparison of 22-gauge and 25-gauge Whiteacre needles with 26-gauge Quincke needles 589–594
SIMON, E. *see* DODD, F. M., (*ARS*) 526–527P
SIMPSON, P. Perioperative blood loss and its reduction: the role of the anaesthetist 498–507
SINGH, H. *see* PURI, G. D., (*C*) 227; (*C*) 543
SISSONS, G. R. *see* MCMENEMIN, I. M. 417–419
SMITH, D. C. Effects of skin blood flow and temperature on skin–electrode impedance and offset potential, (*ARS*) 223P; Recording electrode impedance has no effect on evoked EMG responses, (*ARS*) 535–536P
SMITH, D. C. and BOOTH, J. V. Influence of temperature and posture changes on evoked electromyography, (*ARS*) 223P
SMITH, G. Dual publication of abstracts, (*C*) 227
SMITH, G. *see* BARKER, P. 23–25; ERSKINE, R. J., (*ARS*) 538–539P; FELL, D., (*R*) 667–668; LANGTON, J., (*C*) 661–662; RABEY, P. G. 40–45S; ROWBOTHAM, D. J. 1S
SMITH, R. *see* GRENVIK, A., (*R*) 334
SNEYD, J. R. *see* WANG, D. Y., (*ARS*) 221–222P
SNEYD, R. *see* LEWIS, I. H., (*C*) 329
SNOWDON, S. L. *see* PARKER, C. J. R. 439–443
SODEYAMA, N. *see* KOGA, Y. 65–69
SOLD, M. *see* ENGELHARDT, W. 75–80
SOMMERVILLE, D. *see* ENTWISTLE, M. D., (*ARS*) 536–537P
SONI, N., OOI, R. and PATTISON, J. Rebreathing in the Magill breathing system, (*ARS*) 215–216P
SONI, N. *see* CAMPKIN, N., (*ARS*) 538P; OOI, R., (*ARS*) 216P
SONNTAG, H. *see* LANGE, H. 478–481; STEPHAN, H. 51–57
SPENCER, G.E. *see* HOPKINS, P. M., (*ARS*) 210–211P
SPERLICH, M. *see* RECKENDORFER, H. 288–291
SPIECKERMANN, P. G. *see* RECKENDORFER, H. 288–291
SPIERS, S. P. W. *see* PEACOCK, J. E. 363–367
SPISS, C. K. *see* WERBA, A. 382–386
SPURRIER, E. A. *see* TOBIN, J. R. 482–486
STANLEY, J. C. *see* MCCARTHY, G. J. 281–283
STANLEY, K. P. *see* MAGIDES, A. D., (*ARS*) 529P
STEIN, C. *see* WELTE, M. 637–639
STEINBEREITHNER, K. *see* WERBA, A. 382–386
STENQVIST, O. *see* BENGTSON, J. P., (*C*) 663
STEPHAN, H., WEYLAND, A., KAZMAIER, S., HENZE, T., MENCK, S. and SONNTAG, H. Acid–base management during hypothermic cardiopulmonary bypass does not affect cerebral metabolism but does affect blood flow and neurological outcome 51–57
STEPHAN, H. *see* LANGE, H. 478–481
STEPHEN, J. P. H. *see* HICKS, R. G. 130–136
STEWART, A. D. *see* BALL, S. P., (*ARS*) 222–223P
STILLER, R. L. *see* COOK, D. R. 580–585
STOETLING, R. K. *see* MILLER, R. D., (*R*) 113
STOUTENBEEK, C. P. and VAN SAENE, H. K. F., (editors) *Infection and the Anaesthetist*, (*R*) 112–113
STÜHMEIER, K. D., MAINZER, B., SANDMANN, W. and TARNOW, J. Isoflurane does not increase the incidence of intraoperative myocardial ischaemia compared with halothane during vascular surgery 602–606
SUGURO, Y. *see* KATOH, T. 259–262
SUNDER-PLASSMANN, L. *see* WELTE, M. 637–639
SUTER, P. M. *see* ARTIGAS, A., (*R*) 427
SUTTON, D. N. *see* CHARLTON, G. A. 206–209
SWAMI, A. *see* PATEL, M., (*C*) 662
SWANSON, P. W. *see* LEE, M. G. 522–525
SWEENEY, B. P. *see* WILLIAMS, A. R., (*ARS*) 216–217P
DE SWIET, M. and REDMAN, C. W. G. Aspirin, extradural anaesthesia and the MRC Collaborative Low-dose Aspirin Study in Pregnancy (CLASP), (*C*) 109
SYKES, M. K., VICKERS, M. D., HULL, C. J., WINTERBURN, P. J. and SHEPSTONE, B. J. *Principles of Measurement and Monitoring in Anaesthesia and Intensive Care*, 3rd Edn, (*R*) 666

TAIVAINEN, T. *see* TUOMINEN, M., (*C*) 328–329
TAKAHASHI, M. *see* KOGA, Y. 65–69
TAM, Y. K. *see* FINEGAN, B. A. 492–497
TAMAI, S. *see* MURAYAMA, T. 61–64
TANSEY, P. *see* HAYNES, S. R. 599–601
TARNOW, J. *see* STÜHMEIER, K. D. 602–606
TAYLOR, H. *see* GATAURE, P. S. 657–658
TAYLOR, I. N., KENNY, G. N. C. and GLEN, J. B. Pharmacodynamic stability of a mixture of propofol and alfentanil 168–171
TAYLOR, T. H. and GOLDHILL, D. R. *Standards of Care in Anaesthesia*, (*R*) 334
TEHAN, B. Abolition of the extradural sieve by addition of fentanyl to extradural bupivacaine 520–521
TESTA, C. *see* DE RIU, P. L. 177–181
THOMAS, A. N., BERGESIO, R., HYATT, J. and BARKER, S. J. Mouth mask ventilation: use of a Pall Ultipor breathing system and effect of mask design, (*ARS*) 527–528P
THOMAS, A. N., DANG, P. T., HYATT, J. and TRINH, T. N. A new technique for two-hand bag valve mask ventilation 397–398
THOMAS, P. *see* NGAN KEE, W. D. 647–652
THOMAS, T. A. *see* SHUTT, L. E. 589–594
THOMPSON-HILL, L. M. *see* BLUMGART, C. H. 457–460
THORNTON, C. *see* NEWTON, D. E. F. 122–129
TIAN, L., MEHTA, M. P., PRIOR, C. and MARSHALL, I. G. Relative pre- and postjunctional effects of a new vecuronium analogue, Org 9426, at the rat neuromuscular junction 284–287
TOBIN, J. R., SPURRIER, E. A. and WETZEL, R. C. Anaesthesia for critically ill children during magnetic resonance imaging 482–486
TOBIN, M. J., (editor) *Respiratory Monitoring* (*Contemporary Management in Critical Care* series), (*R*) 666
TODD, J. G. *see* CHAUDHRI, S. 607–610
TOFF, N. J. Use of a dental mirror in simulated difficult laryngoscopy, (*ARS*) 218–219P
TOLLEY, P. M., WATTS, A. D. J. and HICKMAN, J. A. Comparison of the use of the laryngeal mask and face mask by inexperienced personnel 320–321
TOMLINSON, B. *see* BHATT, S. B. 298–303
TOMODA, K. *see* MURAYAMA, T. 61–64
TONG, W. P. *see* VESELIS, R. A. 246–254
TOWEY, R. M. *see* PURDAY, J. P. 645–646
TOYOOKA, H. *see* OSHIMA, T. 236–239
TRAMER, M. *see* WILDER-SMITH, O. H. G., (*C*) 663–664
TRINH, T. N. *see* THOMAS, A. N. 397–398
TRINICK, T. R. *see* MURRAY, J. M. 643–644
TROTTER, T. N., LANGTON, J. A., BARKER, P. and ROWBOTHAM, D. J. Perioperative continuous monitoring of ST-segment changes in patients undergoing elective Caesarean section 352–355
TSAI, S. K., LEE, C., KWAN, W.-F. and CHEN, B.-J. Recovery of cognitive functions after anaesthesia with desflurane or isoflurane and nitrous oxide 255–258
TÜCHY, G. L. *see* RECKENDORFER, H. 288–291
TUOMINEN, M., PITKÄNEN, M. and ROSENBERG, P. H. Effect of speed of injection of 0.5% plain bupivacaine on the spread of spinal anaesthesia 148–149
TUOMINEN, M., PITKANEN, M., TAIVAINEN, T. and ROSENBERG, P. H. Spread of spinal anaesthesia, (*C*) 328–329
TYERS, M. B. *see* BUNCE, K. T. 60–62S

UPTON, R. N. *see* HUANG, Y. F. 368–374
URBAN, B. W. *see* FRENKEL, C. 292–297
URWYLER, A. *see* SEEBERGER, M. D. 414–416
USKI, T. *see* REINSTRUP, P. 615–620
ÜSTÜN, E. *see* ESENER, Z. 586–588
UTTING, J. E. The era of relaxant anaesthesia, (*E*) 551–553

VALENTINE, S. J. *see* SHUTT, L. E. 589–594
VANLINTHOUT, L. E. H., VAN EGMOND, J., DE BOO, T., LEROU, J. G. C., WEVERS, R. A. and BOOIJ, L. H. D. J. Factors affecting magnitude and time course of neuromuscular block produced by suxamethonium 29–35
VARLEY, S. *see* COOK, L. B. 322–324.
VAUGHAN, R. S. *see* COBLEY, M., (*C*) 225
VEGFORS, M. *see* GUPTA, A., (*C*) 422
VERBEEK, A. M. *see* HULL, J. M., (*ARS*) 534P
VERBESSEM, D. *see* VERBORGH, C. 36–39
VERBORGH, C., VERBESSEM, D. and CAMU, F. Haemodynamic effects of isoflurane during propofol anaesthesia 36–39
VERGNAUD, M.-C. *see* LAROCHE, D. 611–614
VEROLI, P. and BENHAMOU, D. Comparison of hypertonic saline (5%), isotonic saline and Ringer's lactate solutions for fluid preloading before lumbar extradural anaesthesia 461–464
VESELIS, R. A., REINSEL, R. A., WROŃSKI, M., MARINO, P., TONG, W. P. and BEDFORD, R. F. EEG and memory effects of low-dose infusions of propofol 246–254
VICKERS, M. D. *see* SYKES, M. K., (*R*) 666
VOHRA, A., KUMAR, S., CHARLTON, A. J., OLUKOGA, A. O., MCLEOD, D. and BOULTON, A. J. M. Effect of diabetic autonomic dysfunction on the cardiovascular responses to induction of anaesthesia and tracheal intubation, (*ARS*) 212–213P
VUCEVIC, M. *see* RUSSELL, I. F., (*C*) 662

WALKER, I. A. *see* BETHUNE, D. W. 197–199
WANG, C. Y. Respiratory depression after extradural fentanyl, (*C*) 544
WANG, D. Y., SNEYD, J. R., POMFRETT, C. J. D. and HEALY, T. E. J. Effect of physiotherapy on EEG spectral derivatives in sedated patients in the intensive care unit, (*ARS*) 221–222P
WANIGASEKERA, V. *see* HOWELL, S., (*ARS*) 536P
WARD, M. E. A new look at the breath of life, (*E*) 339–340
WARDALL, G. J. *see* MERRY, A. F. 92–94
WATTS, A. D. J. *see* TOLLEY, P. M. 320–321
WEBSTER, N. R. *see* NEWTON, D. E. F. 122–129
WEE, M. Y. K., GEEURICKX, A. and WIMALARATNA, S. A method to facilitate regional anaesthesia by detection of mixed nerve action potentials 411–413
WEE, W. Y. K. *see* SHUTT, L. E. 589–594
WEINDLMAYR-GOETTEL, M. *see* WERBA, A. 382–386
WEINDLMAYR-GÖTTEL, M. *see* RECKENDORFER, H. 288–291
WELCH, R. M. *see* COOK, D. R. 580–585
WELTE, M., HAIMERL, E., GROH, J., BRIEGEL, J., SUNDER-PLASSMANN, L., HERZ, A., PETER, K. and STEIN, C. Effect of interpleural morphine on postoperative pain and pulmonary function after thoracotomy 637–639
WENNBERG, E., FRID, I., HALJAMÄE, H. and NORÉN, H. Colloid (3% Dextran 70) with or without ephedrine infusion for cardiovascular stability during extradural Caesarean section 13–18
WERBA, A., GILLY, H., WEINDLMAYR-GOETTEL, M., SPISS, C. K., STEINBEREITHNER, K., CZECH, T. and AGOSTON, S. Porcine model for studying the passage of non-depolarizing neuromuscular blockers through the blood–brain barrier 382–386
WETCHLER, B. V. Postoperative nausea and vomiting in day-case surgery 33–39S
WETZEL, R. C. *see* TOBIN, J. R. 482–486
WEVERS, R. A. *see* VANLINTHOUT, L. E. H. 29–35
WEYLAND, A. *see* STEPHAN, H. 51–57
WHATLEY, G. S. *see* OXORN, D. C. 200–201
WHEATLEY, R. G., SHEPHERD, D., JACKSON, I. J. B., MADEJ, T. H. and HUNTER, D. Hypoxaemia and pain relief after upper abdominal surgery: comparison of i.m. and patient-controlled analgesia 558–561
WHEATLEY, R. G. *see* MADEJ, T. H. 554–557
WHITE, D. C. *see* MCHALE, S. P., (*ARS*) 529P; MATSON, A. M., (*ARS*) 528–529P; WOLFF, A. H., (*ARS*) 539P
WHITE, P. F., (editor) *Kinetics of Anaesthetic Drugs in Clinical Anesthesiology*, (*R*) 667
WHITING, R. W. *see* FINEGAN, B. A. 492–497
WILD, C. J. *see* MERRY, A. F. 92–94
WILDER-SMITH, C. H. Bacterial overgrowth and gastric dysfunction, (*C*) 545
WILDER-SMITH, O. H. G., BORGEAT, A., TRAMER, M. and MOREL, D. R. Pre-emptive extradural analgesia, (*C*) 663–664
WILDSMITH, J. A. W. *see* NIMMO, A. F., (*ARS*) 539–540P; PHILIPS, B. J. 407–408
WILKINSON, P. C. *see* O'DONNELL, N. G. 70–74
WILLARD, T. B. and BEATTY, P. C. W. Effect of speed of response of capnographs on the accuracy of measurements during anaesthesia, (*ARS*) 213P
WILLIAMS, A. R. Damage to coaxial breathing systems, (*C*) 425
WILLIAMS, A. R. and SWEENEY, B. P. Incidence and severity of postoperative nausea and vomiting in patients exposed to positive intraoperative suggestions, (*ARS*) 216–217P
WILLIAMS, N. J., GRIMES, A., PALMER, S. and NIELSEN, M. Oxygen wastage by oxygen–air mixers, (*C*) 228
WILLIAMS, W. R. and SHALE, D. J. *In vitro* displacement of vasoactive mediators from plasma proteins: a possible mechanism for pseudo-allergic reactions to neuromuscular blocking drugs 508–510
WILSON, A. and PEREIRA, N. Unnecessary preoperative investigations in children, (*C*) 425
WILSON, I. *see* LANGTON, J., (*C*) 661–662
WILSON, I. G. *see* BARKER, P. 23–25
WILSON, L. E. *see* HATCH, D. J., (*ARS*) 217P
WIMALARATNA, S. *see* WEE, M. Y. K. 411–413
WINLOW, W. and YAR, T. Effects of halothane on cultured neurones, (*ARS*) 530–531P
WINLOW, W. *see* HOPKINS, P. M., (*ARS*) 210–211P
WINTERBURN, P. J. *see* SYKES, M. K., (*R*) 666
WINYARD, J. A. *see* NOLAN, K. M. 194–196; (*ARS*) 214–215P
WITTMANN, F. W. *see* WITTMANN, P. H., (*C*) 332
WITTMANN, P. H. and WITTMANN, F. W. Blood loss during total hip replacement, (*C*) 332
WOLF, A. R. *see* BROWNE, B. L. 570–576
WOLFF, A. H., MCHALE, S. P. and WHITE, D. C. Describing circle systems, (*ARS*) 539P
WOOD, M. E. *see* SAMSOON, G. 653–656
WOOD, P. *see* IP YAM, C., (*C*) 111
WOOD, P. R., DRESNER, M. and LAWLER, P. G. P. Training in fibreoptic tracheal intubation in the North of England 202–203
WOODFORTH, I. J. *see* HICKS, R. G. 130–136
WOODSFORD, P. W. *see* SCRIVEN, M. W., (*C*) 422–423
WORTH, R. J. *see* NGAN KEE, W. D. 647–652
WRIGHT, P. M. C. and GEORGE, K. A. Extradural fentanyl–bupivacaine compared with patient controlled analgesia using i.v. morphine after upper abdominal surgery, (*ARS*) 219–220P
WRIGHT, P. M. C. *see* MCCLUNE, S. 240–245
WROŃSKI, M. *see* VESELIS, R. A. 246–254

YADDANAPUDI, L. N., KASHYAP, L. and MALLICK, A. Hypoxaemia and insertion of the laryngeal mask airway, (*C*) 661
YAKU, H. and MIKAWA, K. Verapamil and cardiovascular responses to tracheal intubation, (*C*) 225–226
YAR, T. *see* HOPKINS, P. M., (*ARS*) 210–211P; WINLOW, W., (*ARS*) 530–531P
YOUNG, H. *see* EDDLESTON, J. M. 154–158
YOUNG, L. E., LONG, K. J., DARKE, P. G. G. and JONES, R. S. Effects of detomidine, dopamine and dobutamine on selected Doppler echocardiographic variables in the horse, (*ARS*) 222P

ZALOGA, G. P. *The Critical Care Drug Handbook*, (*R*) 548
ZANDER, R. and MERTZLUFFT, F., (editors) *The Oxygen Status of Arterial Blood*, (*R*) 333
ZAPOL, W. M. *see* ARTIGAS, A., (*R*) 427
ZBINDEN, A. M. European Standardization Committee on Anaesthetic Equipment, (*C*) 543
ZICKMANN, B. *see* BOLDT, J. 45–50
ZIELMANN, S. *see* LANGE, H. 478–481

SUBJECT INDEX

Acid–base equilibrium, Acid–base management during hypothermic cardiopulmonary bypass does not affect cerebral metabolism but does affect blood flow and neurological outcome, STEPHAN, H., *et al.* 51–57

Acid–base equilibrium, pH, Colloid (3% Dextran 70) with or without ephedrine infusion for cardiovascular stability during extradural Caesarean section, WENNBERG, E., *et al.* 13–18

——, Modulation by carbon dioxide and pH of the contractile responses to potassium and prostaglandin $F_{2\alpha}$ in isolated human pial arteries, REINSTRUP, P., *et al.* 615–620

Adductor pollicis, Factors affecting magnitude and time course of neuromuscular block produced by suxamethonium, VANLINTHOUT, L. E. H., *et al.* 29–35

——, Influence of circulating drug on recovery of neuromuscular block in the isolated forearm, HOOD, J. R., *et al.*, (*ARS*) 535P

Adult Respiratory Distress Syndrome, ARTIGAS, A., *et al.*, (editors), (*R*) 427

Advances in Pain Research and Therapy, Volume 18: The Design of Analgesic Clinical Trials, MAX, M. B., *et al.*, (editors), (*R*) 230

Age factors, Dose–response relationships for neostigmine antagonism of vecuronium-induced neuromuscular block in adults and the elderly, MCCARTHY, G. J., *et al.* 281–283

——, Effect of age on the sensitivity of upper airway reflexes, ERSKINE, R. J., *et al.*, (*ARS*) 538–539P

——, Effect of age, sex and anaesthetic technique on the pharmacokinetics of atracurium, PARKER, C. J. R., *et al.* 439–443

——, Infusion of propofol to identify smallest effective doses for induction of anaesthesia in young and elderly patients, PEACOCK, J. E., *et al.* 363–367

——, Postoperative oxygenation in the elderly after ophthalmic surgery: comparison of local and general anaesthesia, MCCARTHY, G., *et al.*, (*ARS*) 213–214P

——, The National Confidential Enquiry into Perioperative Deaths 1990, GRAHAM, S. G., (*E*) 431–432

Airway, A new look at the breath of life, WARD, M. E., (*E*) 339–340

——, Advances in cardiopulmonary resuscitation, BASKETT, P. J. F. 182–193

Airway, obstruction, Life-threatening acute respiratory distress in late pregnancy, METTAM, I. M., *et al.* 420–421

Airway, patency, Effect of a cervical collar on the tidal volume of anaesthetized adult patients, DODD, F. M., *et al.*, (*ARS*) 526–527P

Airway, pressure, Auto-PEEP, lung volume and sternotomy, FLETCHER, R., (*ARS*) 527P

Airway, reflexes, Effect of a cervical collar on the tidal volume of anaesthetized adult patients, DODD, F. M., *et al.*, (*ARS*) 526–527P

——, Effect of age on the sensitivity of upper airway reflexes, ERSKINE, R. J., *et al.*, (*ARS*) 538–539P

——, Movements of the vocal cords on induction of anaesthesia with thiopentone or propofol, BARKER, P., *et al.* 23–25

——, Vocal cord movement on induction of anaesthesia, FINK, B. R., (*C*) 661

——, Vocal cord movement on induction of anaesthesia, LANGTON, J., *et al.*, (*C*) 661–662

Alcohol, withdrawal, Alcohol withdrawal treatment with clonidine, ROBINSON, B. J., *et al.*, (*C*) 328

Allergy, Anaphylactoid or carcinoid? BATCHELOR, A. M., *et al.* 325–327

——, Early diagnosis of anaphylactic reactions to neuromuscular blocking drugs, LAROCHE, D., *et al.* 611–614

——, *In vitro* displacement of vasoactive mediators from plasma proteins: a possible mechanism for pseudo-allergic reactions to neuromuscular blocking drugs, WILLIAMS, W. R., *et al.* 508–510

——, Radioimmunoassay tests and anaphylaxis, IMRAY, I. MCG., *et al.*, (*C*) 543–544

Anaesthesia, audit, The National Confidential Enquiry into Perioperative Deaths 1990, GRAHAM, S. G., (*E*) 431–432

Anaesthesia, day-case, Four anaesthetic techniques for day-case oral surgery, MARTLEW, R., *et al.*, (*ARS*) 219P

Anaesthesia, depth, Auditory evoked response and awareness: a study in volunteers at sub-MAC concentrations of isoflurane, NEWTON, D. E. F., *et al.* 122–129

——, Coherence in the auditory evoked response as a measure of arousal during anaesthesia, SAPSFORD, D. J., *et al.*, (*ARS*) 538P

——, Effect of physiotherapy on EEG spectral derivatives in sedated patients in the intensive care unit, WANG, D. Y., *et al.*, (*ARS*) 221–222P

Anaesthesia, duration, Hepatic function and indocyanine green clearance during and after prolonged anaesthesia with propofol, MURRAY, J. M., *et al.* 643–644

Anaesthesia for Ophthalmic and Otolaryngologic Surgery, MCGOLDRICK, E., (editor), (*R*) 667

Anaesthesia, general, Effect of fentanyl on ventilatory resistances during barbiturate general anaesthesia, COHENDY, R., *et al.* 595–598

——, Effect of the laryngeal mask airway on lower oesophageal sphincter pressure in patients during general anaesthesia, RABEY, P. G., *et al.* 346–348

——, General anaesthesia and the hypereosinophilic syndrome: severe postoperative complications in two patients, SAMSOON, G., *et al.* 653–656

——, Learning during general anaesthesia: implicit recall after methohexitone or propofol infusion, BETHUNE, D. W., *et al.* 197–199

——, Postoperative oxygenation in the elderly after ophthalmic surgery: comparison of local and general anaesthesia, MCCARTHY, G., *et al.*, (*ARS*) 213–214P

——, Regurgitation of gastric contents during general anaesthesia using the laryngeal mask airway, BARKER, P., *et al.* 314–315

Anaesthesia, geriatric, Effect of age on the sensitivity of upper airway reflexes, ERSKINE, R. J., *et al.*, (*ARS*) 538–539P

——, Postoperative oxygenation in the elderly after ophthalmic surgery: comparison of local and general anaesthesia, MCCARTHY, G., *et al.*, (*ARS*) 213–214P

Anaesthesia, neurosurgical, Effect of ketanserin on global cerebral blood flow and cerebral oxygen metabolism during midazolam–fentanyl or isoflurane anaesthesia, OLSEN, K. S., *et al.* 263–268

Anaesthesia, obstetric, Accidental subdural catheterization: radiological evidence of a possible mechanism for spinal cord damage, MCMENEMIN, I. M., *et al.* 417–419

——, Anaesthesia for Caesarean section in a patient with Ehlers–Danlos syndrome type IV, BRIGHOUSE, D., *et al.* 517–519

——, Antenatal assessment for anaesthesia, CODY, M. W., *et al.*, (*C*) 332

——, Application of EMLA before extradural insertion in labour, RALSTON, S. J., *et al.*, (*ARS*) 220–221P

——, Colloid (3% Dextran 70) with or without ephedrine infusion for cardiovascular stability during extradural Caesarean section, WENNBERG, E., *et al.* 13–18

——, Comparison of the maternal and fetal effects associated with intermittent or continuous infusion of extradural analgesia, EDDLESTON, J. M., *et al.* 154–158

——, Extradural abscess complicating extradural anaesthesia for Caesarean section, NGAN KEE, W. D., *et al.* 647–652

——, Influence of vitamin B_{12} status on the inactivation of methionine synthase by nitrous oxide, LANDON, M. J., *et al.* 81–86

——, Intrathecal diamorphine–bupivacaine during labour, KESTIN, I. G., (*C*) 108

——, Intrathecal diamorphine–bupivacaine during labour, SCOTT, P. V., *et al.*, (*C*) 108

——, Mechanism of extension of spinal anaesthesia by extradural injection of local anaesthetic, BLUMGART, C. H., *et al.* 457–460

——, Perioperative continuous monitoring of ST-segment changes in patients undergoing elective Caesarean section, TROTTER, T. N., *et al.* 352–355

——, Spinal anaesthesia for Caesarean section, PATEL, M., *et al.*, (*C*) 662
——, Spinal anaesthesia for Caesarean section, RUSSELL, I. F., *et al.*, (*C*) 662
——, Spinal anaesthesia for Caesarean section: comparison of 22-gauge and 25-gauge Whiteacre needles with 26-gauge Quincke needles, SHUTT, L. E., *et al.* 589–594
——, Thiopentone and etomidate concentrations in maternal and umbilical plasma, and in colostrum, ESENER, Z., *et al.* 586–588
——, Transient bradycardia associated with extradural blood patch after inadvertent dural puncture in parturients, ANDREWS, P. J. D., *et al.* 401–403
Anaesthesia, paediatric, Anaesthesia for critically ill children during magnetic resonance imaging, TOBIN, J. R., *et al.* 482–486
——, Anaesthetic management of renin secreting nephroblastoma, CHARLTON, G. A., *et al.* 206–209
——, Effects of isoflurane anaesthesia on the median nerve somatosensory evoked potential in children, MASON, D. G., *et al.* 562–566
——, Pharmacokinetics of lignocaine in children after infiltration for cleft palate surgery, MICHAEL, S., *et al.* 577–579
——, Propofol and alfentanil in children: infusion technique and dose requirement for total i.v. anaesthesia, BROWNE, B. L., *et al.* 570–576
——, Sequential measurement of the median nerve somatosensory evoked potential during isoflurane anaesthesia in children, MASON, D. G., *et al.* 567–569
——, Venous sequelae of diclofenac, BERRY, C. B., *et al.*, (*C*) 332
——, Venous sequelae of diclofenac, GOPINATH, R., (*C*) 332
Anaesthetic–analgesic regimens, Comparison of propofol–fentanyl and isoflurane–fentanyl for maintenance of anaesthesia during cardiac surgery, PHILLIPS, A. S., *et al.*, (*ARS*) 211–212P
——, Extradural fentanyl–bupivacaine compared with patient controlled analgesia using i.v. morphine after upper abdominal surgery, WRIGHT, P. M. C., *et al.*, (*ARS*) 219–220P
——, Pharmacodynamic stability of a mixture of propofol and alfentanil, TAYLOR, I. N., *et al.* 168–171
——, Pre-emptive extradural analgesia, DAHL, J. B., *et al.*, (*C*) 664–665
——, Pre-emptive extradural analgesia, WILDER-SMITH, O. H. G., *et al.*, (*C*) 663–664
Anaesthetic techniques, endobronchial, Anaesthesia for transthoracic endoscopic sympathectomy in the treatment of upper limb hyperhidrosis, JEDEIKIN, R., *et al.* 349–351
Anaesthetic techniques, extradural, Abolition of the extradural sieve by addition of fentanyl to extradural bupivacaine, TEHAN, B. 520–521
——, Accidental subdural catheterization: radiological evidence of a possible mechanism for spinal cord damage, MCMENEMIN, I. M., *et al.* 417–419
——, Anaesthesia for Caesarean section in a patient with Ehlers–Danlos syndrome type IV, BRIGHOUSE, D., *et al.* 517–519
——, Application of EMLA before extradural insertion in labour, RALSTON, S. J., *et al.*, (*ARS*) 220–221P
——, Aspirin, extradural anaesthesia and the MRC Collaborative Low-dose Aspirin Study in Pregnancy (CLASP), MACDONALD, R., (*C*) 109–110
——, Aspirin, extradural anaesthesia and the MRC Collaborative Low-dose Aspirin Study in Pregnancy (CLASP), DE SWIET, M., *et al.*, (*C*) 109
——, Colloid (3% Dextran 70) with or without ephedrine infusion for cardiovascular stability during extradural Caesarean section, WENNBERG, E., *et al.* 13–18
——, Comparison of extradural administration of sufentanil, morphine and sufentanil–morphine combination after Caesarean section, DOTTRENS, M., *et al.* 9–12
——, Comparison of hypertonic saline (5%), isotonic saline and Ringer's lactate solutions for fluid preloading before lumbar extradural anaesthesia, VEROLI, P., *et al.* 461–464
——, Extradural abscess complicating extradural anaesthesia for Caesarean section, NGAN KEE, W. D., *et al.* 647–652
——, Extradural fentanyl–bupivacaine compared with patient controlled analgesia using i.v. morphine after upper abdominal surgery, WRIGHT, P. M. C., *et al.*, (*ARS*) 219–220P
——, Influence of timing on the effect of continuous extradural analgesia with bupivacaine and morphine after major abdominal surgery, DAHL, J. B., *et al.* 4–8
——, Lumbovertebral syndrome after extradural blood patch, SEEBERGER, M. D., *et al.* 414–416
——, Mechanism of extension of spinal anaesthesia by extradural injection of local anaesthetic, BLUMGART, C. H., *et al.* 457–460
——, Perioperative continuous monitoring of ST-segment changes in patients undergoing elective Caesarean section, TROTTER, T. N., *et al.* 352–355
——, Respiratory depression after extradural fentanyl, WANG, C. Y., (*C*) 544
——, Transient bradycardia associated with extradural blood patch after inadvertent dural puncture in parturients, ANDREWS, P. J. D., *et al.* 401–403
Anaesthetic techniques, fibreoptic, Training in fibreoptic intubation, PESKETT, M. J., (*C*) 331
——, Training in fibreoptic tracheal intubation in the North of England, WOOD, P. R., *et al.* 202–203
Anaesthetic techniques, hypotensive, Evaluation of closed loop control of arterial pressure during hypotensive anaesthesia for local resection of intraocular melanoma, CHAUDHRI, S., *et al.* 607–610
——, Perioperative blood loss and its reduction: the role of the anaesthetist, SIMPSON, P. 498–507
Anaesthetic techniques, hypothermia, Acid–base management during hypothermic cardiopulmonary bypass does not affect cerebral metabolism but does affect blood flow and neurological outcome, STEPHAN, H., *et al.* 51–57
Anaesthetic techniques, induction, Hypoxaemia and insertion of the laryngeal mask airway, GILLIES, G. W. A., (*C*) 661
——, Hypoxaemia and insertion of the laryngeal mask airway, YADDANAPUDI, L. N., *et al.*, (*C*) 661
——, Infusion of propofol to identify smallest effective doses for induction of anaesthesia in young and elderly patients, PEACOCK, J. E., *et al.* 363–367
——, Synergistic interaction between midazolam and propofol, MCCLUNE, S., *et al.* 240–245
Anaesthetic techniques, inhalation, Four anaesthetic techniques for day-case oral surgery, MARTLEW, R., *et al.*, (*ARS*) 219P
——, Laryngeal mask airway: a more successful method of insertion, MATTA, B., *et al.*, (*ARS*) 215P
Anaesthetic techniques, i.v. bolus, Comparison of the maternal and fetal effects associated with intermittent or continuous infusion of extradural analgesia, EDDLESTON, J. M., *et al.* 154–158
——, I.v. bolus administration of subconvulsive doses of lignocaine to conscious sheep: effects on circulatory function, HUANG, Y. F., *et al.* 368–374
Anaesthetic techniques, i.v. infusion, Comparison of the maternal and fetal effects associated with intermittent or continuous infusion of extradural analgesia, EDDLESTON, J. M., *et al.* 154–158
——, Effect of graded infusion rates of propofol on regional and global left ventricular function in the dog, PUTTICK, R. M., *et al.* 375–381
——, Four anaesthetic techniques for day-case oral surgery, MARTLEW, R., *et al.*, (*ARS*) 219P
——, Infusion of propofol to identify smallest effective doses for induction of anaesthesia in young and elderly patients, PEACOCK, J. E., *et al.* 363–367
——, Learning during general anaesthesia: implicit recall after methohexitone or propofol infusion, BETHUNE, D. W., *et al.* 197–199
——, Propofol and alfentanil in children: infusion technique and dose requirement for total i.v. anaesthesia, BROWNE, B. L., *et al.* 570–576
Anaesthetic techniques, loading dose, Colloid (3% Dextran 70) with or without ephedrine infusion for cardiovascular stability during extradural Caesarean section, WENNBERG, E., *et al.* 13–18
Anaesthetic techniques, regional, A method to facilitate regional anaesthesia by detection of mixed nerve action potentials, WEE, M. Y. K., *et al.* 411–413
——, Peripheral nerve damage and regional anaesthesia, CHAMBERS, W. A., (*E*) 429–430
——, Peripheral nerve injury caused by injection needles used in regional anaesthesia: influence of bevel configuration, studied in a rat model, RICE, A. S. C., *et al.* 433–438
Anaesthetic techniques, regional, interpleural, Effect of interpleural morphine on postoperative pain and pulmonary function after thoracotomy, WELTE, M., *et al.* 637–639
Anaesthetic techniques, regional, palate, Pharmacokinetics of lignocaine in children after infiltration for cleft palate surgery, MICHAEL, S., *et al.* 577–579
Anaesthetic techniques, regional, peribulbar, Postoperative oxygenation in the elderly after ophthalmic surgery: comparison of local and general anaesthesia, MCCARTHY, G., *et al.*, (*ARS*) 213–214P
Anaesthetic techniques, subarachnoid, A puncture

technique for continuous subarachnoid block, DE ANDRÉS, J. A., (*C*) 544–545
——, Anaesthesia for Caesarean section in a patient with Ehlers–Danlos syndrome type IV, BRIGHOUSE, D., *et al.* 517–519
——, Continuous subarachnoid infusion of local anaesthetic, MORTON, C. P. J., *et al.*, (*ARS*) 533P
——, Effect of speed of injection of 0.5% plain bupivacaine on the spread of spinal anaesthesia, TUOMINEN, M., *et al.* 148–149
——, Intrathecal diamorphine–bupivacaine during labour, KESTIN, I. G., (*C*) 108
——, Intrathecal diamorphine–bupivacaine during labour, SCOTT, P. V., *et al.*, (*C*) 108
——, Mechanism of extension of spinal anaesthesia by extradural injection of local anaesthetic, BLUMGART, C. H., *et al.* 457–460
——, Metallic fragments and the combined spinal–extradural technique, CARRIE, L. E. S., (*C*) 662–663
——, Metallic fragments and the combined spinal–extradural technique, ELDOR, J., (*C*) 663
——, Perioperative continuous monitoring of ST-segment changes in patients undergoing elective Caesarean section, TROTTER, T. N., *et al.* 352–355
——, Spinal anaesthesia for Caesarean section, PATEL, M., *et al.*, (*C*) 662
——, Spinal anaesthesia for Caesarean section, RUSSELL, I. F., *et al.*, (*C*) 662
——, Spinal anaesthesia for Caesarean section: comparison of 22-gauge and 25-gauge Whiteacre needles with 26-gauge Quincke needles, SHUTT, L. E., *et al.* 589–594
——, Spread of spinal anaesthesia, ADKISSON, G. H., (*C*) 328
——, Spread of spinal anaesthesia, TUOMINEN, M., *et al.*, (*C*) 328–329
——, Surgical face masks are effective in reducing bacterial contamination caused by dispersal from the upper airway, PHILIPS, B. J., *et al.* 407–408
Anaesthetic techniques, subconvulsive dose, I.v. bolus administration of subconvulsive doses of lignocaine to conscious sheep: effects on circulatory function, HUANG, Y. F., *et al.* 368–374
Anaesthetic techniques, topical, Application of EMLA before extradural insertion in labour, RALSTON, S. J., *et al.*, (*ARS*) 220–221P
——, Topical anaesthesia for extracorporeal shock wave lithotripsy, MCDONALD, P. F., *et al.* 399–400
Anaesthetics gases, nitrous oxide, Influence of vitamin B_{12} status on the inactivation of methionine synthase by nitrous oxide, LANDON, M. J., *et al.* 81–86
Anaesthetics i.v., etomidate, Changes in cardiac index and estimated systemic vascular resistance during induction of anaesthesia with thiopentone, methohexitone, propofol and etomidate, PRICE, M. L., *et al.* 172–176
——, Does etomidate cause haemolysis? NEBAUER, A. E., *et al.* 58–60
——, Etomidate shortens the onset time of neuromuscular block, GILL, R. S., *et al.* 444–446
——, Thiopentone and etomidate concentrations in maternal and umbilical plasma, and in colostrum, ESENER, Z., *et al.* 586–588
Anaesthetics i.v., ketamine, Action of ketamine on isolated porcine trachealis muscle, HATCH, D. J., *et al.*, (*ARS*) 217P
——, Molecular actions of racemic ketamine on human CNS sodium channels, FRENKEL, C., *et al.* 292–297
Anaesthetics i.v., methohexitone, Changes in cardiac index and estimated systemic vascular resistance during induction of anaesthesia with thiopentone, methohexitone, propofol and etomidate, PRICE, M. L., *et al.* 172–176
——, Hepatic disposition of methohexitone in patients undergoing coronary bypass surgery, LANGE, H., *et al.* 478–481
——, Learning during general anaesthesia: implicit recall after methohexitone or propofol infusion, BETHUNE, D. W., *et al.* 197–199
Anaesthetics i.v., morphine, Effect of four different maintenance anaesthetic techniques for minor surgery on gastric emptying, BENNETT, M. W. R., *et al.*, (*ARS*) 220P
——, Extradural fentanyl–bupivacaine compared with patient controlled analgesia using i.v. morphine after upper abdominal surgery, WRIGHT, P. M. C., *et al.*, (*ARS*) 219–220P
Anaesthetics i.v., propofol, Anaphylactoid or carcinoid? BATCHELOR, A. M., *et al.* 325–327
——, Changes in cardiac index and estimated systemic vascular resistance during induction of anaesthesia with thiopentone, methohexitone, propofol and etomidate, PRICE, M. L., *et al.* 172–176
——, Comparison of propofol–fentanyl and isoflurane–fentanyl for maintenance of anaesthesia during cardiac surgery, PHILLIPS, A. S., *et al.*, (*ARS*) 211–212P
——, Comparison of the inhibitory effect of propofol, thiopentone and midazolam on neutrophil polarization *in vitro* in the presence or absence of human serum albumin, O'DONNELL, N. G., *et al.* 70–74
——, EEG and memory effects of low-dose infusions of propofol, VESELIS, R. A., *et al.* 246–254
——, EEG burst suppression with propofol during cardiopulmonary bypass in children: a study of the haemodynamic, metabolic and endocrine effects, LAYCOCK, G. J. A., *et al.* 356–362
——, Effect of four different maintenance anaesthetic techniques for minor surgery on gastric emptying, BENNETT, M. W. R., *et al.*, (*ARS*) 220P
——, Effect of graded infusion rates of propofol on regional and global left ventricular function in the dog, PUTTICK, R. M., *et al.* 375–381
——, Effect of propofol and thiopentone on free radical-induced haemolysis, MURPHY, P. G., *et al.*, (*ARS*) 532–533P
——, Etomidate shortens the onset time of neuromuscular block, GILL, R. S., *et al.* 444–446
——, Flumazenil does not antagonize halothane, thiamylal or propofol anaesthesia in rats, MURAYAMA, T., *et al.* 61–64
——, Four anaesthetic techniques for day-case oral surgery, MARTLEW, R., *et al.*, (*ARS*) 219P
——, Haemodynamic effects of isoflurane during propofol anaesthesia, VERBORGH, C., *et al.* 36–39
——, Heart rate spectrum analysis during induction of anaesthesia with thiopentone or propofol, HOWELL, S., *et al.*, (*ARS*) 536P
——, Hepatic function and indocyanine green clearance during and after prolonged anaesthesia with propofol, MURRAY, J. M., *et al.* 643–644
——, Hypnotic and anaesthetic interactions between midazolam, propofol and alfentanil, SHORT, T. G., *et al.* 162–167
——, Infusion of propofol to identify smallest effective doses for induction of anaesthesia in young and elderly patients, PEACOCK, J. E., *et al.* 363–367
——, Learning during general anaesthesia: implicit recall after methohexitone or propofol infusion, BETHUNE, D. W., *et al.* 197–199
——, Movements of the vocal cords on induction of anaesthesia with thiopentone or propofol, BARKER, P., *et al.* 23–25
——, Pain on the injection of propofol: comparison of lignocaine with metoclopramide, GANTA, R., *et al.* 316–317
——, Pharmacodynamic stability of a mixture of propofol and alfentanil, TAYLOR, I. N., *et al.* 168–171
——, Propofol and alfentanil in children: infusion technique and dose requirement for total i.v. anaesthesia, BROWNE, B. L., *et al.* 570–576
——, Propofol anticonvulsant activity in experimental epileptic status, DE RIU, P. L., *et al.* 177–181
——, Propofol in uraemic patients, LEWIS, I. H., *et al.*, (*C*) 329
——, Synergistic interaction between midazolam and propofol, MCCLUNE, S., *et al.* 240–245
——, Vocal cord movement on induction of anaesthesia, FINK, B. R., (*C*) 661
——, Vocal cord movement on induction of anaesthesia, LANGTON, J., *et al.*, (*C*) 661–662
Anaesthetics i.v., thiamylal, Flumazenil does not antagonize halothane, thiamylal or propofol anaesthesia in rats, MURAYAMA, T., *et al.* 61–64
Anaesthetics i.v., thiopentone, Changes in cardiac index and estimated systemic vascular resistance during induction of anaesthesia with thiopentone, methohexitone, propofol and etomidate, PRICE, M. L., *et al.* 172–176
——, Comparison of the inhibitory effect of propofol, thiopentone and midazolam on neutrophil polarization *in vitro* in the presence or absence of human serum albumin, O'DONNELL, N. G., *et al.* 70–74
——, Effect of propofol and thiopentone on free radical-induced haemolysis, MURPHY, P. G., *et al.*, (*ARS*) 532–533P
——, Etomidate shortens the onset time of neuromuscular block, GILL, R. S., *et al.* 444–446
——, Heart rate spectrum analysis during induction of anaesthesia with thiopentone or propofol, HOWELL, S., *et al.*, (*ARS*) 536P
——, Movements of the vocal cords on induction of anaesthesia with thiopentone or propofol, BARKER, P., *et al.* 23–25
——, Thiopentone and etomidate concentrations in maternal and umbilical plasma, and in colostrum, ESENER, Z., *et al.* 586–588

——, Vocal cord movement on induction of anaesthesia, FINK, B. R., (*C*) 661
——, Vocal cord movement on induction of anaesthesia, LANGTON, J., *et al.*, (*C*) 661–662
Anaesthetics local, Pre-emptive analgesia, MCQUAY, H. J., (*E*) 1–3
Anaesthetics local, bupivacaine, Abolition of the extradural sieve by addition of fentanyl to extradural bupivacaine, TEHAN, B. 520–521
——, Comparison of the maternal and fetal effects associated with intermittent or continuous infusion of extradural analgesia, EDDLESTON, J. M., *et al.* 154–158
——, Continuous subarachnoid infusion of 0.125% bupivacaine for analgesia during labour, MCHALE, S., *et al.* 634–636
——, Effect of speed of injection of 0.5% plain bupivacaine on the spread of spinal anaesthesia, TUOMINEN, M., *et al.* 148–149
——, Elimination of bupivacaine and pethidine from the rabbit feto–placental unit, CARSON, R. J., *et al.* 150–153
——, Enhancement of bupivacaine toxicity by diltiazem in anaesthetized dogs, FINEGAN, B. A., *et al.* 492–497
——, Extradural fentanyl–bupivacaine compared with patient controlled analgesia using i.v. morphine after upper abdominal surgery, WRIGHT, P. M. C., *et al.*, (*ARS*) 219–220P
——, Influence of timing on the effect of continuous extradural analgesia with bupivacaine and morphine after major abdominal surgery, DAHL, J. B., *et al.* 4–8
——, Intrathecal diamorphine–bupivacaine during labour, KESTIN, I. G., (*C*) 108
——, Intrathecal diamorphine–bupivacaine during labour, SCOTT, P. V., *et al.*, (*C*) 108
——, Intrathecal morphine-6-glucuronide and bupivacaine for postoperative pain, COE, A. J., *et al.*, (*ARS*) 221P
——, Mechanism of extension of spinal anaesthesia by extradural injection of local anaesthetic, BLUMGART, C. H., *et al.* 457–460
——, Pre-emptive extradural analgesia, DAHL, J. B., *et al.*, (*C*) 664–665
——, Pre-emptive extradural analgesia, WILDER-SMITH, O. H. G., *et al.*, (*C*) 663–664
——, Spinal anaesthesia for Caesarean section, PATEL, M., *et al.*, (*C*) 662
——, Spinal anaesthesia for Caesarean section, RUSSELL, I. F., *et al.*, (*C*) 662
——, Spread of spinal anaesthesia, ADKISSON, G. H., (*C*) 328
——, Spread of spinal anaesthesia, TUOMINEN, M., *et al.*, (*C*) 328–329
Anaesthetics local, EMLA, Application of EMLA before extradural insertion in labour, RALSTON, S. J., *et al.*, (*ARS*) 220–221P
——, Topical anaesthesia for extracorporeal shock wave lithotripsy, MCDONALD, P. F., *et al.* 399–400
Anaesthetics local, lignocaine, I.v. bolus administration of subconvulsive doses of lignocaine to conscious sheep: effects on circulatory function, HUANG, Y. F., *et al.* 368–374
——, Pain on the injection of propofol: comparison of lignocaine with metoclopramide, GANTA, R., *et al.* 316–317
——, Pharmacokinetics of lignocaine in children after infiltration for cleft palate surgery, MICHAEL, S., *et al.* 577–579
——, Plasma lignocaine concentrations associated with extradural analgesia in patients with and without multiple organ failure, PUTENSEN, C., *et al.* 513–516
——, Pressor response to venous cannulation and effect of local anaesthetic infiltration, LANGHAM, B. T., *et al.*, (*ARS*) 537–538P
Anaesthetics volatile, desflurane, Recovery of cognitive functions after anaesthesia with desflurane or isoflurane and nitrous oxide, TSAI, S. K., *et al.* 255–258
Anaesthetics volatile, enflurane, Breakdown of halogenated inhalation anaesthetic agents with water vapour in breathing systems, BEATTY, P. C. W., *et al.*, (*ARS*) 216P
——, Effect of four different maintenance anaesthetic techniques for minor surgery on gastric emptying, BENNETT, M. W. R., *et al.*, (*ARS*) 220P
——, Onset and recovery of rocuronium (Org 9426) and vecuronium under enflurane anaesthesia, MAYER, M., *et al.* 511–512
Anaesthetics volatile, halothane, A National Database on hepatitis after exposure to inhaled anaesthetics, KENNA, J. G., *et al.*, (*C*) 228–229
——, Breakdown of halogenated inhalation anaesthetic agents with water vapour in breathing systems, BEATTY, P. C. W., *et al.*, (*ARS*) 216P
——, Effect of age, sex and anaesthetic technique on the pharmacokinetics of atracurium, PARKER, C. J. R., *et al.* 439–443
——, Effect of halothane on [^{3}H]methylcholine uptake into rat brain synaptosomes, GRIFFITHS, R., *et al.*, (*ARS*) 530P
——, Effects of halothane on cultured neurones, WINLOW, W., *et al.*, (*ARS*) 530–531P
——, Flumazenil does not antagonize halothane, thiamylal or propofol anaesthesia in rats, MURAYAMA, T., *et al.* 61–64
——, Halothane-induced changes in intracellular calcium ion concentration in neurones from *Lymnaea stagnalis*, HOPKINS, P. M., *et al.*, (*ARS*) 210–211P
——, Halothane produces potent endothelium-independent vasodilatation in canine middle cerebral arteries, FLYNN, N. M., *et al.*, (*ARS*) 210P
——, Inhibition of sodium–calcium exchange increases skeletal muscle contracture response to halothane, HOPKINS, P. M., *et al.*, (*ARS*) 531–532P
——, Interaction between halothane and mu, delta and kappa opioid agonists on the isolated right atria of the rat, MICOL, J. A., *et al.* 487–491
——, Is the "K-type" caffeine–halothane responder susceptible to malignant hyperthermia? ELLIS, F. R., *et al.* 468–470
——, Isoflurane does not increase the incidence of intraoperative myocardial ischaemia compared with halothane during vascular surgery, STÜHMEIER, K. D., *et al.* 602–606
Anaesthetics volatile, isoflurane, Auditory evoked response and awareness: a study in volunteers at sub-MAC concentrations of isoflurane, NEWTON, D. E. F., *et al.* 122–129
——, Blood concentrations of sevoflurane and isoflurane on recovery from anaesthesia, KATOH, T., *et al.* 259–262
——, Breakdown of halogenated inhalation anaesthetic agents with water vapour in breathing systems, BEATTY, P. C. W., *et al.*, (*ARS*) 216P
——, Coherence in the auditory evoked response as a measure of arousal during anaesthesia, SAPSFORD, D. J., *et al.*, (*ARS*) 538P
——, Comparison of propofol–fentanyl and isoflurane–fentanyl for maintenance of anaesthesia during cardiac surgery, PHILLIPS, A. S., *et al.*, (*ARS*) 211–212P
——, Components of the inspired to arterial isoflurane partial pressure difference, MATSON, A. M., *et al.*, (*ARS*) 528–529P
——, Effect of age, sex and anaesthetic technique on the pharmacokinetics of atracurium, PARKER, C. J. R., *et al.* 439–443
——, Effect of ketanserin on global cerebral blood flow and cerebral oxygen metabolism during midazolam–fentanyl or isoflurane anaesthesia, OLSEN, K. S., *et al.* 263–268
——, Effects of isoflurane anaesthesia on the median nerve somatosensory evoked potential in children, MASON, D. G., *et al.* 562–566
——, Four anaesthetic techniques for day-case oral surgery, MARTLEW, R., *et al.*, (*ARS*) 219P
——, Haemodynamic effects of isoflurane during propofol anaesthesia, VERBORGH, C., *et al.* 36–39
——, Isoflurane does not increase the incidence of intraoperative myocardial ischaemia compared with halothane during vascular surgery, STÜHMEIER, K. D., *et al.* 602–606
——, Isoflurane inhibits insulin secretion from isolated rat pancreatic islets of Langerhans, DESBOROUGH, J. P., *et al.*, (*ARS*) 532P
——, Recovery of cognitive functions after anaesthesia with desflurane or isoflurane and nitrous oxide, TSAI, S. K., *et al.* 255–258
——, Sequential measurement of the median nerve somatosensory evoked potential during isoflurane anaesthesia in children, MASON, D. G., *et al.* 567–569
——, Somatic movement and oesophageal motility during isoflurane anaesthesia, MATHER, C., *et al.* 40–44
——, Some effects of isoflurane on I waves of the motor evoked potential, HICKS, R. G., *et al.* 130–136
——, Sternocleidomastoid muscle contractility at different levels of isoflurane anaesthesia in humans, OSHIMA, T., *et al.* 236–239
Anaesthetics volatile, sevoflurane, Blood concentrations of sevoflurane and isoflurane on recovery from anaesthesia, KATOH, T., *et al.* 259–262
Anaesthetist, activity, Perioperative blood loss and its reduction: the role of the anaesthetist, SIMPSON, P. 498–507
Analeptics, caffeine, Is the "K-type" caffeine–halothane responder susceptible to malignant hyperthermia? ELLIS, F. R., *et al.* 468–470
Analgesia, obstetric, Abolition of the extradural sieve by addition of fentanyl to extradural bupivacaine, TEHAN, B. 520–521

——, Continuous subarachnoid infusion of 0.125% bupivacaine for analgesia during labour, McHALE, S., *et al.* 634–636
Analgesia, patient-controlled, Extradural fentanyl–bupivacaine compared with patient controlled analgesia using i.v. morphine after upper abdominal surgery, WRIGHT, P. M. C., *et al.*, (*ARS*) 219–220P
——, Hypoxaemia and pain relief after lower abdominal surgery: comparison of extradural and patient-controlled analgesia, MADEJ, T. H., *et al.* 554–557
——, Hypoxaemia and pain relief after upper abdominal surgery: comparison of i.m. and patient-controlled analgesia, WHEATLEY, R. G., *et al.* 558–561
——, Overdose of opioid from patient-controlled analgesia pumps, NOTCUTT, W. G., *et al.* 95–97
——, Patient-controlled analgesia after thoracotomy: thoracic extradural *vs* i.v. fentanyl, KEENAN, G. M. A., *et al.*, (*ARS*) 533P
——, Prospective, controlled, double-blind study of i.v. tenoxicam for analgesia after thoracotomy, MERRY, A. F., *et al.* 92–94
Analgesia, postoperative, Ketorolac trometamol for postoperative analgesia after orthopaedic surgery, KINSELLA, J., *et al.* 19–22
——, Overdose of opioid from patient-controlled analgesia pumps, NOTCUTT, W. G., *et al.* 95–97
——, Prospective, controlled, double-blind study of i.v. tenoxicam for analgesia after thoracotomy, MERRY, A. F., *et al.* 92–94
Analgesia, pre-emptive, Pre-emptive analgesia, McQUAY, H. J., (*E*) 1–3
——, Pre-emptive extradural analgesia, DAHL, J. B., *et al.*, (*C*) 664–665
——, Pre-emptive extradural analgesia, WILDER-SMITH, O. H. G., *et al.*, (*C*) 663–664
Analgesia, preoperative, Pain on the injection of propofol: comparison of lignocaine with metoclopramide, GANTA, R., *et al.* 316–317
Analgesic techniques, extradural, Comparison of the maternal and fetal effects associated with intermittent or continuous infusion of extradural analgesia, EDDLESTON, J. M., *et al.* 154–158
——, Delayed septicaemia after extradural steroid treatment, ELLIOTT, R. H., *et al.*, (*C*) 422
——, Delayed septicaemia after extradural steroid treatment, SCRIVEN, M. W., *et al.*, (*C*) 422–423
——, Hypoxaemia and pain relief after lower abdominal surgery: comparison of extradural and patient-controlled analgesia, MADEJ, T. H., *et al.* 554–557
——, Patient-controlled analgesia after thoracotomy: thoracic extradural *vs* i.v. fentanyl, KEENAN, G. M. A., *et al.*, (*ARS*) 533P
——, Plasma lignocaine concentrations associated with extradural analgesia in patients with and without multiple organ failure, PUTENSEN, C., *et al.* 513–516
——, Pre-emptive extradural analgesia, DAHL, J. B., *et al.*, (*C*) 664–665
——, Pre-emptive extradural analgesia, WILDER-SMITH, O. H. G., *et al.*, (*C*) 663–664
——, Steroid therapy and extradural analgesia, NGAN KEE, W. D., (*C*) 423
Analgesic techniques, i.m., Hypoxaemia and pain relief after upper abdominal surgery: comparison of i.m. and patient-controlled analgesia, WHEATLEY, R. G., *et al.* 558–561
Analgesic techniques, i.v., Patient-controlled analgesia after thoracotomy: thoracic extradural *vs* i.v. fentanyl, KEENAN, G. M. A., *et al.*, (*ARS*) 533P
Analgesic techniques, subarachnoid, Continuous subarachnoid infusion of 0.125% bupivacaine for analgesia during labour, McHALE, S., *et al.* 634–636
——, Intrathecal morphine-6-glucuronide and bupivacaine for postoperative pain, COE, A. J., *et al.*, (*ARS*) 221P
Analgesics anti-inflammatory, steroid, Delayed septicaemia after extradural steroid treatment, ELLIOTT, R. H., *et al.*, (*C*) 422
——, Delayed septicaemia after extradural steroid treatment, SCRIVEN, M. W., *et al.*, (*C*) 422–423
——, Steroid therapy and extradural analgesia, NGAN KEE, W. D., (*C*) 423
Analgesics non-opioid, aspirin, Aspirin, extradural anaesthesia and the MRC Collaborative Low-dose Aspirin Study in Pregnancy (CLASP), MACDONALD, R., (*C*) 109–110
——, Aspirin, extradural anaesthesia and the MRC Collaborative Low-dose Aspirin Study in Pregnancy (CLASP), DE SWIET, M., *et al.*, (*C*) 109
Analgesics non-opioid, diclofenac, Effect of diclofenac on renal function and prostacyclin generation after surgery, POWER, I., *et al.* 451–456
——, Venous sequelae of diclofenac, BERRY, C. B., *et al.*, (*C*) 332
——, Venous sequelae of diclofenac, GOPINATH, R., (*C*) 332
Analgesics non-opioid, indomethacin, Indomethacin in the management of postoperative pain, NISSEN, I., *et al.* 304–306
Analgesics non-opioid, ketorolac, Ketorolac trometamol for postoperative analgesia after orthopaedic surgery, KINSELLA, J., *et al.* 19–22
Analgesics non-opioid, tenoxicam, Prospective, controlled, double-blind study of i.v. tenoxicam for analgesia after thoracotomy, MERRY, A. F., *et al.* 92–94
Analgesics opioid, Pre-emptive analgesia, McQUAY, H. J., (*E*) 1–3
Analgesics opioid, alfentanil, Disposition of alfentanil in burns patients, McFIE, A. G., *et al.* 447–450
——, Effect of four different maintenance anaesthetic techniques for minor surgery on gastric emptying, BENNETT, M. W. R., *et al.*, (*ARS*) 220P
——, Effect of preoperative opioid administration on postoperative pain, DAHL, J. B., *et al.*, (*C*) 424–425
——, Effect of preoperative opioid administration on postoperative pain, KATZ, J., *et al.*, (*C*) 424
——, Hypnotic and anaesthetic interactions between midazolam, propofol and alfentanil, SHORT, T. G., *et al.* 162–167
——, Pharmacodynamic stability of a mixture of propofol and alfentanil, TAYLOR, I. N., *et al.* 168–171
——, Propofol and alfentanil in children: infusion technique and dose requirement for total i.v. anaesthesia, BROWNE, B. L., *et al.* 570–576
Analgesics opioid, diamorphine, Intrathecal diamorphine–bupivacaine during labour, KESTIN, I. G., (*C*) 108
——, Intrathecal diamorphine–bupivacaine during labour, SCOTT, P. V., *et al.*, (*C*) 108
——, Overdose of opioid from patient-controlled analgesia pumps, NOTCUTT, W. G., *et al.* 95–97
Analgesics opioid, fentanyl, Abolition of the extradural sieve by addition of fentanyl to extradural bupivacaine, TEHAN, B. 520–521
——, Comparison of propofol–fentanyl and isoflurane–fentanyl for maintenance of anaesthesia during cardiac surgery, PHILLIPS, A. S., *et al.*, (*ARS*) 211–212P
——, Effect of fentanyl on ventilatory resistances during barbiturate general anaesthesia, COHENDY, R., *et al.* 595–598
——, Effect of ketanserin on global cerebral blood flow and cerebral oxygen metabolism during midazolam–fentanyl or isoflurane anaesthesia, OLSEN, K. S., *et al.* 263–268
——, Extradural fentanyl–bupivacaine compared with patient controlled analgesia using i.v. morphine after upper abdominal surgery, WRIGHT, P. M. C., *et al.*, (*ARS*) 219–220P
——, Fentanyl inhibits evoked [^{3}H]noradrenaline release from human neuroblastoma cells, ATCHESON, R., *et al.*, (*ARS*) 531P
——, Patient-controlled analgesia after thoracotomy: thoracic extradural *vs* i.v. fentanyl, KEENAN, G. M. A., *et al.*, (*ARS*) 533P
——, Respiratory depression after extradural fentanyl, WANG, C. Y., (*C*) 544
Analgesics opioid, morphine, Comparison of extradural administration of sufentanil, morphine and sufentanil–morphine combination after Caesarean section, DOTTRENS, M., *et al.* 9–12
——, Effect of interpleural morphine on postoperative pain and pulmonary function after thoracotomy, WELTE, M., *et al.* 637–639
——, Influence of timing on the effect of continuous extradural analgesia with bupivacaine and morphine after major abdominal surgery, DAHL, J. B., *et al.* 4–8
——, Interaction between halothane and mu, delta and kappa opioid agonists on the isolated right atria of the rat, MICOL, J. A., *et al.* 487–491
——, Ketorolac trometamol for postoperative analgesia after orthopaedic surgery, KINSELLA, J., *et al.* 19–22
——, One-compartment kinetics, NORMAN, J. 387–396
——, Pre-emptive extradural analgesia, DAHL, J. B., *et al.*, (*C*) 664–665
——, Pre-emptive extradural analgesia, WILDER-SMITH, O. H. G., *et al.*, (*C*) 663–664
Analgesics opioid, morphine-6-glucuronide, Intrathecal morphine-6-glucuronide and bupivacaine for postoperative pain, COE, A. J., *et al.*, (*ARS*) 221P
Analgesics opioid, pethidine, Elimination of bupivacaine and pethidine from the rabbit feto–placental unit, CARSON, R. J., *et al.* 150–153

Analgesics opioid, sufentanil, Comparison of extradural administration of sufentanil, morphine and sufentanil–morphine combination after Caesarean section, DOTTRENS, M., *et al.* 9–12
Anesthesiology Review, FAUST, R. J., (editor), (*R*) 230–231
Antacids, famotidine, Effects of omeprazole, ranitidine, famotidine and placebo on gastric secretion in patients undergoing elective surgery, ESCOLANO, F., *et al.* 404–406
Antacids, omeprazole, Effects of omeprazole, ranitidine, famotidine and placebo on gastric secretion in patients undergoing elective surgery, ESCOLANO, F., *et al.* 404–406
Antacids, ranitidine, Effects of omeprazole, ranitidine, famotidine and placebo on gastric secretion in patients undergoing elective surgery, ESCOLANO, F., *et al.* 404–406
Antagonists benzodiazepine, flumazenil, EEG and auditory evoked potential P300 compared with psychometric tests in assessing vigilance after benzodiazepine sedation and antagonism, ENGELHARDT, W., *et al.* 75–80
——, Flumazenil does not antagonize halothane, thiamylal or propofol anaesthesia in rats, MURAYAMA, T., *et al.* 61–64
——, Midazolam and cardioversion, GUPTA, A., *et al.*, (*C*) 422
Antagonists, miscellaneous, 5-HT_3 antagonists and postoperative nausea and vomiting, RUSSELL, D., *et al.* 63–68S
——, Postoperative nausea and vomiting in day-case surgery, WETCHLER, B. V. 33–39S
Antagonists neuromuscular block, neostigmine, Dose–response relationships for neostigmine antagonism of vecuronium-induced neuromuscular block in adults and the elderly, MCCARTHY, G. J., *et al.* 281–283
Antagonists opioid, naloxone, Interaction between halothane and mu, delta and kappa opioid agonists on the isolated right atria of the rat, MICOL, J. A., *et al.* 487–491
Anticonvulsants, Propofol anticonvulsant activity in experimental epileptic status, DE RIU, P. L., *et al.* 177–181
Arterial pressure, drug effects, Effect of rocuronium and vecuronium on intraocular pressure, HULL, J. M., *et al.*, (*ARS*) 534P
——, Pressor response to venous cannulation and effect of local anaesthetic infiltration, LANGHAM, B. T., *et al.*, (*ARS*) 537–538P
Arterial pressure, hypertension, Preoperative silent ischaemia is related to hypertension, MUIR, A. D., *et al.*, (*ARS*) 540P
Arterial pressure, hypertension, aspirin, Thrombelastography after aspirin ingestion in pregnant and non-pregnant subjects, ORLIKOWSKI, C. E. P., *et al.* 159–161
Arterial pressure, regulation automatic, Evaluation of closed loop control of arterial pressure during hypotensive anaesthesia for local resection of intraocular melanoma, CHAUDHRI, S., *et al.* 607–610
Arteries, axillary, Fatal tracheal compression after haemorrhage into the axilla, COOK, L. B., *et al.* 322–324
Arteries, cannulation, Accuracy of coagulation studies performed on blood samples obtained from arterial cannulae, HAYNES, S. R., *et al.* 599–601
Arteries, cerebral, Halothane produces potent endothelium-independent vasodilatation in canine middle cerebral arteries, FLYNN, N. M., *et al.*, (*ARS*) 210P
——, Modulation by carbon dioxide and pH of the contractile responses to potassium and prostaglandin $F_{2\alpha}$ in isolated human pial arteries, REINSTRUP, P., *et al.* 615–620
Assessment, preanaesthetic, Antenatal assessment for anaesthesia, CODY, M. W., *et al.*, (*C*) 332
Ataractics, butyrophenones, Current management of postoperative nausea and vomiting, ROWBOTHAM, D. J. 46–59S
Ataractics, phenothiazines, Current management of postoperative nausea and vomiting, ROWBOTHAM, D. J. 46–59S
Atlas of Regional Anaesthesia, BROWN, D. L., (*R*) 426
Atlas of the Difficult Airway, BROWN, A. C. D., *et al.*, (*R*) 231

Biology, biochemistry, Massive blood transfusion, DONALDSON, M. D. J., *et al.* 621–630
Blood, anaesthetic concentration, Blood concentrations of sevoflurane and isoflurane on recovery from anaesthesia, KATOH, T., *et al.* 259–262
——, Plasma lignocaine concentrations associated with extradural analgesia in patients with and without multiple organ failure, PUTENSEN, C., *et al.* 513–516
——, Thiopentone and etomidate concentrations in maternal and umbilical plasma, and in colostrum, ESENER, Z., *et al.* 586–588
Blood, anticoagulants, heparin, Accuracy of coagulation studies performed on blood samples obtained from arterial cannulae, HAYNES, S. R., *et al.* 599–601
Blood, coagulation, Accuracy of coagulation studies performed on blood samples obtained from arterial cannulae, HAYNES, S. R., *et al.* 599–601
——, Bleeding time, BROMAGE, P. R., (*C*) 330
——, Bleeding time, MCDONALD, R., (*C*) 329
——, Bleeding time, O'KELLY, S. W., *et al.*, (*C*) 330–331
——, Bleeding time, POWER, I., (*C*) 329–330
——, Massive blood transfusion, DONALDSON, M. D. J., *et al.* 621–630
——, Perioperative blood loss and its reduction: the role of the anaesthetist, SIMPSON, P. 498–507
——, Thrombelastography, MALLETT, S. V., *et al.* 307–313
——, Thrombelastography after aspirin ingestion in pregnant and non-pregnant subjects, ORLIKOWSKI, C. E. P., *et al.* 159–161
Blood, erythrocytes, Effect of propofol and thiopentone on free radical-induced haemolysis, MURPHY, P. G., *et al.*, (*ARS*) 532–533P
——, Plasma antioxidant activity in stored blood, MYERS, D. S., *et al.*, (*ARS*) 222P
Blood, flow, skin, Effects of skin blood flow and temperature on skin–electrode impedance and offset potential, SMITH, D. C., (*ARS*) 223P
Blood, haemoglobin, Unnecessary preoperative investigations in children, WILSON, A., *et al.*, (*C*) 425
Blood, haemolysis, Does etomidate cause haemolysis? NEBAUER, A. E., *et al.* 58–60
——, Effect of propofol and thiopentone on free radical-induced haemolysis, MURPHY, P. G., *et al.*, (*ARS*) 532–533P
Blood, leucocytes, General anaesthesia and the hypereosinophilic syndrome: severe postoperative complications in two patients, SAMSOON, G., *et al.* 653–656
Blood, loss, Blood loss during total hip replacement, MCSWINEY, M., *et al.*, (*C*) 331–332
——, Blood loss during total hip replacement, WITTMANN, P. H., *et al.*, (*C*) 332
——, Perioperative blood loss and its reduction: the role of the anaesthetist, SIMPSON, P. 498–507
Blood, neutrophils, Comparison of the inhibitory effect of propofol, thiopentone and midazolam on neutrophil polarization *in vitro* in the presence or absence of human serum albumin, O'DONNELL, N. G., *et al.* 70–74
——, Influence of myocardial preservation technique on perioperative neutrophil activity in patients undergoing coronary artery graft surgery, COLUMB, M. O., *et al.*, (*ARS*) 211P
Blood, platelets, Bleeding time, MCDONALD, R., (*C*) 329
Blood, transfusion, Blood loss during total hip replacement, MCSWINEY, M., *et al.*, (*C*) 331–332
——, Blood loss during total hip replacement, WITTMANN, P. H., *et al.*, (*C*) 332
——, Massive blood transfusion, DONALDSON, M. D. J., *et al.* 621–630
Blood, volume, Comparison of hypertonic saline (5%), isotonic saline and Ringer's lactate solutions for fluid preloading before lumbar extradural anaesthesia, VEROLI, P., *et al.* 461–464
——, Massive blood transfusion, DONALDSON, M. D. J., *et al.* 621–630
Book Reviews
Adult Respiratory Distress Syndrome, ARTIGAS, A., *et al.*, (editors), (*R*) 427
Advances in Pain Research and Therapy, Volume 18: The Design of Analgesic Clinical Trials, MAX, M. B., *et al.*, (editors), (*R*) 230
Anaesthesia for Ophthalmic and Otolaryngologic Surgery, MCGOLDRICK, E., (editor), (*R*) 667
Anesthesiology Review, FAUST, R. J., (editor), (*R*) 230–231
Atlas of Regional Anaesthesia, BROWN, D. L., (*R*) 426
Atlas of the Difficult Airway, BROWN, A. C. D., *et al.*, (*R*) 231
Clinical Practice of Regional Anesthesia, PRITHVI RAJ, P., (editor), (*R*) 546–547
Critical Care Toxicology (*Contemporary Management in Critical Care* series), HOFFMAN, R. S., *et al.*, (editors), (*R*) 547
Dripps/Eckenhoff/Vandam Introduction to Anaesthesia, 8th Edn, LONGNECKER, D. E., *et al.*, (editors), (*R*) 231
Drug Infusions in Anesthesiology, FRAGEN, R. J., (editor), (*R*) 112
Emergency Medicine and the Anaesthetist (*Baillière's Clinical Anaesthesiology* series), DELOOZ, H. H., (editor), (*R*) 546
Infection and the Anaesthetist, STOUTENBEEK, C. P., *et al.*, (editors), (*R*) 112–113
Kinetics of Anaesthetic Drugs in Clinical Anesthesiology,

WHITE, P. F., (editor), (*R*) 667
Lecture Notes on Anaesthetics, 4th Edn, LUNN, J. N., (*R*) 113
Manual of Obstetric Anesthesia, 2nd Edn, OSTHEIMER, G. W., (editor), (*R*) 547–548
Manual of Post-Anesthesia Care, JACOBSEN, W. K., *et al.*, (editors), (*R*) 333–334
Maternal Mortality—The Way Forward. Some Implications of the Report on Confidential Enquiries into Maternal Deaths in the United Kingdom 1985–87, PATEL, N., (editor), (*R*) 547
MCQ Companion to the Textbook of Anaesthesia, FELL, D., *et al.*, (*R*) 667–668
MCQ for the Higher Examinations in Clinical Pharmacology, MCCARTHY, G., *et al.*, (*R*) 546
Mechanical Ventilation and Assisted Respiration, GRENVIK, A., *et al.*, (editors), (*R*) 334
Plasma Volume Expansion, BARON, J.-F., (editor), (*R*) 668
Principles of Measurement and Monitoring in Anaesthesia and Intensive Care, 3rd Edn, SYKES, M. K., *et al.*, (*R*) 666
Researches Practical and Physiological on Etherization, PIROGOFF, N., *et al.*, (*R*) 333
Respiratory Monitoring (*Contemporary Management in Critical Care* series), TOBIN, M. J., (editor), (*R*) 666
Standard Operating Procedures for Investigators, BALL, G., *et al.*, (*R*) 231
Standards of Care in Anaesthesia, TAYLOR, T. H., *et al.*, (*R*) 334
The Ageing Surgical Patient—Anaesthetic, Operative and Medical Management, CROSBY, D. L., *et al.*, (editors), (*R*) 426–427
The Critical Care Drug Handbook, ZALOGA, G. P., (*R*) 548
The Management of Acute Pain, PARK, G., *et al.*, (*R*) 548
The Obstructed Airway (Ministry of Defence training film), (*R*) 427
The Oxygen Status of Arterial Blood, ZANDER, R., *et al.*, (editors), (*R*) 333
The Pediatric Anesthesia Handbook, BELL, C., *et al.*, (editors), (*R*) 230
Thoracic Anesthesia, 2nd Edn, KAPLAN, J. A., (editor), (*R*) 112
Year Book of Anesthesia, 1991, MILLER, R. D., *et al.*, (editors), (*R*) 113

Brain, blood–brain barrier, Porcine model for studying the passage of non-depolarizing neuromuscular blockers through the blood–brain barrier, WERBA, A., *et al.* 382–386
Brain, blood flow, Acid–base management during hypothermic cardiopulmonary bypass does not affect cerebral metabolism but does affect blood flow and neurological outcome, STEPHAN, H., *et al.* 51–57
——, Comparison of the effects of methoxamine and phenylephrine on middle cerebral artery velocity during carotid endarterectomy, KANEKO, K., *et al.*, (*ARS*) 537P
——, Effect of ketanserin on global cerebral blood flow and cerebral oxygen metabolism during midazolam–fentanyl or isoflurane anaesthesia, OLSEN, K. S., *et al.* 263–268
——, Modulation by carbon dioxide and pH of the contractile responses to potassium and prostaglandin $F_{2\alpha}$ in isolated human pial arteries, REINSTRUP, P., *et al.* 615–620
Brain, electroencephalography, EEG and auditory evoked potential P300 compared with psychometric tests in assessing vigilance after benzodiazepine sedation and antagonism, ENGELHARDT, W., *et al.* 75–80
——, Flumazenil does not antagonize halothane, thiamylal or propofol anaesthesia in rats, MURAYAMA, T., *et al.* 61–64
Brain, evoked potentials, Auditory evoked response and awareness: a study in volunteers at sub-MAC concentrations of isoflurane, NEWTON, D. E. F., *et al.* 122–129
——, EEG and auditory evoked potential P300 compared with psychometric tests in assessing vigilance after benzodiazepine sedation and antagonism, ENGELHARDT, W., *et al.* 75–80
——, Effects of isoflurane anaesthesia on the median nerve somatosensory evoked potential in children, MASON, D. G., *et al.* 562–566
——, Sequential measurement of the median nerve somatosensory evoked potential during isoflurane anaesthesia in children, MASON, D. G., *et al.* 567–569
Brain, metabolism, Acid–base management during hypothermic cardiopulmonary bypass does not affect cerebral metabolism but does affect blood flow and neurological outcome, STEPHAN, H., *et al.* 51–57
Brain, oxygen consumption, Effect of ketanserin on global cerebral blood flow and cerebral oxygen metabolism during midazolam–fentanyl or isoflurane anaesthesia, OLSEN, K. S., *et al.* 263–268
Brain, synapses, Effect of halothane on [^{3}H]methylcholine uptake into rat brain synaptosomes, GRIFFITHS, R., *et al.*, (*ARS*) 530P
——, Molecular actions of racemic ketamine on human CNS sodium channels, FRENKEL, C., *et al.* 292–297
Burns, Disposition of alfentanil in burns patients, MCFIE, A. G., *et al.* 447–450

Calcium channel block, diltiazem, Enhancement of bupivacaine toxicity by diltiazem in anaesthetized dogs, FINEGAN, B. A., *et al.* 492–497
Cancer, Anaesthetic management of renin secreting nephroblastoma, CHARLTON, G. A., *et al.* 206–209
——, Evaluation of closed loop control of arterial pressure during hypotensive anaesthesia for local resection of intraocular melanoma, CHAUDHRI, S., *et al.* 607–610
——, Repeated resistance to non-depolarizing neuromuscular blocking drugs in a patient with multiple myeloma, IP YAM, C., *et al.*, (*C*) 111
Carbon dioxide, elimination, Control of carbon dioxide in circle systems, MCHALE, S. P., *et al.*, (*ARS*) 529P
Carbon dioxide, partial pressure, Modulation by carbon dioxide and pH of the contractile responses to potassium and prostaglandin $F_{2\alpha}$ in isolated human pial arteries, REINSTRUP, P., *et al.* 615–620
——, Ventilatory effects of laparoscopy under general anaesthesia, PURI, G. D., *et al.*, (*C*) 543
——, Ventilatory effects of laparoscopy under general anaesthesia, SHANKAR, K. B., *et al.*, (*C*) 542–543
Carbon dioxide, rebreathing, Determination of the onset of rebreathing: comparison of six methods during spontaneous ventilation, BARRIE, J. R., *et al.*, (*ARS*) 527P
——, Oxygen uptake during rebreathing in a Mapleson A system, CAMPKIN, N., *et al.*, (*ARS*) 538P
——, Rebreathing in the Magill breathing system, SONI, N., *et al.*, (*ARS*) 215–216P
Cardiorespiratory system, effects, Infusion of propofol to identify smallest effective doses for induction of anaesthesia in young and elderly patients, PEACOCK, J. E., *et al.* 363–367
Cardiovascular system, effects, Enhancement of bupivacaine toxicity by diltiazem in anaesthetized dogs, FINEGAN, B. A., *et al.* 492–497
——, I.v. bolus administration of subconvulsive doses of lignocaine to conscious sheep: effects on circulatory function, HUANG, Y. F., *et al.* 368–374
Cardiovascular system, responses, Atracurium and histamine, ADT, M., (*C*) 110
——, Atracurium and histamine, SCOTT, R. P. F., (*C*) 110
——, Cardiovascular responses to tracheal extubation, DHAMEE, M. S., *et al.*, (*C*) 229
——, Cardiovascular responses to tracheal extubation, FELL, D., *et al.*, (*C*) 229
——, Comparison of propofol–fentanyl and isoflurane–fentanyl for maintenance of anaesthesia during cardiac surgery, PHILLIPS, A. S., *et al.*, (*ARS*) 211–212P
——, EEG burst suppression with propofol during cardiopulmonary bypass in children: a study of the haemodynamic, metabolic and endocrine effects, LAYCOCK, G. J. A., *et al.* 356–362
——, Effect of diabetic autonomic dysfunction on the cardiovascular responses to induction of anaesthesia and tracheal intubation, VOHRA, A., *et al.*, (*ARS*) 212–213P
——, Haemodynamic effects of isoflurane during propofol anaesthesia, VERBORGH, C., *et al.* 36–39
——, Pressor response to venous cannulation and effect of local anaesthetic infiltration, LANGHAM, B. T., *et al.*, (*ARS*) 537–538P
——, The laryngeal mask airway for intraocular surgery: effects on intraocular pressure and stress responses, LAMB, K., *et al.* 143–147
——, Ventilatory effects of laparoscopy under general anaesthesia, PURI, G. D., *et al.*, (*C*) 543
——, Ventilatory effects of laparoscopy under general anaesthesia, SHANKAR, K. B., *et al.*, (*C*) 542–543
——, Verapamil and cardiovascular responses to tracheal intubation, NISHIKAWA, T., (*C*) 225
——, Verapamil and cardiovascular responses to tracheal intubation, YAKU, H., *et al.*, (*C*) 225–226
Cerebrospinal fluid, Porcine model for studying the passage of non-depolarizing neuromuscular blockers through the blood–brain barrier, WERBA, A., *et al.* 382–386
Children, Anaesthesia for critically ill children during magnetic resonance imaging, TOBIN, J. R., *et al.* 482–486
——, EEG burst suppression with propofol during cardiopulmonary bypass in children: a study of the haemodynamic, metabolic and endocrine effects, LAYCOCK, G. J. A., *et al.* 356–362

——, Effects of isoflurane anaesthesia on the median nerve somatosensory evoked potential in children, MASON, D. G., *et al.* 562–566
——, Pharmacokinetics of lignocaine in children after infiltration for cleft palate surgery, MICHAEL, S., *et al.* 577–579
——, Postoperative nausea and vomiting in day-case surgery, WETCHLER, B. V. 33–39S
——, Propofol and alfentanil in children: infusion technique and dose requirement for total i.v. anaesthesia, BROWNE, B. L., *et al.* 570–576
——, Sequential measurement of the median nerve somatosensory evoked potential during isoflurane anaesthesia in children, MASON, D. G., *et al.* 567–569
——, Unnecessary preoperative investigations in children, WILSON, A., *et al.*, (*C*) 425
Clinical Practice of Regional Anesthesia, PRITHVI RAJ, P., (editor), (*R*) 546–547
Colostrum, anaesthetic concentration, Thiopentone and etomidate concentrations in maternal and umbilical plasma, and in colostrum, ESENER, Z., *et al.* 586–588
Complications, adult respiratory distress syndrome, General anaesthesia and the hypereosinophilic syndrome: severe postoperative complications in two patients, SAMSOON, G., *et al.* 653–656
Complications, anaemia, Unnecessary preoperative investigations in children, WILSON, A., *et al.*, (*C*) 425
Complications, anaphylaxis, Anaphylactoid or carcinoid? BATCHELOR, A. M., *et al.* 325–327
——, Early diagnosis of anaphylactic reactions to neuromuscular blocking drugs, LAROCHE, D., *et al.* 611–614
——, Radioimmunoassay tests and anaphylaxis, IMRAY, I. MCG., *et al.*, (*C*) 543–544
Complications, arrhythmia, Transient bradycardia associated with extradural blood patch after inadvertent dural puncture in parturients, ANDREWS, P. J. D., *et al.* 401–403
Complications, aspiration, Cricoid pressure may prevent insertion of the laryngeal mask airway, ANSERMINO, J. M., *et al.* 465–467
——, Effects of omeprazole, ranitidine, famotidine and placebo on gastric secretion in patients undergoing elective surgery, ESCOLANO, F., *et al.* 404–406
Complications, backache, Lumbovertebral syndrome after extradural blood patch, SEEBERGER, M. D., *et al.* 414–416
——, Spinal anaesthesia for Caesarean section: comparison of 22-gauge and 25-gauge Whiteacre needles with 26-gauge Quincke needles, SHUTT, L. E., *et al.* 589–594
Complications, breakdown products, Breakdown of halogenated inhalation anaesthetic agents with water vapour in breathing systems, BEATTY, P. C. W., *et al.*, (*ARS*) 216P
Complications, carcinoid syndrome, Anaphylactoid or carcinoid? BATCHELOR, A. M., *et al.* 325–327
Complications, catheter migration, Continuous subarachnoid infusion of local anaesthetic, MORTON, C. P. J., *et al.*, (*ARS*) 533P
Complications, coagulopathy, General anaesthesia and the hypereosinophilic syndrome: severe postoperative complications in two patients, SAMSOON, G., *et al.* 653–656
Complications, convulsions, Propofol anticonvulsant activity in experimental epileptic status, DE RIU, P. L., *et al.* 177–181
Complications, death, Isoflurane does not increase the incidence of intraoperative myocardial ischaemia compared with halothane during vascular surgery, STÜHMEIER, K. D., *et al.* 602–606
——, The National Confidential Enquiry into Perioperative Deaths 1990, GRAHAM, S. G., (*E*) 431–432
Complications, diabetes, Effect of diabetic autonomic dysfunction on the cardiovascular responses to induction of anaesthesia and tracheal intubation, VOHRA, A., *et al.*, (*ARS*) 212–213P
Complications, drug resistance, Probable resistance to vecuronium involving the 17-hydroxy metabolite, COZANITIS, D. A., (*C*) 110–111
——, Repeated resistance to non-depolarizing neuromuscular blocking drugs in a patient with multiple myeloma, IP YAM, C., *et al.*, (*C*) 111
Complications, dural puncture, Accidental subdural catheterization: radiological evidence of a possible mechanism for spinal cord damage, MCMENEMIN, I. M., *et al.* 417–419
——, Transient bradycardia associated with extradural blood patch after inadvertent dural puncture in parturients, ANDREWS, P. J. D., *et al.* 401–403
Complications, Ehlers–Danlos type IV, Anaesthesia for Caesarean section in a patient with Ehlers–Danlos syndrome type IV, BRIGHOUSE, D., *et al.* 517–519
Complications, extradural abscess, Extradural abscess complicating extradural anaesthesia for Caesarean section, NGAN KEE, W. D., *et al.* 647–652
——, Lumbovertebral syndrome after extradural blood patch, SEEBERGER, M. D., *et al.* 414–416
——, Steroid therapy and extradural analgesia, NGAN KEE, W. D., (*C*) 423
Complications, haemolysis, Does etomidate cause haemolysis? NEBAUER, A. E., *et al.* 58–60
Complications, haemorrhage, Fatal tracheal compression after haemorrhage into the axilla, COOK, L. B., *et al.* 322–324
——, Perioperative blood loss and its reduction: the role of the anaesthetist, SIMPSON, P. 498–507
Complications, headache, Lumbovertebral syndrome after extradural blood patch, SEEBERGER, M. D., *et al.* 414–416
——, Postdural puncture headache in urological surgery: an evaluation of the atraumatic spinal needle, HARRISON, D. A., *et al.*, (*ARS*) 540–541P
——, Spinal anaesthesia for Caesarean section: comparison of 22-gauge and 25-gauge Whiteacre needles with 26-gauge Quincke needles, SHUTT, L. E., *et al.* 589–594
——, Transient bradycardia associated with extradural blood patch after inadvertent dural puncture in parturients, ANDREWS, P. J. D., *et al.* 401–403
Complications, histamine release, *In vitro* displacement of vasoactive mediators from plasma proteins: a possible mechanism for pseudo-allergic reactions to neuromuscular blocking drugs, WILLIAMS, W. R., *et al.* 508–510
Complications, hypereosinophilic syndrome, General anaesthesia and the hypereosinophilic syndrome: severe postoperative complications in two patients, SAMSOON, G., *et al.* 653–656
Complications, hypertension, Anaesthetic management of renin secreting nephroblastoma, CHARLTON, G. A., *et al.* 206–209
——, Preoperative silent ischaemia is related to hypertension, MUIR, A. D., *et al.*, (*ARS*) 540P
——, Verapamil and cardiovascular responses to tracheal intubation, NISHIKAWA, T., (*C*) 225
——, Verapamil and cardiovascular responses to tracheal intubation, YAKU, H., *et al.*, (*C*) 225–226
Complications, hypotension, Colloid (3% Dextran 70) with or without ephedrine infusion for cardiovascular stability during extradural Caesarean section, WENNBERG, E., *et al.* 13–18
Complications, hypoxaemia, Video surveillance of oxygen administration by mask in postoperative patients, NOLAN, K. M., *et al.* 194–196
Complications, myalgia, The importance of activity and pretreatment in the prevention of suxamethonium myalgias, OXORN, D. C., *et al.* 200–201
Complications, myasthenia gravis, Onset of neuromuscular block in myasthenic patients, BARAKA, A., (*C*) 227–228
Complications, myocardial infarction, Isoflurane does not increase the incidence of intraoperative myocardial ischaemia compared with halothane during vascular surgery, STÜHMEIER, K. D., *et al.* 602–606
Complications, osteogenesis imperfecta, Antenatal assessment for anaesthesia, CODY, M. W., *et al.*, (*C*) 332
Complications, overdose, Overdose of opioid from patient-controlled analgesia pumps, NOTCUTT, W. G., *et al.* 95–97
Complications, pacemaker failure, Apparent pacemaker failure caused by activation of ventricular threshold test by a magnetic instrument mat during general anaesthesia, PURDAY, J. P., *et al.* 645–646
Complications, pruritus, Intrathecal diamorphine–bupivacaine during labour, KESTIN, I. G., (*C*) 108
——, Intrathecal diamorphine–bupivacaine during labour, SCOTT, P. V., *et al.*, (*C*) 108
Complications, regurgitation, Regurgitation of gastric contents during general anaesthesia using the laryngeal mask airway, BARKER, P., *et al.* 314–315
Complications, respiratory depression, General anaesthesia and the hypereosinophilic syndrome: severe postoperative complications in two patients, SAMSOON, G., *et al.* 653–656
——, Life-threatening acute respiratory distress in late pregnancy, METTAM, I. M., *et al.* 420–421
——, Overdose of opioid from patient-controlled analgesia pumps, NOTCUTT, W. G., *et al.* 95–97
——, Respiratory depression after extradural fentanyl, WANG, C. Y., (*C*) 544
Complications, septicaemia, Delayed septicaemia after extradural steroid treatment, ELLIOTT, R. H., *et al.*, (*C*) 422

——, Delayed septicaemia after extradural steroid treatment, SCRIVEN, M. W., *et al.*, (*C*) 422–423
Complications, skin injury, thermal, Skin injury in an infant with pulse oximetry, PETTERSEN, B., *et al.* 204–205
——, Skin injury with a pulse oximeter, BETHUNE, D. W., *et al.*, (*C*) 665
——, Skin injury with a pulse oximeter, PETTERSEN, B., *et al.*, (*C*) 665
Complications, thrombosis, Perioperative blood loss and its reduction: the role of the anaesthetist, SIMPSON, P. 498–507
——, Venous sequelae of diclofenac, BERRY, C. B., *et al.*, (*C*) 332
Complications, tracheal compression, Fatal tracheal compression after haemorrhage into the axilla, COOK, L. B., *et al.* 322–324
Complications, uraemia, Propofol in uraemic patients, LEWIS, I. H., *et al.*, (*C*) 329
Complications, uterine rupture, Abolition of the extradural sieve by addition of fentanyl to extradural bupivacaine, TEHAN, B. 520–521
Critical Care Toxicology (*Contemporary Management in Critical Care* series), HOFFMAN, R. S., *et al.*, (editors), (*R*) 547

Diabetes, Effect of diabetic autonomic dysfunction on the cardiovascular responses to induction of anaesthesia and tracheal intubation, VOHRA, A., *et al.*, (*ARS*) 212–213P
Dog, Effect of graded infusion rates of propofol on regional and global left ventricular function in the dog, PUTTICK, R. M., *et al.* 375–381
——, Enhancement of bupivacaine toxicity by diltiazem in anaesthetized dogs, FINEGAN, B. A., *et al.* 492–497
——, Halothane produces potent endothelium-independent vasodilatation in canine middle cerebral arteries, FLYNN, N. M., *et al.*, (*ARS*) 210P
Dripps/Eckenhoff/Vandam Introduction to Anaesthesia, 8th Edn, LONGNECKER, D. E., *et al.*, (editors), (*R*) 231
Drug delivery, injection speed, Effect of speed of injection of 0.5% plain bupivacaine on the spread of spinal anaesthesia, TUOMINEN, M., *et al.* 148–149
Drug Infusions in Anesthesiology, FRAGEN, R. J., (editor), (*R*) 112

Education, The United Kingdom as seen by a Japanese Anaesthetist, MIZUSHIMA, A., (*C*) 108–109
Education, junior staff, Training in fibreoptic intubation, PESKETT, M. J., (*C*) 331
——, Training in fibreoptic tracheal intubation in the North of England, WOOD, P. R., *et al.* 202–203
Ehlers–Danlos syndrome, Anaesthesia for Caesarean section in a patient with Ehlers–Danlos syndrome type IV, BRIGHOUSE, D., *et al.* 517–519
Emergency Medicine and the Anaesthetist (*Baillière's Clinical Anaesthesiology* series), DELOOZ, H. H., (editor), (*R*) 546
Enzymes, cholinesterase, Pharmacodynamics of mivacurium chloride in the cirrhotic patient, DEVLIN, J. C., *et al.*, (*ARS*) 534–535P
——, Pharmacokinetics of mivacurium in normal patients and in those with hepatic or renal failure, COOK, D. R., *et al.* 580–585
Enzymes, methionine synthase, Influence of vitamin B_{12} status on the inactivation of methionine synthase by nitrous oxide, LANDON, M. J., *et al.* 81–86
Enzymes, tryptase, Early diagnosis of anaphylactic reactions to neuromuscular blocking drugs, LAROCHE, D., *et al.* 611–614
Epilepsy, Propofol anticonvulsant activity in experimental epileptic status, DE RIU, P. L., *et al.* 177–181
Equipment, airway, A new look at the breath of life, WARD, M. E., (*E*) 339–340
——, A new technique for two-hand bag valve mask ventilation, THOMAS, A. N., *et al.* 397–398
——, Comparison of nasal cannula and face mask for oxygen administration in postoperative patients, NOLAN, K. M., *et al.*, (*ARS*) 214–215P
——, Comparison of the use of the laryngeal mask and face mask by inexperienced personnel, TOLLEY, P. M., *et al.* 320–321
——, Cricoid pressure may prevent insertion of the laryngeal mask airway, ANSERMINO, J. M., *et al.* 465–467
——, Effect of the laryngeal mask airway on lower oesophageal sphincter pressure in patients during general anaesthesia, RABEY, P. G., *et al.* 346–348
——, Gastric regurgitation during general anaesthesia in the supine position with the laryngeal and face mask airways, EL MIKATTI, N., *et al.*, (*ARS*) 529–530P
——, Hypoxaemia and insertion of the laryngeal mask airway, GILLIES, G. W. A., (*C*) 661
——, Hypoxaemia and insertion of the laryngeal mask airway, YADDANAPUDI, L. N., *et al.*, (*C*) 661
——, Laryngeal mask airway: a more successful method of insertion, MATTA, B., *et al.*, (*ARS*) 215P
——, Regurgitation of gastric contents during general anaesthesia using the laryngeal mask airway, BARKER, P., *et al.* 314–315
——, The laryngeal mask airway for intraocular surgery: effects on intraocular pressure and stress responses, LAMB, K., *et al.* 143–147
——, Video surveillance of oxygen administration by mask in postoperative patients, NOLAN, K. M., *et al.* 194–196
Equipment, anaesthesia machines, Where is the bobbin? BRAS, P., *et al.*, (*ARS*) 539P
Equipment, anaesthetic analysers, Bedside respiratory measurements with the Siemens–Elema CO_2 Analyzer, FLETCHER, R., (*C*) 227
——, Bedside respiratory measurements with the Siemens–Elema CO_2 Analyzer, PURI, G. D., *et al.*, (*C*) 227
Equipment, breathing systems, Breakdown of halogenated inhalation anaesthetic agents with water vapour in breathing systems, BEATTY, P. C. W., *et al.*, (*ARS*) 216P
——, Control of carbon dioxide in circle systems, MCHALE, S. P., *et al.*, (*ARS*) 529P
——, Damage to coaxial breathing systems, LIDDLE, M. W. D., (*C*) 425
——, Damage to coaxial breathing systems, WILLIAMS, A. R., (*C*) 425
——, Describing circle systems, WOLFF, A. H., *et al.*, (*ARS*) 539P
——, Determination of the onset of rebreathing: comparison of six methods during spontaneous ventilation, BARRIE, J. R., *et al.*, (*ARS*) 527P
——, European Standardization Committee on Anaesthetic Equipment, ZBINDEN, A. M., (*C*) 543
——, Fractional delivery of fresh gas: a new index of the efficiency of semi-closed breathing systems, BEATTY, P. C. W., *et al.* 474–477
——, Mouth mask ventilation: use of a Pall Ultipor breathing system and effect of mask design, THOMAS, A. N., *et al.*, (*ARS*) 527–528P
——, Oxygen uptake during rebreathing in a Mapleson A system, CAMPKIN, N., *et al.*, (*ARS*) 538P
——, Parallel Lack breathing system: fresh gas flow requirements during spontaneous ventilation, OOI, R., *et al.*, (*ARS*) 216P
——, Rebreathing in the Magill breathing system, SONI, N., *et al.*, (*ARS*) 215–216P
Equipment, cannulae nasal, Comparison of nasal cannula and face mask for oxygen administration in postoperative patients, NOLAN, K. M., *et al.*, (*ARS*) 214–215P
——, Use of nasal oxygen cannulae to monitor postoperative breathing, NIMMO, A. F., *et al.*, (*ARS*) 539–540P
Equipment, catheter guides, Retrograde intubation—a facilitated approach, DHARA, S. S. 631–633
Equipment, catheters subarachnoid, Continuous subarachnoid infusion of 0.125% bupivacaine for analgesia during labour, MCHALE, S., *et al.* 634–636
——, Continuous subarachnoid infusion of local anaesthetic, MORTON, C. P. J., *et al.*, (*ARS*) 533P
Equipment, catheters suction, Use of suction catheters as an alternative to tracheal tubes in adults, GATAURE, P. S., *et al.* 657–658
Equipment, collars, Effect of a cervical collar on the tidal volume of anaesthetized adult patients, DODD, F. M., *et al.*, (*ARS*) 526–527P
Equipment, computers, Continuous collection of pulse oximetry data: a new, inexpensive, portable computerized method, RONALD, A. L., *et al.* 105–107
——, Evaluation of closed loop control of arterial pressure during hypotensive anaesthesia for local resection of intraocular melanoma, CHAUDHRI, S., *et al.* 607–610
Equipment, cuffs tracheal, Tracheal models which simulate the compliance of the adult male trachea, LOMHOLT, N. 98–100
Equipment, gas analysers, Effect of speed of response of capnographs on the accuracy of measurements during anaesthesia, WILLARD, T. B., *et al.*, (*ARS*) 213P
Equipment, gas mixers, Oxygen wastage by oxygen–air mixers, WILLIAMS, N. J., *et al.*, (*C*) 228
Equipment, heat–moisture exchangers, An active heat and moisture exchanger, KAPADIA, F., *et al.* 640–642
——, Bacterial retention properties of heat and moisture exchange filters, LEE, M. G., *et al.* 522–525
Equipment, infusion systems, patient-controlled, Overdose of opioid from patient-controlled analgesia pumps, NOTCUTT, W. G., *et al.* 95–97
Equipment, magnetic mat, Apparent pacemaker failure caused by activation of ventricular threshold test by a

magnetic instrument mat during general anaesthesia, PURDAY, J. P., *et al.* 645–646
Equipment, masks anaesthesia, Comparison of nasal cannula and face mask for oxygen administration in postoperative patients, NOLAN, K. M., *et al.*, (*ARS*) 214–215P
——, Comparison of the use of the laryngeal mask and face mask by inexperienced personnel, TOLLEY, P. M., *et al.* 320–321
——, Cricoid pressure may prevent insertion of the laryngeal mask airway, ANSERMINO, J. M., *et al.* 465–467
——, Effect of the laryngeal mask airway on lower oesophageal sphincter pressure in patients during general anaesthesia, RABEY, P. G., *et al.* 346–348
——, Gastric regurgitation during general anaesthesia in the supine position with the laryngeal and face mask airways, EL MIKATTI, N., *et al.*, (*ARS*) 529–530P
——, Hypoxaemia and insertion of the laryngeal mask airway, GILLIES, G. W. A., (*C*) 661
——, Hypoxaemia and insertion of the laryngeal mask airway, YADDANAPUDI, L. N., *et al.*, (*C*) 661
——, Laryngeal mask airway: a more successful method of insertion, MATTA, B., *et al.*, (*ARS*) 215P
——, Mouth mask ventilation: use of a Pall Ultipor breathing system and effect of mask design, THOMAS, A. N., *et al.*, (*ARS*) 527–528P
——, Regurgitation of gastric contents during general anaesthesia using the laryngeal mask airway, BARKER, P., *et al.* 314–315
——, The laryngeal mask airway for intraocular surgery: effects on intraocular pressure and stress responses, LAMB, K., *et al.* 143–147
——, Video surveillance of oxygen administration by mask in postoperative patients, NOLAN, K. M., *et al.* 194–196
Equipment, masks surgical, Surgical face masks are effective in reducing bacterial contamination caused by dispersal from the upper airway, PHILIPS, B. J., *et al.* 407–408
Equipment, mirrors, Use of a dental mirror in simulated difficult laryngoscopy, TOFF, N. J., (*ARS*) 218–219P
Equipment, needles, Insulated regional block needles, JONES, R. P., (*C*) 423–424
——, Insulated regional block needles, READ, M. S., (*C*) 423
——, Metallic fragments and the combined spinal–extradural technique, CARRIE, L. E. S., (*C*) 662–663
——, Metallic fragments and the combined spinal–extradural technique, ELDOR, J., (*C*) 663
——, Peripheral nerve injury caused by injection needles used in regional anaesthesia: influence of bevel configuration, studied in a rat model, RICE, A. S. C., *et al.* 433–438
——, Postdural puncture headache in urological surgery: an evaluation of the atraumatic spinal needle, HARRISON, D. A., *et al.*, (*ARS*) 540–541P
——, Spinal anaesthesia for Caesarean section: comparison of 22-gauge and 25-gauge Whiteacre needles with 26-gauge Quincke needles, SHUTT, L. E., *et al.* 589–594
Equipment, pulse oximeters, Continuous collection of pulse oximetry data: a new, inexpensive, portable computerized method, RONALD, A. L., *et al.* 105–107
——, Skin injury in an infant with pulse oximetry, PETTERSEN, B., *et al.* 204–205
——, Skin injury with a pulse oximeter, BETHUNE, D. W., *et al.*, (*C*) 665
——, Skin injury with a pulse oximeter, PETTERSEN, B., *et al.*, (*C*) 665
Equipment, standardization, European Standardization Committee on Anaesthetic Equipment, ZBINDEN, A. M., (*C*) 543
Equipment, ultrasound machines, The Siterite ultrasound machine: an aid to internal jugular vein cannulation? ARMSTRONG, P. J., *et al.*, (*ARS*) 533–534P
Equipment, ventilators, Oxygen wastage by oxygen–air mixers, WILLIAMS, N. J., *et al.*, (*C*) 228
Ethics, Dual publication of abstracts, CAMPBELL, I. T., (*C*) 227
——, Dual publication of abstracts, SMITH, G., (*C*) 227
Eye, intraocular melanoma, Evaluation of closed loop control of arterial pressure during hypotensive anaesthesia for local resection of intraocular melanoma, CHAUDHRI, S., *et al.* 607–610
Eye, intraocular pressure, Effect of rocuronium and vecuronium on intraocular pressure, HULL, J. M., *et al.*, (*ARS*) 534P
——, The laryngeal mask airway for intraocular surgery: effects on intraocular pressure and stress responses, LAMB, K., *et al.* 143–147

Fetus, Comparison of the maternal and fetal effects associated with intermittent or continuous infusion of extradural analgesia, EDDLESTON, J. M., *et al.* 154–158
——, Elimination of bupivacaine and pethidine from the rabbit feto–placental unit, CARSON, R. J., *et al.* 150–153
Fluid balance, Comparison of hypertonic saline (5%), isotonic saline and Ringer's lactate solutions for fluid preloading before lumbar extradural anaesthesia, VEROLI, P., *et al.* 461–464
Formulations, diluents, Venous sequelae of diclofenac, BERRY, C. B., *et al.*, (*C*) 332
——, Venous sequelae of diclofenac, GOPINATH, R., (*C*) 332
Formulations, stability, Pharmacodynamic stability of a mixture of propofol and alfentanil, TAYLOR, I. N., *et al.* 168–171

Gastrointestinal tract, antacids, Effects of omeprazole, ranitidine, famotidine and placebo on gastric secretion in patients undergoing elective surgery, ESCOLANO, F., *et al.* 404–406
Gastrointestinal tract, emptying, A longitudinal study of gastric emptying of a test meal during pregnancy, MAGIDES, A. D., *et al.*, (*ARS*) 529P
——, Effect of four different maintenance anaesthetic techniques for minor surgery on gastric emptying, BENNETT, M. W. R., *et al.*, (*ARS*) 220P
Gastrointestinal tract, lower oesophageal sphincter, Effect of the laryngeal mask airway on lower oesophageal sphincter pressure in patients during general anaesthesia, RABEY, P. G., *et al.* 346–348
Gastrointestinal tract, oesophageal contractility, Somatic movement and oesophageal motility during isoflurane anaesthesia, MATHER, C., *et al.* 40–44
Gastrointestinal tract, pH, Bacterial overgrowth and gastric dysfunction, INGLIS, T., (*C*) 545
——, Bacterial overgrowth and gastric dysfunction, WILDER-SMITH, C. H., (*C*) 545
——, Effects of omeprazole, ranitidine, famotidine and placebo on gastric secretion in patients undergoing elective surgery, ESCOLANO, F., *et al.* 404–406
Gastrointestinal tract, prokinesis, Current management of postoperative nausea and vomiting, ROWBOTHAM, D. J. 46–59S
Gastrointestinal tract, reflux, Bacterial overgrowth and gastric dysfunction, INGLIS, T., (*C*) 545
——, Bacterial overgrowth and gastric dysfunction, WILDER-SMITH, C. H., (*C*) 545
——, Gastric regurgitation during general anaesthesia in the supine position with the laryngeal and face mask airways, EL MIKATTI, N., *et al.*, (*ARS*) 529–530P
——, Regurgitation of gastric contents during general anaesthesia using the laryngeal mask airway, BARKER, P., *et al.* 314–315
Gastrointestinal tract, reflux, physiology, Physiology of nausea and vomiting: speculations on the mechanisms of postoperative nausea and vomiting, ANDREWS, P. L. R. 2–19S
Gastrointestinal tract, volume, Effects of omeprazole, ranitidine, famotidine and placebo on gastric secretion in patients undergoing elective surgery, ESCOLANO, F., *et al.* 404–406
Genetic factors, A National Database on hepatitis after exposure to inhaled anaesthetics, KENNA, J. G., *et al.*, (*C*) 228–229
Genetic factors, hyperthermia, Is muscle biopsy for malignant hyperthermia diagnosis still necessary? BALL, S. P., *et al.*, (*ARS*) 222–223P
Genetic factors, pseudocholinesterase, Factors affecting magnitude and time course of neuromuscular block produced by suxamethonium, VANLINTHOUT, L. E. H., *et al.* 29–35
Guineapig, Comparison of the relaxant effects of diazepam, flunitrazepam and midazolam on airway smooth muscle, KOGA, Y., *et al.* 65–69

Heart, arrhythmia, electroversion, Midazolam and cardioversion, GUPTA, A., *et al.*, (*C*) 422
Heart, atria, Interaction between halothane and mu, delta and kappa opioid agonists on the isolated right atria of the rat, MICOL, J. A., *et al.* 487–491
Heart block, calcium channel blockers, Enhancement of bupivacaine toxicity by diltiazem in anaesthetized dogs, FINEGAN, B. A., *et al.* 492–497
Heart, blood flow, myocardial, Effect of graded infusion rates of propofol on regional and global left ventricular function in the dog, PUTTICK, R. M., *et al.* 375–381
Heart, cardiac output, Changes in cardiac index and estimated systemic vascular resistance during induction of anaesthesia with thiopentone, methohexitone, propofol and etomidate, PRICE, M. L., *et al.* 172–176
——, Influence of cardiac output on the correlation between

mixed venous and central venous oxygen saturation, BERRIDGE, J. C. 409–410
——, Transoesophageal pulsed wave Doppler measurement of cardiac output during major vascular surgery: comparison with the thermodilution technique, RYAN, T., *et al.* 101–104
Heart, cardiopulmonary bypass, Acid–base management during hypothermic cardiopulmonary bypass does not affect cerebral metabolism but does affect blood flow and neurological outcome, STEPHAN, H., *et al.* 51–57
——, EEG burst suppression with propofol during cardiopulmonary bypass in children: a study of the haemodynamic, metabolic and endocrine effects, LAYCOCK, G. J. A., *et al.* 356–362
——, The role of enoximone in cardiac surgery, BOLDT, J., *et al.* 45–50
Heart, chronotropism, Interaction between halothane and mu, delta and kappa opioid agonists on the isolated right atria of the rat, MICOL, J. A., *et al.* 487–491
Heart, coronary artery bypass, Auto-PEEP, lung volume and sternotomy, FLETCHER, R., (*ARS*) 527P
——, Hepatic disposition of methohexitone in patients undergoing coronary bypass surgery, LANGE, H., *et al.* 478–481
Heart, coronary occlusion, Isoflurane does not increase the incidence of intraoperative myocardial ischaemia compared with halothane during vascular surgery, STÜHMEIER, K. D., *et al.* 602–606
Heart, dobutamine, Effects of detomidine, dopamine and dobutamine on selected Doppler echocardiographic variables in the horse, YOUNG, L. E., *et al.*, (*ARS*) 222P
Heart, dopamine, Effects of detomidine, dopamine and dobutamine on selected Doppler echocardiographic variables in the horse, YOUNG, L. E., *et al.*, (*ARS*) 222P
Heart, enoximone, The role of enoximone in cardiac surgery, BOLDT, J., *et al.* 45–50
Heart, heart rate, Effect of rocuronium and vecuronium on intraocular pressure, HULL, J. M., *et al.*, (*ARS*) 534P
——, Heart rate spectrum analysis during induction of anaesthesia with thiopentone or propofol, HOWELL, S., *et al.*, (*ARS*) 536P
Heart, ischaemia, Effect of brief hypoxaemia on the resting ECG in patients with exercise-induced cardiac ischaemia, ENTWISTLE, M. D., *et al.*, (*ARS*) 536–537P
——, Isoflurane does not increase the incidence of intraoperative myocardial ischaemia compared with halothane during vascular surgery, STÜHMEIER, K. D., *et al.* 602–606
——, Perioperative continuous monitoring of ST-segment changes in patients undergoing elective Caesarean section, TROTTER, T. N., *et al.* 352–355
——, Preoperative silent ischaemia is related to hypertension, MUIR, A. D., *et al.*, (*ARS*) 540P
Heart, isolated preparation, Interaction between halothane and mu, delta and kappa opioid agonists on the isolated right atria of the rat, MICOL, J. A., *et al.* 487–491
Heart, myocardial function, Effect of graded infusion rates of propofol on regional and global left ventricular function in the dog, PUTTICK, R. M., *et al.* 375–381
Heart, myocardial preservation technique, Influence of myocardial preservation technique on perioperative neutrophil activity in patients undergoing coronary artery graft surgery, COLUMB, M. O., *et al.*, (*ARS*) 211P
Heart, pacemakers artificial, Apparent pacemaker failure caused by activation of ventricular threshold test by a magnetic instrument mat during general anaesthesia, PURDAY, J. P., *et al.* 645–646
Heart, resuscitation, Advances in cardiopulmonary resuscitation, BASKETT, P. J. F. 182–193
——, Comparison of the use of the laryngeal mask and face mask by inexperienced personnel, TOLLEY, P. M., *et al.* 320–321
Heart, vascular pressures, Changes in cardiac index and estimated systemic vascular resistance during induction of anaesthesia with thiopentone, methohexitone, propofol and etomidate, PRICE, M. L., *et al.* 172–176
Heart, verapamil, Verapamil and cardiovascular responses to tracheal intubation, NISHIKAWA, T., (*C*) 225
——, Verapamil and cardiovascular responses to tracheal intubation, YAKU, H., *et al.*, (*C*) 225–226
Histamine, Atracurium and histamine, ADT, M., (*C*) 110
——, Atracurium and histamine, SCOTT, R. P. F., (*C*) 110
——, Early diagnosis of anaphylactic reactions to neuromuscular blocking drugs, LAROCHE, D., *et al.* 611–614
——, *In vitro* displacement of vasoactive mediators from plasma proteins: a possible mechanism for pseudo-allergic reactions to neuromuscular blocking drugs, WILLIAMS, W. R., *et al.* 508–510
Histamine, cyclizine, Current management of postoperative nausea and vomiting, ROWBOTHAM, D. J. 46–59S
History, anaesthesia, The era of relaxant anaesthesia, UTTING, J. E., (*E*) 551–553
History, curare, The era of relaxant anaesthesia, UTTING, J. E., (*E*) 551–553
Hormones, insulin, Isoflurane inhibits insulin secretion from isolated rat pancreatic islets of Langerhans, DESBOROUGH, J. P., *et al.*, (*ARS*) 532P
Hormones, prostaglandins, Effect of diclofenac on renal function and prostacyclin generation after surgery, POWER, I., *et al.* 451–456
——, *In vitro* displacement of vasoactive mediators from plasma proteins: a possible mechanism for pseudo-allergic reactions to neuromuscular blocking drugs, WILLIAMS, W. R., *et al.* 508–510
——, Modulation by carbon dioxide and pH of the contractile responses to potassium and prostaglandin $F_{2\alpha}$ in isolated human pial arteries, REINSTRUP, P., *et al.* 615–620
——, The role of prostaglandins in the control of renal function, HARRIS, K., (*E*) 233–235
Hormones, renin, Anaesthetic management of renin secreting nephroblastoma, CHARLTON, G. A., *et al.* 206–209
Horse, Effects of detomidine, dopamine and dobutamine on selected Doppler echocardiographic variables in the horse, YOUNG, L. E., *et al.*, (*ARS*) 222P
Hyperhidrosis, Anaesthesia for transthoracic endoscopic sympathectomy in the treatment of upper limb hyperhidrosis, JEDEIKIN, R., *et al.* 349–351
Hypnotics benzodiazepine, diazepam, Comparison of the relaxant effects of diazepam, flunitrazepam and midazolam on airway smooth muscle, KOGA, Y., *et al.* 65–69
——, Flumazenil does not antagonize halothane, thiamylal or propofol anaesthesia in rats, MURAYAMA, T., *et al.* 61–64
Hypnotics benzodiazepine, flunitrazepam, Comparison of the relaxant effects of diazepam, flunitrazepam and midazolam on airway smooth muscle, KOGA, Y., *et al.* 65–69
Hypnotics benzodiazepine, midazolam, Comparison of the inhibitory effect of propofol, thiopentone and midazolam on neutrophil polarization *in vitro* in the presence or absence of human serum albumin, O'DONNELL, N. G., *et al.* 70–74
——, Comparison of the relaxant effects of diazepam, flunitrazepam and midazolam on airway smooth muscle, KOGA, Y., *et al.* 65–69
——, EEG and auditory evoked potential P300 compared with psychometric tests in assessing vigilance after benzodiazepine sedation and antagonism, ENGELHARDT, W., *et al.* 75–80
——, Effect of age, sex and anaesthetic technique on the pharmacokinetics of atracurium, PARKER, C. J. R., *et al.* 439–443
——, Effect of ketanserin on global cerebral blood flow and cerebral oxygen metabolism during midazolam–fentanyl or isoflurane anaesthesia, OLSEN, K. S., *et al.* 263–268
——, Hypnotic and anaesthetic interactions between midazolam, propofol and alfentanil, SHORT, T. G., *et al.* 162–167
——, Midazolam and cardioversion, GUPTA, A., *et al.*, (*C*) 422
——, Synergistic interaction between midazolam and propofol, MCCLUNE, S., *et al.* 240–245
Hypnotics, detomidine, Effects of detomidine, dopamine and dobutamine on selected Doppler echocardiographic variables in the horse, YOUNG, L. E., *et al.*, (*ARS*) 222P
Hypoxaemia, Changes in respiratory function after laparoscopic cholecystectomy, MARTIN, C. S., *et al.*, (*ARS*) 526P
——, Effect of brief hypoxaemia on the resting ECG in patients with exercise-induced cardiac ischaemia, ENTWISTLE, M. D., *et al.*, (*ARS*) 536–537P
——, Hypoxaemia and insertion of the laryngeal mask airway, GILLIES, G. W. A., (*C*) 661
——, Hypoxaemia and insertion of the laryngeal mask airway, YADDANAPUDI, L. N., *et al.*, (*C*) 661
——, Hypoxaemia and pain relief after lower abdominal surgery: comparison of extradural and patient-controlled analgesia, MADEJ, T. H., *et al.* 554–557
——, Hypoxaemia and pain relief after upper abdominal surgery: comparison of i.m. and patient-controlled analgesia, WHEATLEY, R. G., *et al.* 558–561
——, Prolonged postoperative oxygen therapy, HANNING, C. D., (*E*) 115–116

Immune response, Comparison of the inhibitory effect of propofol, thiopentone and midazolam on neutrophil polarization *in vitro* in the presence or absence of human serum albumin, O'DONNELL, N. G., *et al.* 70–74

Immune response, post-anaesthetic hepatitis, A National Database on hepatitis after exposure to inhaled anaesthetics, KENNA, J. G., *et al.*, (*C*) 228–229
Induction, anaesthesia, Changes in cardiac index and estimated systemic vascular resistance during induction of anaesthesia with thiopentone, methohexitone, propofol and etomidate, PRICE, M. L., *et al.* 172–176
——, Effect of diabetic autonomic dysfunction on the cardiovascular responses to induction of anaesthesia and tracheal intubation, VOHRA, A., *et al.*, (*ARS*) 212–213P
——, Heart rate spectrum analysis during induction of anaesthesia with thiopentone or propofol, HOWELL, S., *et al.*, (*ARS*) 536P
——, Movements of the vocal cords on induction of anaesthesia with thiopentone or propofol, BARKER, P., *et al.* 23–25
——, Vocal cord movement on induction of anaesthesia, FINK, B. R., (*C*) 661
——, Vocal cord movement on induction of anaesthesia, LANGTON, J., *et al.*, (*C*) 661–662
Infants, Anaesthetic management of renin secreting nephroblastoma, CHARLTON, G. A., *et al.* 206–209
——, Skin injury in an infant with pulse oximetry, PETTERSEN, B., *et al.* 204–205
Infection and the Anaesthetist, STOUTENBEEK, C. P., *et al.*, (editors), (*R*) 112–113
Infection, bacterial, Bacterial overgrowth and gastric dysfunction, INGLIS, T., (*C*) 545
——, Bacterial overgrowth and gastric dysfunction, WILDER-SMITH, C. H., (*C*) 545
——, Bacterial retention properties of heat and moisture exchange filters, LEE, M. G., *et al.* 522–525
——, Surgical face masks are effective in reducing bacterial contamination caused by dispersal from the upper airway, PHILIPS, B. J., *et al.* 407–408
Infection, nosocomial, Bacterial overgrowth and gastric dysfunction, INGLIS, T., (*C*) 545
——, Bacterial overgrowth and gastric dysfunction, WILDER-SMITH, C. H., (*C*) 545
——, Delayed septicaemia after extradural steroid treatment, ELLIOTT, R. H., *et al.*, (*C*) 422
——, Delayed septicaemia after extradural steroid treatment, SCRIVEN, M. W., *et al.*, (*C*) 422–423
——, Extradural abscess complicating extradural anaesthesia for Caesarean section, NGAN KEE, W. D., *et al.* 647–652
——, Steroid therapy and extradural analgesia, NGAN KEE, W. D., (*C*) 423
——, Surgical face masks are effective in reducing bacterial contamination caused by dispersal from the upper airway, PHILIPS, B. J., *et al.* 407–408
Infusions, Plasma lignocaine concentrations associated with extradural analgesia in patients with and without multiple organ failure, PUTENSEN, C., *et al.* 513–516
Intensive care, Anaesthesia for critically ill children during magnetic resonance imaging, TOBIN, J. R., *et al.* 482–486
——, Comparison of the inhibitory effect of propofol, thiopentone and midazolam on neutrophil polarization *in vitro* in the presence or absence of human serum albumin, O'DONNELL, N. G., *et al.* 70–74
Intensive care, analgesia, Plasma lignocaine concentrations associated with extradural analgesia in patients with and without multiple organ failure, PUTENSEN, C., *et al.* 513–516
Intensive care, sedation, Effect of physiotherapy on EEG spectral derivatives in sedated patients in the intensive care unit, WANG, D. Y., *et al.*, (*ARS*) 221–222P
Interactions (drug), Effect of administration of vecuronium on recovery from pancuronium and *vice versa*, HOOD, J., *et al.*, (*ARS*) 218P
——, Enhancement of bupivacaine toxicity by diltiazem in anaesthetized dogs, FINEGAN, B. A., *et al.* 492–497
——, Flumazenil does not antagonize halothane, thiamylal or propofol anaesthesia in rats, MURAYAMA, T., *et al.* 61–64
——, Hypnotic and anaesthetic interactions between midazolam, propofol and alfentanil, SHORT, T. G., *et al.* 162–167
——, Interaction between halothane and mu, delta and kappa opioid agonists on the isolated right atria of the rat, MICOL, J. A., *et al.* 487–491
——, Synergistic interaction between midazolam and propofol, MCCLUNE, S., *et al.* 240–245
Intubation nasotracheal, fibreoptic, Movements of the vocal cords on induction of anaesthesia with thiopentone or propofol, BARKER, P., *et al.* 23–25
Intubation tracheal, Comparison of intubating conditions after administration of Org 9426 (rocuronium) and suxamethonium, COOPER, R., *et al.* 269–273
Intubation tracheal, complications, Retrograde intubation using the subcricoid region, LLEU, J. C., *et al.*, (*C*) 542
——, Retrograde intubation using the subcricoid region, SHANTHA, T. R., (*C*) 542
Intubation tracheal, difficult, Recognition and management of difficult airway problems, BUTLER, P. J., (*C*) 225
——, Recognition and management of difficult airway problems, CALDER, I., (*C*) 224
——, Recognition and management of difficult airway problems, COBLEY, M., *et al.*, (*C*) 225
——, Recognition and management of difficult airway problems, HEATH, M. L., (*C*) 224–225
——, Retrograde intubation—a facilitated approach, DHARA, S. S. 631–633
——, Use of suction catheters as an alternative to tracheal tubes in adults, GATAURE, P. S., *et al.* 657–658
Intubation tracheal, extubation, Cardiovascular responses to tracheal extubation, DHAMEE, M. S., *et al.*, (*C*) 229
——, Cardiovascular responses to tracheal extubation, FELL, D., *et al.*, (*C*) 229
Intubation tracheal, responses, Effect of diabetic autonomic dysfunction on the cardiovascular responses to induction of anaesthesia and tracheal intubation, VOHRA, A., *et al.*, (*ARS*) 212–213P
——, Verapamil and cardiovascular responses to tracheal intubation, NISHIKAWA, T., (*C*) 225
——, Verapamil and cardiovascular responses to tracheal intubation, YAKU, H., *et al.*, (*C*) 225–226
Intubation tracheal, technique, Recognition and management of difficult airway problems, COBLEY, M., *et al.*, (*C*) 225
——, Recognition and management of difficult airway problems, HEATH, M. L., (*C*) 224–225
——, Retrograde intubation using the subcricoid region, LLEU, J. C., *et al.*, (*C*) 542
——, Retrograde intubation—a facilitated approach, DHARA, S. S. 631–633
——, Retrograde intubation using the subcricoid region, SHANTHA, T. R., (*C*) 542
——, Training in fibreoptic intubation, PESKETT, M. J., (*C*) 331
——, Use of a dental mirror in simulated difficult laryngoscopy, TOFF, N. J., (*ARS*) 218–219P
——, Use of suction catheters as an alternative to tracheal tubes in adults, GATAURE, P. S., *et al.* 657–658
Intubation tracheal, training, Training in fibreoptic intubation, PESKETT, M. J., (*C*) 331
——, Training in fibreoptic tracheal intubation in the North of England, WOOD, P. R., *et al.* 202–203
Ions, calcium, Effects of halothane on cultured neurones, WINLOW, W., *et al.*, (*ARS*) 530–531P
——, Halothane-induced changes in intracellular calcium ion concentration in neurones from *Lymnaea stagnalis*, HOPKINS, P. M., *et al.*, (*ARS*) 210–211P
——, Inhibition of sodium–calcium exchange increases skeletal muscle contracture response to halothane, HOPKINS, P. M., *et al.*, (*ARS*) 531–532P
Ions, potassium, Fentanyl inhibits evoked [^{3}H]noradrenaline release from human neuroblastoma cells, ATCHESON, R., *et al.*, (*ARS*) 531P
——, Modulation by carbon dioxide and pH of the contractile responses to potassium and prostaglandin $F_{2\alpha}$ in isolated human pial arteries, REINSTRUP, P., *et al.* 615–620
Ions, sodium, Inhibition of sodium–calcium exchange increases skeletal muscle contracture response to halothane, HOPKINS, P. M., *et al.*, (*ARS*) 531–532P
——, Molecular actions of racemic ketamine on human CNS sodium channels, FRENKEL, C., *et al.* 292–297

Kidney, failure, Pharmacokinetics of mivacurium in normal patients and in those with hepatic or renal failure, COOK, D. R., *et al.* 580–585
——, Propofol in uraemic patients, LEWIS, I. H., *et al.*, (*C*) 329
Kidney, function, Effect of diclofenac on renal function and prostacyclin generation after surgery, POWER, I., *et al.* 451–456
——, The role of prostaglandins in the control of renal function, HARRIS, K., (*E*) 233–235
Kidney, lithotripsy, Topical anaesthesia for extracorporeal shock wave lithotripsy, MCDONALD, P. F., *et al.* 399–400
Kidney, nephroblastoma, Anaesthetic management of renin secreting nephroblastoma, CHARLTON, G. A., *et al.* 206–209
Kidney, transplantation, Pharmacokinetics of mivacurium in normal patients and in those with hepatic or renal failure, COOK, D. R., *et al.* 580–585
Kinetics of Anaesthetic Drugs in Clinical Anesthesiology, WHITE, P. F., (editor), (*R*) 667

Larynx, cricoid pressure, Cricoid pressure may prevent insertion of the laryngeal mask airway, ANSERMINO, J. M., *et al.* 465–467
Larynx, laryngoscopy, Use of a dental mirror in simulated difficult laryngoscopy, TOFF, N. J., (*ARS*) 218–219P
Larynx, vocal cords, Movements of the vocal cords on induction of anaesthesia with thiopentone or propofol, BARKER, P., *et al.* 23–25
——, Vocal cord movement on induction of anaesthesia, FINK, B. R., (*C*) 661
——, Vocal cord movement on induction of anaesthesia, LANGTON, J., *et al.*, (*C*) 661–662
Lecture Notes on Anaesthetics, 4th Edn, LUNN, J. N., (*R*) 113
Liver, blood flow, Hepatic disposition of methohexitone in patients undergoing coronary bypass surgery, LANGE, H., *et al.* 478–481
——, Hepatic function and indocyanine green clearance during and after prolonged anaesthesia with propofol, MURRAY, J. M., *et al.* 643–644
Liver, cirrhosis, Pharmacodynamics of mivacurium chloride in the cirrhotic patient, DEVLIN, J. C., *et al.*, (*ARS*) 534–535P
Liver, disease, Pharmacokinetics of mivacurium in normal patients and in those with hepatic or renal failure, COOK, D. R., *et al.* 580–585
Liver, function, Hepatic function and indocyanine green clearance during and after prolonged anaesthesia with propofol, MURRAY, J. M., *et al.* 643–644
Liver, hepatitis, A National Database on hepatitis after exposure to inhaled anaesthetics, KENNA, J. G., *et al.*, (*C*) 228–229
Liver, hepatotoxicity, Hepatotoxicity testing of atracurium and laudanosine in the isolated, perfused rat liver, RECKENDORFER, H., *et al.* 288–291
Liver, metabolism, Hepatic disposition of methohexitone in patients undergoing coronary bypass surgery, LANGE, H., *et al.* 478–481
Liver, transplantation, Pharmacokinetics of mivacurium in normal patients and in those with hepatic or renal failure, COOK, D. R., *et al.* 580–585
Lung, function, Changes in respiratory function after laparoscopic cholecystectomy, MARTIN, C. S., *et al.*, (*ARS*) 526P
——, Determination of the onset of rebreathing: comparison of six methods during spontaneous ventilation, BARRIE, J. R., *et al.*, (*ARS*) 527P
——, Effect of interpleural morphine on postoperative pain and pulmonary function after thoracotomy, WELTE, M., *et al.* 637–639
——, Lung function after vecuronium pretreatment in young, healthy patients, MAHAJAN, R. P., *et al.* 318–319
——, Metabolic and respiratory changes after cholecystectomy performed via laparotomy or laparoscopy, JORIS, J., *et al.* 341–345
Lung, respiratory resistance, Effect of fentanyl on ventilatory resistances during barbiturate general anaesthesia, COHENDY, R., *et al.* 595–598
Lung, tidal volume, Effect of a cervical collar on the tidal volume of anaesthetized adult patients, DODD, F. M., *et al.*, (*ARS*) 526–527P
Lung, volume, Auto-PEEP, lung volume and sternotomy, FLETCHER, R., (*ARS*) 527P

Malignant hyperthermia, Evaluation of spin resonance spectroscopy of red blood cell membranes to detect malignant hyperthermia susceptibility, HALSALL, P. J., *et al.* 471–473
——, *In vitro* diagnosis of malignant hyperthermia: influence of electrical stimulation on the contracture response to caffeine, HEYTENS, L., *et al.* 87–91
——, Inhibition of sodium–calcium exchange increases skeletal muscle contracture response to halothane, HOPKINS, P. M., *et al.*, (*ARS*) 531–532P
——, Is muscle biopsy for malignant hyperthermia diagnosis still necessary? BALL, S. P., *et al.*, (*ARS*) 222–223P
——, Is the "K-type" caffeine–halothane responder susceptible to malignant hyperthermia? ELLIS, F. R., *et al.* 468–470
Manual of Obstetric Anesthesia, 2nd Edn, OSTHEIMER, G. W., (editor), (*R*) 547–548
Manual of Post-Anesthesia Care, JACOBSEN, W. K., *et al.*, (editors), (*R*) 333–334
Maternal Mortality—The Way Forward. Some Implications of the Report on Confidential Enquiries into Maternal Deaths in the United Kingdom 1985–87, PATEL, N., (editor), (*R*) 547
MCQ Companion to the Textbook of Anaesthesia, FELL, D., *et al.*, (*R*) 667–668
MCQ for the Higher Examinations in Clinical Pharmacology, MCCARTHY, G., *et al.*, (*R*) 546
Measurement techniques, carbon dioxide, Bedside respiratory measurements with the Siemens–Elema CO_2 Analyzer, FLETCHER, R., (*C*) 227
——, Bedside respiratory measurements with the Siemens–Elema CO_2 Analyzer, PURI, G. D., *et al.*, (*C*) 227
——, Effect of speed of response of capnographs on the accuracy of measurements during anaesthesia, WILLARD, T. B., *et al.*, (*ARS*) 213P
——, Fractional delivery of fresh gas: a new index of the efficiency of semi-closed breathing systems, BEATTY, P. C. W., *et al.* 474–477
Measurement techniques, chemoluminescence, Influence of myocardial preservation technique on perioperative neutrophil activity in patients undergoing coronary artery graft surgery, COLUMB, M. O., *et al.*, (*ARS*) 211P
Measurement techniques, coagulation, Bleeding time, BROMAGE, P. R., (*C*) 330
——, Bleeding time, MCDONALD, R., (*C*) 329
——, Bleeding time, O'KELLY, S. W., *et al.*, (*C*) 330–331
——, Bleeding time, POWER, I., (*C*) 329–330
Measurement techniques, contracture test for MH, *In vitro* diagnosis of malignant hyperthermia: influence of electrical stimulation on the contracture response to caffeine, HEYTENS, L., *et al.* 87–91
——, Is the "K-type" caffeine–halothane responder susceptible to malignant hyperthermia? ELLIS, F. R., *et al.* 468–470
Measurement techniques, Doppler echocardiography, Effects of detomidine, dopamine and dobutamine on selected Doppler echocardiographic variables in the horse, YOUNG, L. E., *et al.*, (*ARS*) 222P
Measurement techniques, Doppler ultrasound, Changes in cardiac index and estimated systemic vascular resistance during induction of anaesthesia with thiopentone, methohexitone, propofol and etomidate, PRICE, M. L., *et al.* 172–176
——, Transoesophageal pulsed wave Doppler measurement of cardiac output during major vascular surgery: comparison with the thermodilution technique, RYAN, T., *et al.* 101–104
Measurement techniques, electrodes, impedance, Effects of skin blood flow and temperature on skin–electrode impedance and offset potential, SMITH, D. C., (*ARS*) 223P
——, Influence of temperature and posture changes on evoked electromyography, SMITH, D. C., *et al.*, (*ARS*) 223P
——, Recording electrode impedance has no effect on evoked EMG responses, SMITH, D. C., (*ARS*) 535–536P
Measurement techniques, electromyography, Effects of skin blood flow and temperature on skin–electrode impedance and offset potential, SMITH, D. C., (*ARS*) 223P
——, Influence of temperature and posture changes on evoked electromyography, SMITH, D. C., *et al.*, (*ARS*) 223P
——, Recording electrode impedance has no effect on evoked EMG responses, SMITH, D. C., (*ARS*) 535–536P
Measurement techniques, electron spin resonance, Evaluation of spin resonance spectroscopy of red blood cell membranes to detect malignant hyperthermia susceptibility, HALSALL, P. J., *et al.* 471–473
Measurement techniques, nuclear magnetic resonance, Anaesthesia for critically ill children during magnetic resonance imaging, TOBIN, J. R., *et al.* 482–486
Measurement techniques, radioimmunoassay, Radioimmunoassay tests and anaphylaxis, IMRAY, I. MCG., *et al.*, (*C*) 543–544
Measurement techniques, spectral analysis, Effect of physiotherapy on EEG spectral derivatives in sedated patients in the intensive care unit, WANG, D. Y., *et al.*, (*ARS*) 221–222P
——, Heart rate spectrum analysis during induction of anaesthesia with thiopentone or propofol, HOWELL, S., *et al.*, (*ARS*) 536P
Measurement techniques, thermodilution, Transoesophageal pulsed wave Doppler measurement of cardiac output during major vascular surgery: comparison with the thermodilution technique, RYAN, T., *et al.* 101–104
Measurement techniques, thrombelastography, Thrombelastography, MALLETT, S. V., *et al.* 307–313
——, Thrombelastography after aspirin ingestion in pregnant and non-pregnant subjects, ORLIKOWSKI, C. E. P., *et al.* 159–161
Measurement techniques, tomography, Accidental subdural catheterization: radiological evidence of a possible mechanism for spinal cord damage, MCMENEMIN, I. M., *et al.* 417–419

Mechanical Ventilation and Assisted Respiration, GRENVIK, A., *et al.*, (editors), (*R*) 334
Memory, EEG and memory effects of low-dose infusions of propofol, VESELIS, R. A., *et al.* 246–254
——, Learning during general anaesthesia: implicit recall after methohexitone or propofol infusion, BETHUNE, D. W., *et al.* 197–199
Metabolism, free radicals, Effect of propofol and thiopentone on free radical-induced haemolysis, MURPHY, P. G., *et al.*, (*ARS*) 532–533P
——, Plasma antioxidant activity in stored blood, MYERS, D. S., *et al.*, (*ARS*) 222P
Metabolism, metabolites, Probable resistance to vecuronium involving the 17-hydroxy metabolite, COZANITIS, D. A., (*C*) 110–111
Metabolism, protein, acute phase, Interleukin-6 and the metabolic response to surgery, HALL, G. M., *et al.*, (*E*) 337–338
——, Metabolic and respiratory changes after cholecystectomy performed via laparotomy or laparoscopy, JORIS, J., *et al.* 341–345
Model, mathematical, A logistic regression model for risk stratification of fixed patient factors for postoperative emesis, PALAZZO, M. G. A., *et al.*, (*ARS*) 530P
Model, mollusc, Effects of halothane on cultured neurones, WINLOW, W., *et al.*, (*ARS*) 530–531P
Model, pig, Porcine model for studying the passage of non-depolarizing neuromuscular blockers through the blood–brain barrier, WERBA, A., *et al.* 382–386
Model, rat, Effects of halothane on cultured neurones, WINLOW, W., *et al.*, (*ARS*) 530–531P
——, Peripheral nerve injury caused by injection needles used in regional anaesthesia: influence of bevel configuration, studied in a rat model, RICE, A. S. C., *et al.* 433–438
Model, trachea, Tracheal models which simulate the compliance of the adult male trachea, LOMHOLT, N. 98–100
Mollusc, Effects of halothane on cultured neurones, WINLOW, W., *et al.*, (*ARS*) 530–531P
——, Halothane-induced changes in intracellular calcium ion concentration in neurones from *Lymnaea stagnalis*, HOPKINS, P. M., *et al.*, (*ARS*) 210–211P
Monitoring, computerized, Continuous collection of pulse oximetry data: a new, inexpensive, portable computerized method, RONALD, A. L., *et al.* 105–107
Monitoring, depth of anaesthesia, Auditory evoked response and awareness: a study in volunteers at sub-MAC concentrations of isoflurane, NEWTON, D. E. F., *et al.* 122–129
——, Coherence in the auditory evoked response as a measure of arousal during anaesthesia, SAPSFORD, D. J., *et al.*, (*ARS*) 538P
Monitoring, echocardiography, Transoesophageal pulsed wave Doppler measurement of cardiac output during major vascular surgery: comparison with the thermodilution technique, RYAN, T., *et al.* 101–104
Monitoring, electrocardiography, Effect of brief hypoxaemia on the resting ECG in patients with exercise-induced cardiac ischaemia, ENTWISTLE, M. D., *et al.*, (*ARS*) 536–537P
——, Perioperative continuous monitoring of ST-segment changes in patients undergoing elective Caesarean section, TROTTER, T. N., *et al.* 352–355
Monitoring, electroencephalography, EEG and auditory evoked potential P300 compared with psychometric tests in assessing vigilance after benzodiazepine sedation and antagonism, ENGELHARDT, W., *et al.* 75–80
——, EEG and memory effects of low-dose infusions of propofol, VESELIS, R. A., *et al.* 246–254
——, EEG burst suppression with propofol during cardiopulmonary bypass in children: a study of the haemodynamic, metabolic and endocrine effects, LAYCOCK, G. J. A., *et al.* 356–362
——, Effect of physiotherapy on EEG spectral derivatives in sedated patients in the intensive care unit, WANG, D. Y., *et al.*, (*ARS*) 221–222P
Monitoring, evoked potentials, A method to facilitate regional anaesthesia by detection of mixed nerve action potentials, WEE, M. Y. K., *et al.* 411–413
——, Auditory evoked response and awareness: a study in volunteers at sub-MAC concentrations of isoflurane, NEWTON, D. E. F., *et al.* 122–129
——, Coherence in the auditory evoked response as a measure of arousal during anaesthesia, SAPSFORD, D. J., *et al.*, (*ARS*) 538P
——, EEG and auditory evoked potential P300 compared with psychometric tests in assessing vigilance after benzodiazepine sedation and antagonism, ENGELHARDT, W., *et al.* 75–80
——, Effects of isoflurane anaesthesia on the median nerve somatosensory evoked potential in children, MASON, D. G., *et al.* 562–566
——, Recording electrode impedance has no effect on evoked EMG responses, SMITH, D. C., (*ARS*) 535–536P
——, Sequential measurement of the median nerve somatosensory evoked potential during isoflurane anaesthesia in children, MASON, D. G., *et al.* 567–569
——, Some effects of isoflurane on I waves of the motor evoked potential, HICKS, R. G., *et al.* 130–136
Monitoring, intensive care, Anaesthesia for critically ill children during magnetic resonance imaging, TOBIN, J. R., *et al.* 482–486
Monitoring, oxygen, Continuous collection of pulse oximetry data: a new, inexpensive, portable computerized method, RONALD, A. L., *et al.* 105–107
——, Influence of cardiac output on the correlation between mixed venous and central venous oxygen saturation, BERRIDGE, J. C. 409–410
——, Inspiratory to end-tidal oxygen difference, BENGTSON, J. P., *et al.*, (*C*) 663
——, Inspiratory to end-tidal oxygen difference, SCHRADER, M., (*C*) 663
——, Skin injury in an infant with pulse oximetry, PETTERSEN, B., *et al.* 204–205
——, Video surveillance of oxygen administration by mask in postoperative patients, NOLAN, K. M., *et al.* 194–196
Monitoring, ultrasound, The Siterite ultrasound machine: an aid to internal jugular vein cannulation? ARMSTRONG, P. J., *et al.*, (*ARS*) 533–534P
Monitoring, ventilation, Use of nasal oxygen cannulae to monitor postoperative breathing, NIMMO, A. F., *et al.*, (*ARS*) 539–540P
Muscle respiratory, function, Comparison of the relaxant effects of diazepam, flunitrazepam and midazolam on airway smooth muscle, KOGA, Y., *et al.* 65–69
——, Sternocleidomastoid muscle contractility at different levels of isoflurane anaesthesia in humans, OSHIMA, T., *et al.* 236–239
Muscle skeletal, Action of ketamine on isolated porcine trachealis muscle, HATCH, D. J., *et al.*, (*ARS*) 217P
——, Comparison of atracurium-induced neuromuscular block in rectus abdominis and hand muscles of man, SADDLER, J. M., *et al.* 26–28
Muscle skeletal, blood flow, Etomidate shortens the onset time of neuromuscular block, GILL, R. S., *et al.* 444–446
Muscle skeletal, contractility, Inhibition of sodium–calcium exchange increases skeletal muscle contracture response to halothane, HOPKINS, P. M., *et al.*, (*ARS*) 531–532P
——, Is muscle biopsy for malignant hyperthermia diagnosis still necessary? BALL, S. P., *et al.*, (*ARS*) 222–223P
——, Sternocleidomastoid muscle contractility at different levels of isoflurane anaesthesia in humans, OSHIMA, T., *et al.* 236–239
Muscle skeletal, diaphragm, Relative pre- and postjunctional effects of a new vecuronium analogue, Org 9426, at the rat neuromuscular junction, TIAN, L., *et al.* 284–287
Muscle skeletal, responses, Somatic movement and oesophageal motility during isoflurane anaesthesia, MATHER, C., *et al.* 40–44
Muscle vascular, pharmacology, Halothane produces potent endothelium-independent vasodilatation in canine middle cerebral arteries, FLYNN, N. M., *et al.*, (*ARS*) 210P
Muscle vascular, responses, Modulation by carbon dioxide and pH of the contractile responses to potassium and prostaglandin $F_{2\alpha}$ in isolated human pial arteries, REINSTRUP, P., *et al.* 615–620
Myasthenia gravis, Onset of neuromuscular block in myasthenic patients, BARAKA, A., (*C*) 227–228

Nerve, damage (postoperative), Peripheral nerve damage and regional anaesthesia, CHAMBERS, W. A., (*E*) 429–430
——, Peripheral nerve injury caused by injection needles used in regional anaesthesia: influence of bevel configuration, studied in a rat model, RICE, A. S. C., *et al.* 433–438
Nerve, potential, Effects of halothane on cultured neurones, WINLOW, W., *et al.*, (*ARS*) 530–531P
Nerve, synaptosome, Effect of halothane on [^{3}H]methylcholine uptake into rat brain synaptosomes, GRIFFITHS, R., *et al.*, (*ARS*) 530P
Nerve, transmission, Effect of halothane on [^{3}H]methylcholine uptake into rat brain synaptosomes, GRIFFITHS, R., *et al.*, (*ARS*) 530P
Nerve–muscle preparations, Relative pre- and postjunctional effects of a new vecuronium analogue, Org 9426, at the rat neuromuscular junction, TIAN, L., *et al.* 284–287

Neuromuscular block, allergy, Anaphylactoid or carcinoid? BATCHELOR, A. M., *et al.* 325–327
——, Early diagnosis of anaphylactic reactions to neuromuscular blocking drugs, LAROCHE, D., *et al.* 611–614
——, *In vitro* displacement of vasoactive mediators from plasma proteins: a possible mechanism for pseudo-allergic reactions to neuromuscular blocking drugs, WILLIAMS, W. R., *et al.* 508–510
Neuromuscular block, antagonism, Dose–response relationships for neostigmine antagonism of vecuronium-induced neuromuscular block in adults and the elderly, MCCARTHY, G. J., *et al.* 281–283
Neuromuscular block, atracurium, Atracurium and histamine, ADT, M., (*C*) 110
——, Atracurium and histamine, SCOTT, R. P. F., (*C*) 110
——, Comparison of atracurium-induced neuromuscular block in rectus abdominis and hand muscles of man, SADDLER, J. M., *et al.* 26–28
——, Effect of age, sex and anaesthetic technique on the pharmacokinetics of atracurium, PARKER, C. J. R., *et al.* 439–443
——, Hepatotoxicity testing of atracurium and laudanosine in the isolated, perfused rat liver, RECKENDORFER, H., *et al.* 288–291
——, Influence of body weight and gender on the pharmacodynamics of atracurium, DEVLIN, J. C., *et al.*, (*ARS*) 217–218P
——, Relationship of the train-of-four ratio to plasma atracurium concentration, PARKER, C. J. R., *et al.* 274–280
——, The importance of activity and pretreatment in the prevention of suxamethonium myalgias, OXORN, D. C., *et al.* 200–201
Neuromuscular block, laudanosine, Hepatotoxicity testing of atracurium and laudanosine in the isolated, perfused rat liver, RECKENDORFER, H., *et al.* 288–291
Neuromuscular block, measurement of response, Effects of skin blood flow and temperature on skin–electrode impedance and offset potential, SMITH, D. C., (*ARS*) 223P
——, Factors affecting magnitude and time course of neuromuscular block produced by suxamethonium, VANLINTHOUT, L. E. H., *et al.* 29–35
——, Fade during recovery from vecuronium, CAMPKIN, N. T. A., *et al.*, (*C*) 226–227
——, Influence of temperature and posture changes on evoked electromyography, SMITH, D. C., *et al.*, (*ARS*) 223P
——, Relationship of the train-of-four ratio to plasma atracurium concentration, PARKER, C. J. R., *et al.* 274–280
Neuromuscular block, mivacurium, Pharmacodynamics of mivacurium chloride in the cirrhotic patient, DEVLIN, J. C., *et al.*, (*ARS*) 534–535P
——, Pharmacokinetics of mivacurium in normal patients and in those with hepatic or renal failure, COOK, D. R., *et al.* 580–585
Neuromuscular block, pancuronium, Comparison of recovery index of Org 9426 with simultaneous administration of pancuronium in the isolated arm compared with vecuronium and pancuronium, FAWCETT, W., *et al.*, (*ARS*) 218P
——, Effect of administration of vecuronium on recovery from pancuronium and *vice versa*, HOOD, J., *et al.*, (*ARS*) 218P
——, Porcine model for studying the passage of non-depolarizing neuromuscular blockers through the blood–brain barrier, WERBA, A., *et al.* 382–386
Neuromuscular block, priming, Lung function after vecuronium pretreatment in young, healthy patients, MAHAJAN, R. P., *et al.* 318–319
Neuromuscular block, recovery, Comparison of atracurium-induced neuromuscular block in rectus abdominis and hand muscles of man, SADDLER, J. M., *et al.* 26–28
——, Comparison of recovery index of Org 9426 with simultaneous administration of pancuronium in the isolated arm compared with vecuronium and pancuronium, FAWCETT, W., *et al.*, (*ARS*) 218P
——, Effect of administration of vecuronium on recovery from pancuronium and *vice versa*, HOOD, J., *et al.*, (*ARS*) 218P
——, Influence of circulating drug on recovery of neuromuscular block in the isolated forearm, HOOD, J. R., *et al.*, (*ARS*) 535P
——, Onset and recovery of rocuronium (Org 9426) and vecuronium under enflurane anaesthesia, MAYER, M., *et al.* 511–512
——, Recording electrode impedance has no effect on evoked EMG responses, SMITH, D. C., (*ARS*) 535–536P
Neuromuscular block, resistance, Probable resistance to vecuronium involving the 17-hydroxy metabolite, COZANITIS, D. A., (*C*) 110–111
——, Repeated resistance to non-depolarizing neuromuscular blocking drugs in a patient with multiple myeloma, IP YAM, C., *et al.*, (*C*) 111
Neuromuscular block, rocuronium, Comparison of intubating conditions after administration of Org 9426 (rocuronium) and suxamethonium, COOPER, R., *et al.* 269–273
——, Comparison of recovery index of Org 9426 with simultaneous administration of pancuronium in the isolated arm compared with vecuronium and pancuronium, FAWCETT, W., *et al.*, (*ARS*) 218P
——, Effect of rocuronium and vecuronium on intraocular pressure, HULL, J. M., *et al.*, (*ARS*) 534P
——, Onset and recovery of rocuronium (Org 9426) and vecuronium under enflurane anaesthesia, MAYER, M., *et al.* 511–512
——, Relative pre- and postjunctional effects of a new vecuronium analogue, Org 9426, at the rat neuromuscular junction, TIAN, L., *et al.* 284–287
Neuromuscular block, suxamethonium, Anaphylactoid or carcinoid? BATCHELOR, A. M., *et al.* 325–327
——, Comparison of intubating conditions after administration of Org 9426 (rocuronium) and suxamethonium, COOPER, R., *et al.* 269–273
——, Factors affecting magnitude and time course of neuromuscular block produced by suxamethonium, VANLINTHOUT, L. E. H., *et al.* 29–35
——, Onset of neuromuscular block in myasthenic patients, BARAKA, A., (*C*) 227–228
——, The importance of activity and pretreatment in the prevention of suxamethonium myalgias, OXORN, D. C., *et al.* 200–201
Neuromuscular block, vecuronium, Comparison of recovery index of Org 9426 with simultaneous administration of pancuronium in the isolated arm compared with vecuronium and pancuronium, FAWCETT, W., *et al.*, (*ARS*) 218P
——, Dose–response relationships for neostigmine antagonism of vecuronium-induced neuromuscular block in adults and the elderly, MCCARTHY, G. J., *et al.* 281–283
——, Effect of administration of vecuronium on recovery from pancuronium and *vice versa*, HOOD, J., *et al.*, (*ARS*) 218P
——, Effect of rocuronium and vecuronium on intraocular pressure, HULL, J. M., *et al.*, (*ARS*) 534P
——, Etomidate shortens the onset time of neuromuscular block, GILL, R. S., *et al.* 444–446
——, Fade during recovery from vecuronium, CAMPKIN, N. T. A., *et al.*, (*C*) 226–227
——, Influence of circulating drug on recovery of neuromuscular block in the isolated forearm, HOOD, J. R., *et al.*, (*ARS*) 535P
——, Lung function after vecuronium pretreatment in young, healthy patients, MAHAJAN, R. P., *et al.* 318–319
——, Onset and recovery of rocuronium (Org 9426) and vecuronium under enflurane anaesthesia, MAYER, M., *et al.* 511–512
——, Onset of neuromuscular block in myasthenic patients, BARAKA, A., (*C*) 227–228
——, Probable resistance to vecuronium involving the 17-hydroxy metabolite, COZANITIS, D. A., (*C*) 110–111
Neuromuscular function, synapses, Relative pre- and postjunctional effects of a new vecuronium analogue, Org 9426, at the rat neuromuscular junction, TIAN, L., *et al.* 284–287
Neuromuscular transmission, Relationship of the train-of-four ratio to plasma atracurium concentration, PARKER, C. J. R., *et al.* 274–280
Non-steroidal anti-inflammatory drugs, Effect of diclofenac on renal function and prostacyclin generation after surgery, POWER, I., *et al.* 451–456
——, Ketorolac trometamol for postoperative analgesia after orthopaedic surgery, KINSELLA, J., *et al.* 19–22
——, Prospective, controlled, double-blind study of i.v. tenoxicam for analgesia after thoracotomy, MERRY, A. F., *et al.* 92–94

Organizations, European Standardization Committee, European Standardization Committee on Anaesthetic Equipment, ZBINDEN, A. M., (*C*) 543
Organizations, Japanese Society of Anesthesiology, The United Kingdom as seen by a Japanese Anaesthetist, MIZUSHIMA, A., (*C*) 108–109
Organizations, Medical Research Council, Aspirin, extradural anaesthesia and the MRC Collaborative Low-dose Aspirin Study in Pregnancy (CLASP), MACDONALD, R., (*C*) 109–110
——, Aspirin, extradural anaesthesia and the MRC Collaborative Low-dose Aspirin Study in Pregnancy (CLASP), DE SWIET, M., *et al.*, (*C*) 109

Osteogenesis imperfecta, Antenatal assessment for anaesthesia, CODY, M. W., *et al.*, (*C*) 332
Oxygen, delivery systems, Oxygen wastage by oxygen–air mixers, WILLIAMS, N. J., *et al.*, (*C*) 228
Oxygen, gradients, Derivation of $\dot{V}/\dot{Q}$ from the position of the $P_{I_{O_2}}$ *vs* $S_{p_{O_2}}$ curve, SAPSFORD, D. J., *et al.*, (*ARS*) 541P
Oxygen, inspired concentration, Derivation of $\dot{V}/\dot{Q}$ from the position of the $P_{I_{O_2}}$ *vs* $S_{p_{O_2}}$ curve, SAPSFORD, D. J., *et al.*, (*ARS*) 541P
Oxygen, saturation, Comparison of nasal cannula and face mask for oxygen administration in postoperative patients, NOLAN, K. M., *et al.*, (*ARS*) 214–215P
——, Continuous collection of pulse oximetry data: a new, inexpensive, portable computerized method, RONALD, A. L., *et al.* 105–107
——, Derivation of $\dot{V}/\dot{Q}$ from the position of the $P_{I_{O_2}}$ *vs* $S_{p_{O_2}}$ curve, SAPSFORD, D. J., *et al.*, (*ARS*) 541P
——, Effect of brief hypoxaemia on the resting ECG in patients with exercise-induced cardiac ischaemia, ENTWISTLE, M. D., *et al.*, (*ARS*) 536–537P
——, Hypoxaemia and insertion of the laryngeal mask airway, GILLIES, G. W. A., (*C*) 661
——, Hypoxaemia and insertion of the laryngeal mask airway, YADDANAPUDI, L. N., *et al.*, (*C*) 661
——, Influence of cardiac output on the correlation between mixed venous and central venous oxygen saturation, BERRIDGE, J. C. 409–410
——, Postoperative oxygenation in the elderly after ophthalmic surgery: comparison of local and general anaesthesia, MCCARTHY, G., *et al.*, (*ARS*) 213–214P
——, Risk factors for oxygen desaturation during sleep, after abdominal surgery, BEYDON, L., *et al.* 137–142
Oxygen, therapy, Comparison of nasal cannula and face mask for oxygen administration in postoperative patients, NOLAN, K. M., *et al.*, (*ARS*) 214–215P
——, Prolonged postoperative oxygen therapy, HANNING, C. D., (*E*) 115–116
——, Video surveillance of oxygen administration by mask in postoperative patients, NOLAN, K. M., *et al.* 194–196
Oxygen, transport, Effect of dobutamine on oxygen supply and uptake in healthy volunteers, BHATT, S. B., *et al.* 298–303
Oxygen, uptake, Oxygen uptake during rebreathing in a Mapleson A system, CAMPKIN, N., *et al.*, (*ARS*) 538P

Pain, cannulation, Pressor response to venous cannulation and effect of local anaesthetic infiltration, LANGHAM, B. T., *et al.*, (*ARS*) 537–538P
Pain, injection, Pain on the injection of propofol: comparison of lignocaine with metoclopramide, GANTA, R., *et al.* 316–317
Pain, mechanism, Pre-emptive analgesia, MCQUAY, H. J., (*E*) 1–3
Pain, pathological, Abolition of the extradural sieve by addition of fentanyl to extradural bupivacaine, TEHAN, B. 520–521
Pain, postoperative, Anaesthetic factors contributing to postoperative nausea and vomiting, RABEY, P. G., *et al.* 40–45S
——, Comparison of extradural administration of sufentanil, morphine and sufentanil–morphine combination after Caesarean section, DOTTRENS, M., *et al.* 9–12
——, Effect of interpleural morphine on postoperative pain and pulmonary function after thoracotomy, WELTE, M., *et al.* 637–639
——, Effect of preoperative opioid administration on postoperative pain, DAHL, J. B., *et al.*, (*C*) 424–425
——, Effect of preoperative opioid administration on postoperative pain, KATZ, J., *et al.*, (*C*) 424
——, Hypoxaemia and pain relief after lower abdominal surgery: comparison of extradural and patient-controlled analgesia, MADEJ, T. H., *et al.* 554–557
——, Hypoxaemia and pain relief after upper abdominal surgery: comparison of i.m. and patient-controlled analgesia, WHEATLEY, R. G., *et al.* 558–561
——, Indomethacin in the management of postoperative pain, NISSEN, I., *et al.* 304–306
——, Influence of timing on the effect of continuous extradural analgesia with bupivacaine and morphine after major abdominal surgery, DAHL, J. B., *et al.* 4–8
——, Intrathecal morphine-6-glucuronide and bupivacaine for postoperative pain, COE, A. J., *et al.*, (*ARS*) 221P
——, Metabolic and respiratory changes after cholecystectomy performed via laparotomy or laparoscopy, JORIS, J., *et al.* 341–345
——, Pain sensation and nociceptive reflex excitability in surgical patients and human volunteers, DAHL, J. B., *et al.* 117–121
——, Pre-emptive analgesia, MCQUAY, H. J., (*E*) 1–3
——, Pre-emptive extradural analgesia, DAHL, J. B., *et al.*, (*C*) 664–665
——, Pre-emptive extradural analgesia, WILDER-SMITH, O. H. G., *et al.*, (*C*) 663–664
Pain, threshold, Pain sensation and nociceptive reflex excitability in surgical patients and human volunteers, DAHL, J. B., *et al.* 117–121
Parasympathetic nervous system, atropine, Current management of postoperative nausea and vomiting, ROWBOTHAM, D. J. 46–59S
Parasympathetic nervous system, hyoscine, Current management of postoperative nausea and vomiting, ROWBOTHAM, D. J. 46–59S
Partial pressure, arterial, Components of the inspired to arterial isoflurane partial pressure difference, MATSON, A. M., *et al.*, (*ARS*) 528–529P
Partial pressure, end-tidal, Components of the inspired to arterial isoflurane partial pressure difference, MATSON, A. M., *et al.*, (*ARS*) 528–529P
Partial pressure, isoflurane, Components of the inspired to arterial isoflurane partial pressure difference, MATSON, A. M., *et al.*, (*ARS*) 528–529P
Partial pressure, oxygen, Derivation of $\dot{V}/\dot{Q}$ from the position of the $P_{I_{O_2}}$ *vs* $S_{p_{O_2}}$ curve, SAPSFORD, D. J., *et al.*, (*ARS*) 541P
Pharmacodynamics, Dose–response relationships for neostigmine antagonism of vecuronium-induced neuromuscular block in adults and the elderly, MCCARTHY, G. J., *et al.* 281–283
——, Etomidate shortens the onset time of neuromuscular block, GILL, R. S., *et al.* 444–446
——, Fade during recovery from vecuronium, CAMPKIN, N. T. A., *et al.*, (*C*) 226–227
——, Influence of body weight and gender on the pharmacodynamics of atracurium, DEVLIN, J. C., *et al.*, (*ARS*) 217–218P
——, Onset and recovery of rocuronium (Org 9426) and vecuronium under enflurane anaesthesia, MAYER, M., *et al.* 511–512
——, Onset of neuromuscular block in myasthenic patients, BARAKA, A., (*C*) 227–228
——, Pharmacodynamic stability of a mixture of propofol and alfentanil, TAYLOR, I. N., *et al.* 168–171
——, Pharmacodynamics of mivacurium chloride in the cirrhotic patient, DEVLIN, J. C., *et al.*, (*ARS*) 534–535P
——, Pharmacokinetics of mivacurium in normal patients and in those with hepatic or renal failure, COOK, D. R., *et al.* 580–585
——, Relationship of the train-of-four ratio to plasma atracurium concentration, PARKER, C. J. R., *et al.* 274–280
Pharmacokinetics, alfentanil, Disposition of alfentanil in burns patients, MCFIE, A. G., *et al.* 447–450
Pharmacokinetics, atracurium, Effect of age, sex and anaesthetic technique on the pharmacokinetics of atracurium, PARKER, C. J. R., *et al.* 439–443
——, Relationship of the train-of-four ratio to plasma atracurium concentration, PARKER, C. J. R., *et al.* 274–280
Pharmacokinetics, bupivacaine, Elimination of bupivacaine and pethidine from the rabbit feto–placental unit, CARSON, R. J., *et al.* 150–153
Pharmacokinetics, etomidate, Thiopentone and etomidate concentrations in maternal and umbilical plasma, and in colostrum, ESENER, Z., *et al.* 586–588
Pharmacokinetics, lignocaine, Pharmacokinetics of lignocaine in children after infiltration for cleft palate surgery, MICHAEL, S., *et al.* 577–579
Pharmacokinetics, liver, Hepatic disposition of methohexitone in patients undergoing coronary bypass surgery, LANGE, H., *et al.* 478–481
Pharmacokinetics, methohexitone, Hepatic disposition of methohexitone in patients undergoing coronary bypass surgery, LANGE, H., *et al.* 478–481
Pharmacokinetics, mivacurium, Pharmacokinetics of mivacurium in normal patients and in those with hepatic or renal failure, COOK, D. R., *et al.* 580–585
Pharmacokinetics, models, One-compartment kinetics, NORMAN, J. 387–396
Pharmacokinetics, pethidine, Elimination of bupivacaine and pethidine from the rabbit feto–placental unit, CARSON, R. J., *et al.* 150–153
Pharmacokinetics, rocuronium, Onset and recovery of rocuronium (Org 9426) and vecuronium under enflurane anaesthesia, MAYER, M., *et al.* 511–512
Pharmacokinetics, thiopentone, Thiopentone and etomidate concentrations in maternal and umbilical plasma, and in colostrum, ESENER, Z., *et al.* 586–588

Pharmacokinetics, uptake, Effect of halothane on [^{3}H]methylcholine uptake into rat brain synaptosomes, GRIFFITHS, R., *et al.*, (*ARS*) 530P
——, Influence of body weight and gender on the pharmacodynamics of atracurium, DEVLIN, J. C., *et al.*, (*ARS*) 217–218P
Pharmacokinetics, vecuronium, Etomidate shortens the onset time of neuromuscular block, GILL, R. S., *et al.* 444–446
——, Onset and recovery of rocuronium (Org 9426) and vecuronium under enflurane anaesthesia, MAYER, M., *et al.* 511–512
Pharmacology, 5-HT antagonists, 5-HT_3 antagonists and postoperative nausea and vomiting, RUSSELL, D., *et al.* 63–68S
Pharmacology, agonists opioid, Interaction between halothane and mu, delta and kappa opioid agonists on the isolated right atria of the rat, MICOL, J. A., *et al.* 487–491
Pharmacology, blood loss, Perioperative blood loss and its reduction: the role of the anaesthetist, SIMPSON, P. 498–507
Pharmacology, dobutamine, Effect of dobutamine on oxygen supply and uptake in healthy volunteers, BHATT, S. B., *et al.* 298–303
Pharmacology, dose–response, Dose–response relationships for neostigmine antagonism of vecuronium-induced neuromuscular block in adults and the elderly, MCCARTHY, G. J., *et al.* 281–283
——, Propofol and alfentanil in children: infusion technique and dose requirement for total i.v. anaesthesia, BROWNE, B. L., *et al.* 570–576
Pharmacology, ketanserin, Effect of ketanserin on global cerebral blood flow and cerebral oxygen metabolism during midazolam–fentanyl or isoflurane anaesthesia, OLSEN, K. S., *et al.* 263–268
Pharmacology, synergism, Hypnotic and anaesthetic interactions between midazolam, propofol and alfentanil, SHORT, T. G., *et al.* 162–167
——, Synergistic interaction between midazolam and propofol, MCCLUNE, S., *et al.* 240–245
Physics, baricity, Comparison of hypertonic saline (5%), isotonic saline and Ringer's lactate solutions for fluid preloading before lumbar extradural anaesthesia, VEROLI, P., *et al.* 461–464
——, Spread of spinal anaesthesia, ADKISSON, G. H., (*C*) 328
——, Spread of spinal anaesthesia, TUOMINEN, M., *et al.*, (*C*) 328–329
Physiotherapy, Effect of physiotherapy on EEG spectral derivatives in sedated patients in the intensive care unit, WANG, D. Y., *et al.*, (*ARS*) 221–222P
Pig, Action of ketamine on isolated porcine trachealis muscle, HATCH, D. J., *et al.*, (*ARS*) 217P
——, Porcine model for studying the passage of non-depolarizing neuromuscular blockers through the blood–brain barrier, WERBA, A., *et al.* 382–386
Placenta, Influence of vitamin B_{12} status on the inactivation of methionine synthase by nitrous oxide, LANDON, M. J., *et al.* 81–86
Placenta, drug distribution, Elimination of bupivacaine and pethidine from the rabbit feto–placental unit, CARSON, R. J., *et al.* 150–153
Plasma Volume Expansion, BARON, J.-F., (editor), (*R*) 668
Position, effects, Influence of temperature and posture changes on evoked electromyography, SMITH, D. C., *et al.*, (*ARS*) 223P
Position, sitting, Training in fibreoptic intubation, PESKETT, M. J., (*C*) 331
Position, supine, Gastric regurgitation during general anaesthesia in the supine position with the laryngeal and face mask airways, EL MIKATTI, N., *et al.*, (*ARS*) 529–530P
Potency, anaesthetic, I.v. bolus administration of subconvulsive doses of lignocaine to conscious sheep: effects on circulatory function, HUANG, Y. F., *et al.* 368–374
——, Somatic movement and oesophageal motility during isoflurane anaesthesia, MATHER, C., *et al.* 40–44
——, Sternocleidomastoid muscle contractility at different levels of isoflurane anaesthesia in humans, OSHIMA, T., *et al.* 236–239
Potency, anaesthetic, age factors, Infusion of propofol to identify smallest effective doses for induction of anaesthesia in young and elderly patients, PEACOCK, J. E., *et al.* 363–367
Potency, anaesthetic, ED_{50}, Propofol and alfentanil in children: infusion technique and dose requirement for total i.v. anaesthesia, BROWNE, B. L., *et al.* 570–576
Potency, anaesthetic, MAC, Blood concentrations of sevoflurane and isoflurane on recovery from anaesthesia, KATOH, T., *et al.* 259–262
——, Components of the inspired to arterial isoflurane partial pressure difference, MATSON, A. M., *et al.*, (*ARS*) 528–529P
Potency, drug, tolerance, Probable resistance to vecuronium involving the 17-hydroxy metabolite, COZANITIS, D. A., (*C*) 110–111
——, Repeated resistance to non-depolarizing neuromuscular blocking drugs in a patient with multiple myeloma, IP YAM, C., *et al.*, (*C*) 111
Pregnancy, A longitudinal study of gastric emptying of a test meal during pregnancy, MAGIDES, A. D., *et al.*, (*ARS*) 529P
——, Life-threatening acute respiratory distress in late pregnancy, METTAM, I. M., *et al.* 420–421
Pregnancy, aspirin therapy, Aspirin, extradural anaesthesia and the MRC Collaborative Low-dose Aspirin Study in Pregnancy (CLASP), MACDONALD, R., (*C*) 109–110
——, Aspirin, extradural anaesthesia and the MRC Collaborative Low-dose Aspirin Study in Pregnancy (CLASP), DE SWIET, M., *et al.*, (*C*) 109
——, Thrombelastography after aspirin ingestion in pregnant and non-pregnant subjects, ORLIKOWSKI, C. E. P., *et al.* 159–161
Premedication, Anaesthetic factors contributing to postoperative nausea and vomiting, RABEY, P. G., *et al.* 40–45S
——, Current management of postoperative nausea and vomiting, ROWBOTHAM, D. J. 46–59S
——, Effect of preoperative opioid administration on postoperative pain, DAHL, J. B., *et al.*, (*C*) 424–425
——, Effect of preoperative opioid administration on postoperative pain, KATZ, J., *et al.*, (*C*) 424
——, Effects of omeprazole, ranitidine, famotidine and placebo on gastric secretion in patients undergoing elective surgery, ESCOLANO, F., *et al.* 404–406
Principles of Measurement and Monitoring in Anaesthesia and Intensive Care, 3rd Edn, SYKES, M. K., *et al.*, (*R*) 666
Protein, binding, Disposition of alfentanil in burns patients, MCFIE, A. G., *et al.* 447–450
——, *In vitro* displacement of vasoactive mediators from plasma proteins: a possible mechanism for pseudo-allergic reactions to neuromuscular blocking drugs, WILLIAMS, W. R., *et al.* 508–510
——, Repeated resistance to non-depolarizing neuromuscular blocking drugs in a patient with multiple myeloma, IP YAM, C., *et al.*, (*C*) 111
Protein, human serum albumin, Comparison of the inhibitory effect of propofol, thiopentone and midazolam on neutrophil polarization *in vitro* in the presence or absence of human serum albumin, O'DONNELL, N. G., *et al.* 70–74
Psychological responses, Flumazenil does not antagonize halothane, thiamylal or propofol anaesthesia in rats, MURAYAMA, T., *et al.* 61–64
Psychological responses, postoperative, Incidence and severity of postoperative nausea and vomiting in patients exposed to positive intraoperative suggestions, WILLIAMS, A. R., *et al.*, (*ARS*) 216–217P
——, Learning during general anaesthesia: implicit recall after methohexitone or propofol infusion, BETHUNE, D. W., *et al.* 197–199
Psychological responses, unconscious perception, Anaesthetic factors contributing to postoperative nausea and vomiting, RABEY, P. G., *et al.* 40–45S
——, Incidence and severity of postoperative nausea and vomiting in patients exposed to positive intraoperative suggestions, WILLIAMS, A. R., *et al.*, (*ARS*) 216–217P
Publications, Dual publication of abstracts, CAMPBELL, I. T., (*C*) 227
——, Dual publication of abstracts, SMITH, G., (*C*) 227

Rabbit, Elimination of bupivacaine and pethidine from the rabbit feto–placental unit, CARSON, R. J., *et al.* 150–153
——, Propofol anticonvulsant activity in experimental epileptic status, DE RIU, P. L., *et al.* 177–181
Rat, Effect of halothane on [^{3}H]methylcholine uptake into rat brain synaptosomes, GRIFFITHS, R., *et al.*, (*ARS*) 530P
——, Effects of halothane on cultured neurones, WINLOW, W., *et al.*, (*ARS*) 530–531P
——, Flumazenil does not antagonize halothane, thiamylal or propofol anaesthesia in rats, MURAYAMA, T., *et al.* 61–64
——, Hepatotoxicity testing of atracurium and laudanosine in the isolated, perfused rat liver, RECKENDORFER, H., *et al.* 288–291
——, Interaction between halothane and mu, delta and kappa opioid agonists on the isolated right atria of the rat, MICOL, J. A., *et al.* 487–491

——, Isoflurane inhibits insulin secretion from isolated rat pancreatic islets of Langerhans, DESBOROUGH, J. P., *et al.*, (*ARS*) 532P
——, Peripheral nerve injury caused by injection needles used in regional anaesthesia: influence of bevel configuration, studied in a rat model, RICE, A. S. C., *et al.* 433–438
——, Relative pre- and postjunctional effects of a new vecuronium analogue, Org 9426, at the rat neuromuscular junction, TIAN, L., *et al.* 284–287
Receptors, opioid, Interaction between halothane and mu, delta and kappa opioid agonists on the isolated right atria of the rat, MICOL, J. A., *et al.* 487–491
Records, anaesthesia, A National Database on hepatitis after exposure to inhaled anaesthetics, KENNA, J. G., *et al.*, (*C*) 228–229
Recovery, Blood concentrations of sevoflurane and isoflurane on recovery from anaesthesia, KATOH, T., *et al.* 259–262
Recovery, cognitive, Recovery of cognitive functions after anaesthesia with desflurane or isoflurane and nitrous oxide, TSAI, S. K., *et al.* 255–258
Recovery, neurological, Acid–base management during hypothermic cardiopulmonary bypass does not affect cerebral metabolism but does affect blood flow and neurological outcome, STEPHAN, H., *et al.* 51–57
Recovery, psychomotor, EEG and auditory evoked potential P300 compared with psychometric tests in assessing vigilance after benzodiazepine sedation and antagonism, ENGELHARDT, W., *et al.* 75–80
Reflexes, spinal, Pain sensation and nociceptive reflex excitability in surgical patients and human volunteers, DAHL, J. B., *et al.* 117–121
Reflexes, threshold, Pain sensation and nociceptive reflex excitability in surgical patients and human volunteers, DAHL, J. B., *et al.* 117–121
Research, emesis, The study of postoperative nausea and vomiting, KORTTILA, K. 20–23S
Researches Practical and Physiological on Etherization, PIROGOFF, N., *et al.*, (*R*) 333
Respiratory Monitoring (*Contemporary Management in Critical Care* series), TOBIN, M. J., (editor), (*R*) 666
Risk, A logistic regression model for risk stratification of fixed patient factors for postoperative emesis, PALAZZO, M. G. A., *et al.*, (*ARS*) 530P
——, Risk factors for oxygen desaturation during sleep, after abdominal surgery, BEYDON, L., *et al.* 137–142

Safety, drug, Early diagnosis of anaphylactic reactions to neuromuscular blocking drugs, LAROCHE, D., *et al.* 611–614
——, Enhancement of bupivacaine toxicity by diltiazem in anaesthetized dogs, FINEGAN, B. A., *et al.* 492–497
——, *In vitro* displacement of vasoactive mediators from plasma proteins: a possible mechanism for pseudo-allergic reactions to neuromuscular blocking drugs, WILLIAMS, W. R., *et al.* 508–510
Safety, equipment, Bacterial retention properties of heat and moisture exchange filters, LEE, M. G., *et al.* 522–525
——, Damage to coaxial breathing systems, LIDDLE, M. W. D., (*C*) 425
——, Damage to coaxial breathing systems, WILLIAMS, A. R., (*C*) 425
——, Metallic fragments and the combined spinal–extradural technique, CARRIE, L. E. S., (*C*) 662–663
——, Metallic fragments and the combined spinal–extradural technique, ELDOR, J., (*C*) 663
——, Overdose of opioid from patient-controlled analgesia pumps, NOTCUTT, W. G., *et al.* 95–97
——, Where is the bobbin? BRAS, P., *et al.*, (*ARS*) 539P
Safety, techniques, Extradural abscess complicating extradural anaesthesia for Caesarean section, NGAN KEE, W. D., *et al.* 647–652
Screening, Evaluation of spin resonance spectroscopy of red blood cell membranes to detect malignant hyperthermia susceptibility, HALSALL, P. J., *et al.* 471–473
——, Is muscle biopsy for malignant hyperthermia diagnosis still necessary? BALL, S. P., *et al.*, (*ARS*) 222–223P
——, Is the "K-type" caffeine–halothane responder susceptible to malignant hyperthermia? ELLIS, F. R., *et al.* 468–470
——, Radioimmunoassay tests and anaphylaxis, IMRAY, I. McG., *et al.*, (*C*) 543–544
——, Unnecessary preoperative investigations in children, WILSON, A., *et al.*, (*C*) 425
Sedation, EEG and auditory evoked potential P300 compared with psychometric tests in assessing vigilance after benzodiazepine sedation and antagonism, ENGELHARDT, W., *et al.* 75–80
——, EEG and memory effects of low-dose infusions of propofol, VESELIS, R. A., *et al.* 246–254
——, Effect of physiotherapy on EEG spectral derivatives in sedated patients in the intensive care unit, WANG, D. Y., *et al.*, (*ARS*) 221–222P
Serotonin (5-hydroxytryptamine), The role of 5-HT in postoperative nausea and vomiting, BUNCE, K. T., *et al.* 60–62S
Serotonin (5-hydroxytryptamine), antagonism, 5-HT_3 antagonists and postoperative nausea and vomiting, RUSSELL, D., *et al.* 63–68S
Sheep, I.v. bolus administration of subconvulsive doses of lignocaine to conscious sheep: effects on circulatory function, HUANG, Y. F., *et al.* 368–374
Sleep, Flumazenil does not antagonize halothane, thiamylal or propofol anaesthesia in rats, MURAYAMA, T., *et al.* 61–64
——, Risk factors for oxygen desaturation during sleep, after abdominal surgery, BEYDON, L., *et al.* 137–142
Solubility, partition coefficients, Blood concentrations of sevoflurane and isoflurane on recovery from anaesthesia, KATOH, T., *et al.* 259–262
Spinal cord, evoked potentials, Some effects of isoflurane on I waves of the motor evoked potential, HICKS, R. G., *et al.* 130–136
Standard Operating Procedures for Investigators, BALL, G., *et al.*, (*R*) 231
Standards of Care in Anaesthesia, TAYLOR, T. H., *et al.*, (*R*) 334
Statistics, The study of postoperative nausea and vomiting, KORTTILA, K. 20–23S
Stress, hormonal response, EEG burst suppression with propofol during cardiopulmonary bypass in children: a study of the haemodynamic, metabolic and endocrine effects, LAYCOCK, G. J. A., *et al.* 356–362
Stress, metabolic response, EEG burst suppression with propofol during cardiopulmonary bypass in children: a study of the haemodynamic, metabolic and endocrine effects, LAYCOCK, G. J. A., *et al.* 356–362
Surgery, abdominal, Extradural fentanyl–bupivacaine compared with patient controlled analgesia using i.v. morphine after upper abdominal surgery, WRIGHT, P. M. C., *et al.*, (*ARS*) 219–220P
——, Hypoxaemia and pain relief after lower abdominal surgery: comparison of extradural and patient-controlled analgesia, MADEJ, T. H., *et al.* 554–557
——, Hypoxaemia and pain relief after upper abdominal surgery: comparison of i.m. and patient-controlled analgesia, WHEATLEY, R. G., *et al.* 558–561
——, Influence of timing on the effect of continuous extradural analgesia with bupivacaine and morphine after major abdominal surgery, DAHL, J. B., *et al.* 4–8
——, Pre-emptive extradural analgesia, DAHL, J. B., *et al.*, (*C*) 664–665
——, Pre-emptive extradural analgesia, WILDER-SMITH, O. H. G., *et al.*, (*C*) 663–664
——, Risk factors for oxygen desaturation during sleep, after abdominal surgery, BEYDON, L., *et al.* 137–142
——, Somatic movement and oesophageal motility during isoflurane anaesthesia, MATHER, C., *et al.* 40–44
Surgery, cardiovascular, Acid–base management during hypothermic cardiopulmonary bypass does not affect cerebral metabolism but does affect blood flow and neurological outcome, STEPHAN, H., *et al.* 51–57
——, Comparison of propofol–fentanyl and isoflurane–fentanyl for maintenance of anaesthesia during cardiac surgery, PHILLIPS, A. S., *et al.*, (*ARS*) 211–212P
——, EEG burst suppression with propofol during cardiopulmonary bypass in children: a study of the haemodynamic, metabolic and endocrine effects, LAYCOCK, G. J. A., *et al.* 356–362
——, Influence of myocardial preservation technique on perioperative neutrophil activity in patients undergoing coronary artery graft surgery, COLUMB, M. O., *et al.*, (*ARS*) 211P
——, The role of enoximone in cardiac surgery, BOLDT, J., *et al.* 45–50
Surgery, cholecystectomy, Changes in respiratory function after laparoscopic cholecystectomy, MARTIN, C. S., *et al.*, (*ARS*) 526P
——, Metabolic and respiratory changes after cholecystectomy performed via laparotomy or laparoscopy, JORIS, J., *et al.* 341–345
Surgery, cleft palate, Pharmacokinetics of lignocaine in children after infiltration for cleft palate surgery, MICHAEL, S., *et al.* 577–579
Surgery, day-case, Postoperative nausea and vomiting in day-case surgery, WETCHLER, B. V. 33–39S
Surgery, endarterectomy, Comparison of the effects of methoxamine and phenylephrine on middle cerebral artery velocity during carotid endarterectomy, KANEKO, K., *et al.*, (*ARS*) 537P

Surgery, gastrointestinal, Effect of diclofenac on renal function and prostacyclin generation after surgery, POWER, I., *et al.* 451–456
Surgery, gynaecological, Colloid (3% Dextran 70) with or without ephedrine infusion for cardiovascular stability during extradural Caesarean section, WENNBERG, E., *et al.* 13–18
——, Comparison of extradural administration of sufentanil, morphine and sufentanil–morphine combination after Caesarean section, DOTTRENS, M., *et al.* 9–12
——, Effect of four different maintenance anaesthetic techniques for minor surgery on gastric emptying, BENNETT, M. W. R., *et al.*, (*ARS*) 220P
——, Pain sensation and nociceptive reflex excitability in surgical patients and human volunteers, DAHL, J. B., *et al.* 117–121
——, The importance of activity and pretreatment in the prevention of suxamethonium myalgias, OXORN, D. C., *et al.* 200–201
Surgery, laparoscopy, Metabolic and respiratory changes after cholecystectomy performed via laparotomy or laparoscopy, JORIS, J., *et al.* 341–345
——, Ventilatory effects of laparoscopy under general anaesthesia, PURI, G. D., *et al.*, (*C*) 543
——, Ventilatory effects of laparoscopy under general anaesthesia, SHANKAR, K. B., *et al.*, (*C*) 542–543
Surgery, laparotomy, Metabolic and respiratory changes after cholecystectomy performed via laparotomy or laparoscopy, JORIS, J., *et al.* 341–345
Surgery, metabolic response, Interleukin-6 and the metabolic response to surgery, HALL, G. M., *et al.*, (*E*) 337–338
——, Metabolic and respiratory changes after cholecystectomy performed via laparotomy or laparoscopy, JORIS, J., *et al.* 341–345
Surgery, miscellaneous, Pharmacodynamic stability of a mixture of propofol and alfentanil, TAYLOR, I. N., *et al.* 168–171
Surgery, ophthalmological, Evaluation of closed loop control of arterial pressure during hypotensive anaesthesia for local resection of intraocular melanoma, CHAUDHRI, S., *et al.* 607–610
——, Postoperative oxygenation in the elderly after ophthalmic surgery: comparison of local and general anaesthesia, MCCARTHY, G., *et al.*, (*ARS*) 213–214P
——, The laryngeal mask airway for intraocular surgery: effects on intraocular pressure and stress responses, LAMB, K., *et al.* 143–147
Surgery, oral, Four anaesthetic techniques for day-case oral surgery, MARTLEW, R., *et al.*, (*ARS*) 219P
Surgery, orthopaedic, Blood loss during total hip replacement, MCSWINEY, M., *et al.*, (*C*) 331–332
——, Blood loss during total hip replacement, WITTMANN, P. H., *et al.*, (*C*) 332
——, Ketorolac trometamol for postoperative analgesia after orthopaedic surgery, KINSELLA, J., *et al.* 19–22
Surgery, plastic, Disposition of alfentanil in burns patients, MCFIE, A. G., *et al.* 447–450
——, Hepatic function and indocyanine green clearance during and after prolonged anaesthesia with propofol, MURRAY, J. M., *et al.* 643–644
Surgery, reconstructive, Hepatic function and indocyanine green clearance during and after prolonged anaesthesia with propofol, MURRAY, J. M., *et al.* 643–644
Surgery, spinal, Indomethacin in the management of postoperative pain, NISSEN, I., *et al.* 304–306
——, Some effects of isoflurane on I waves of the motor evoked potential, HICKS, R. G., *et al.* 130–136
Surgery, thoracic, Anaesthesia for transthoracic endoscopic sympathectomy in the treatment of upper limb hyperhidrosis, JEDEIKIN, R., *et al.* 349–351
——, Effect of interpleural morphine on postoperative pain and pulmonary function after thoracotomy, WELTE, M., *et al.* 637–639
——, Patient-controlled analgesia after thoracotomy: thoracic extradural *vs* i.v. fentanyl, KEENAN, G. M. A., *et al.*, (*ARS*) 533P
——, Prospective, controlled, double-blind study of i.v. tenoxicam for analgesia after thoracotomy, MERRY, A. F., *et al.* 92–94
Surgery, transplantation, Pharmacokinetics of mivacurium in normal patients and in those with hepatic or renal failure, COOK, D. R., *et al.* 580–585
Surgery, urological, Postdural puncture headache in urological surgery: an evaluation of the atraumatic spinal needle, HARRISON, D. A., *et al.*, (*ARS*) 540–541P
——, Topical anaesthesia for extracorporeal shock wave lithotripsy, MCDONALD, P. F., *et al.* 399–400
Surgery, vascular, Fatal tracheal compression after haemorrhage into the axilla, COOK, L. B., *et al.* 322–324
——, Isoflurane does not increase the incidence of intraoperative myocardial ischaemia compared with halothane during vascular surgery, STÜHMEIER, K. D., *et al.* 602–606
——, Risk factors for oxygen desaturation during sleep, after abdominal surgery, BEYDON, L., *et al.* 137–142
——, Transoesophageal pulsed wave Doppler measurement of cardiac output during major vascular surgery: comparison with the thermodilution technique, RYAN, T., *et al.* 101–104
Sympathetic nervous system, clonidine, Alcohol withdrawal treatment with clonidine, ROBINSON, B. J., *et al.*, (*C*) 328
Sympathetic nervous system, dobutamine, Effect of dobutamine on oxygen supply and uptake in healthy volunteers, BHATT, S. B., *et al.* 298–303
Sympathetic nervous system, ephedrine, Colloid (3% Dextran 70) with or without ephedrine infusion for cardiovascular stability during extradural Caesarean section, WENNBERG, E., *et al.* 13–18
Sympathetic nervous system, ganglia, Fentanyl inhibits evoked [^{3}H]noradrenaline release from human neuroblastoma cells, ATCHESON, R., *et al.*, (*ARS*) 531P
Sympathetic nervous system, methoxamine, Comparison of the effects of methoxamine and phenylephrine on middle cerebral artery velocity during carotid endarterectomy, KANEKO, K., *et al.*, (*ARS*) 537P
Sympathetic nervous system, phenylephrine, Comparison of the effects of methoxamine and phenylephrine on middle cerebral artery velocity during carotid endarterectomy, KANEKO, K., *et al.*, (*ARS*) 537P
Sympathetic nervous system, sympathoadrenal responses, Fentanyl inhibits evoked [^{3}H]noradrenaline release from human neuroblastoma cells, ATCHESON, R., *et al.*, (*ARS*) 531P
——, The laryngeal mask airway for intraocular surgery: effects on intraocular pressure and stress responses, LAMB, K., *et al.* 143–147

Temperature, body, Influence of temperature and posture changes on evoked electromyography, SMITH, D. C., *et al.*, (*ARS*) 223P
Temperature, monitoring, Skin injury with a pulse oximeter, BETHUNE, D. W., *et al.*, (*C*) 665
——, Skin injury with a pulse oximeter, PETTERSEN, B., *et al.*, (*C*) 665
Temperature, skin, Effects of skin blood flow and temperature on skin–electrode impedance and offset potential, SMITH, D. C., (*ARS*) 223P
——, Skin injury with a pulse oximeter, BETHUNE, D. W., *et al.*, (*C*) 665
——, Skin injury with a pulse oximeter, PETTERSEN, B., *et al.*, (*C*) 665
The Ageing Surgical Patient—Anaesthetic, Operative and Medical Management, CROSBY, D. L., *et al.*, (editors), (*R*) 426–427
The Critical Care Drug Handbook, ZALOGA, G. P., (*R*) 548
The Management of Acute Pain, PARK, G., *et al.*, (*R*) 548
The Obstructed Airway (Ministry of Defence training film), (*R*) 427
The Oxygen Status of Arterial Blood, ZANDER, R., *et al.*, (editors), (*R*) 333
The Pediatric Anesthesia Handbook, BELL, C., *et al.*, (editors), (*R*) 230
Theories of anaesthetic action, cellular mechanisms, Action of ketamine on isolated porcine trachealis muscle, HATCH, D. J., *et al.*, (*ARS*) 217P
——, Fentanyl inhibits evoked [^{3}H]noradrenaline release from human neuroblastoma cells, ATCHESON, R., *et al.*, (*ARS*) 531P
Theories of anaesthetic action, molecular, Molecular actions of racemic ketamine on human CNS sodium channels, FRENKEL, C., *et al.* 292–297
Thoracic Anesthesia, 2nd Edn, KAPLAN, J. A., (editor), (*R*) 112
Toxicity, Enhancement of bupivacaine toxicity by diltiazem in anaesthetized dogs, FINEGAN, B. A., *et al.* 492–497
Toxicity, hepatic, Hepatotoxicity testing of atracurium and laudanosine in the isolated, perfused rat liver, RECKENDORFER, H., *et al.* 288–291
Toxicity, local anaesthetics, I.v. bolus administration of subconvulsive doses of lignocaine to conscious sheep: effects on circulatory function, HUANG, Y. F., *et al.* 368–374
——, Plasma lignocaine concentrations associated with extradural analgesia in patients with and without multiple organ failure, PUTENSEN, C., *et al.* 513–516

Toxicity, metabolites, Hepatotoxicity testing of atracurium and laudanosine in the isolated, perfused rat liver, RECKENDORFER, H., *et al.* 288–291
Transfusion, Blood loss during total hip replacement, MCSWINEY, M., *et al.*, (*C*) 331–332
——, Blood loss during total hip replacement, WITTMANN, P. H., *et al.*, (*C*) 332
——, Massive blood transfusion, DONALDSON, M. D. J., *et al.* 621–630
Transfusion, complications, Massive blood transfusion, DONALDSON, M. D. J., *et al.* 621–630
Transfusion, stored blood, Plasma antioxidant activity in stored blood, MYERS, D. S., *et al.*, (*ARS*) 222P

Veins, cannulation, Pressor response to venous cannulation and effect of local anaesthetic infiltration, LANGHAM, B. T., *et al.*, (*ARS*) 537–538P
Veins, complications, Venous sequelae of diclofenac, BERRY, C. B., *et al.*, (*C*) 332
——, Venous sequelae of diclofenac, GOPINATH, R., (*C*) 332
Veins, jugular, cannulation, The Siterite ultrasound machine: an aid to internal jugular vein cannulation? ARMSTRONG, P. J., *et al.*, (*ARS*) 533–534P
Ventilation, Advances in cardiopulmonary resuscitation, BASKETT, P. J. F. 182–193
Ventilation, airway pressure, Auto-PEEP, lung volume and sternotomy, FLETCHER, R., (*ARS*) 527P
Ventilation, airway resistance, Effect of fentanyl on ventilatory resistances during barbiturate general anaesthesia, COHENDY, R., *et al.* 595–598
Ventilation, analgesics, effects of, Effect of fentanyl on ventilatory resistances during barbiturate general anaesthesia, COHENDY, R., *et al.* 595–598
Ventilation, apnoea, Use of nasal oxygen cannulae to monitor postoperative breathing, NIMMO, A. F., *et al.*, (*ARS*) 539–540P
Ventilation, carbon dioxide response, Parallel Lack breathing system: fresh gas flow requirements during spontaneous ventilation, OOI, R., *et al.*, (*ARS*) 216P
——, Rebreathing in the Magill breathing system, SONI, N., *et al.*, (*ARS*) 215–216P
——, Ventilatory effects of laparoscopy under general anaesthesia, PURI, G. D., *et al.*, (*C*) 543
——, Ventilatory effects of laparoscopy under general anaesthesia, SHANKAR, K. B., *et al.*, (*C*) 542–543
Ventilation, failure, Life-threatening acute respiratory distress in late pregnancy, METTAM, I. M., *et al.* 420–421
Ventilation, fresh gas flow, Parallel Lack breathing system: fresh gas flow requirements during spontaneous ventilation, OOI, R., *et al.*, (*ARS*) 216P
——, Rebreathing in the Magill breathing system, SONI, N., *et al.*, (*ARS*) 215–216P
Ventilation, mechanical, A new look at the breath of life, WARD, M. E., (*E*) 339–340
——, A new technique for two-hand bag valve mask ventilation, THOMAS, A. N., *et al.* 397–398
——, Bacterial overgrowth and gastric dysfunction, INGLIS, T., (*C*) 545
——, Bacterial overgrowth and gastric dysfunction, WILDER-SMITH, C. H., (*C*) 545
——, Comparison of the use of the laryngeal mask and face mask by inexperienced personnel, TOLLEY, P. M., *et al.* 320–321
——, Mouth mask ventilation: use of a Pall Ultipor breathing system and effect of mask design, THOMAS, A. N., *et al.*, (*ARS*) 527–528P
Ventilation, spontaneous, Determination of the onset of rebreathing: comparison of six methods during spontaneous ventilation, BARRIE, J. R., *et al.*, (*ARS*) 527P
——, Parallel Lack breathing system: fresh gas flow requirements during spontaneous ventilation, OOI, R., *et al.*, (*ARS*) 216P
Ventilation, ventilation–perfusion, Derivation of $\dot{V}/\dot{Q}$ from the position of the $P_{I_{O_2}}$ *vs* Sp_{O_2} curve, SAPSFORD, D. J., *et al.*, (*ARS*) 541P
Vitamins, B_{12}, Influence of vitamin B_{12} status on the inactivation of methionine synthase by nitrous oxide, LANDON, M. J., *et al.* 81–86
Vomiting, antiemetics, Anaesthetic factors contributing to postoperative nausea and vomiting, RABEY, P. G., *et al.* 40–45S
——, Current management of postoperative nausea and vomiting, ROWBOTHAM, D. J. 46–59S
——, Postoperative nausea and vomiting in day-case surgery, WETCHLER, B. V. 33–39S
Vomiting, incidence, A logistic regression model for risk stratification of fixed patient factors for postoperative emesis, PALAZZO, M. G. A., *et al.*, (*ARS*) 530P
——, Incidence and severity of postoperative nausea and vomiting in patients exposed to positive intraoperative suggestions, WILLIAMS, A. R., *et al.*, (*ARS*) 216–217P
——, The study of postoperative nausea and vomiting, KORTTILA, K. 20–23S
Vomiting, nausea, 5-HT_3 antagonists and postoperative nausea and vomiting, RUSSELL, D., *et al.* 63–68S
——, Colloid (3% Dextran 70) with or without ephedrine infusion for cardiovascular stability during extradural Caesarean section, WENNBERG, E., *et al.* 13–18
——, Incidence and severity of postoperative nausea and vomiting in patients exposed to positive intraoperative suggestions, WILLIAMS, A. R., *et al.*, (*ARS*) 216–217P
——, Introduction, ROWBOTHAM, D. J., *et al.* 1S
——, Postoperative nausea and vomiting in day-case surgery, WETCHLER, B. V. 33–39S
——, The role of 5-HT in postoperative nausea and vomiting, BUNCE, K. T., *et al.* 60–62S
——, The study of postoperative nausea and vomiting, KORTTILA, K. 20–23S
Vomiting, nausea, anaesthetic factors, Anaesthetic factors contributing to postoperative nausea and vomiting, RABEY, P. G., *et al.* 40–45S
Vomiting, nausea, pathogenesis, Physiology of nausea and vomiting: speculations on the mechanisms of postoperative nausea and vomiting, ANDREWS, P. L. R. 2–19S
——, Surgical and patient factors involved in postoperative nausea and vomiting, LERMAN, J. 24–32S
Vomiting, nausea, patient factors, A logistic regression model for risk stratification of fixed patient factors for postoperative emesis, PALAZZO, M. G. A., *et al.*, (*ARS*) 530P
——, Surgical and patient factors involved in postoperative nausea and vomiting, LERMAN, J. 24–32S
Vomiting, nausea, physiology, Physiology of nausea and vomiting: speculations on the mechanisms of postoperative nausea and vomiting, ANDREWS, P. L. R. 2–19S
Vomiting, nausea, surgical factors, Gastric regurgitation during general anaesthesia in the supine position with the laryngeal and face mask airways, EL MIKATTI, N., *et al.*, (*ARS*) 529–530P
——, Surgical and patient factors involved in postoperative nausea and vomiting, LERMAN, J. 24–32S

Year Book of Anesthesia, 1991, MILLER, R. D., *et al.*, (editors), (*R*) 113